Health and Disease Summary

November 2018

SOUTH DAKOTA DEPARTMENT OF HEALTH

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

South Dakota Infectious Disease Summary 2018

Disease/Agent	Cases YTD	Rate	5-Year Median YTD	Percent change
Campylobacter	506	58.2	332	+52%
Carbapenem-resistant Enterobacteriaceae	44	5.1	34	+29%
Chlamydia	4,130	474.9	3,819	+8%
Coccidiodomycosis	2	0.2‡	--	--
Cryptosporidiosis	169	19.4	158	+7%
Cyclosporiasis	30	3.4	1	2900%
E. coli, shiga toxin-producing	196	22.5	57	+256%
Ehrlichiosis	4	0.5‡	1	+300%
Giardiasis	106	12.2	111	-5%
Gonorrhea	1,570	180.5	922	+70%
Haemophilus influenzae, invasive	27	3.1	--	--
Hepatitis A	1	0.1‡	2	-50%
Hepatitis B, chronic	40	4.6	49	-18%
Hepatitis C, acute and chronic	505	58.1	510	-1%
HIV, including Stage III (AIDS)	28	3.2	30	-7%
Legionellosis	30	3.4	8	+275%
Listeriosis	1	0.1‡	0	--
Lyme disease	7	0.8‡	5	+40%

YTD: Year-to-Date Rate: Cases per 100,000 population 5-Year Median: 2013–2017

‡ Unstable rate based on <20 observations

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

South Dakota Infectious Disease Summary 2018

SOUTH DAKOTA DEPARTMENT OF HEALTH

Disease/Agent	Cases YTD	Rate	5-Year Median YTD	Percent change
Malaria	9	1.0‡	4	+125%
MRSA, invasive	160	18.4	109	+47%
Pertussis	120	13.8	15	+700%
Pneumococcal disease, invasive	92	10.6	101	-9%
Q fever	12	1.4‡	4	+200%
Rabies, animal	14	NA	27	-44%
Salmonella	214	24.6	220	-3%
Shigella	26	3.0	143	-82%
Spotted fever Rickettsiosis	14	1.6‡	6	+133%
Syphilis, early	44	5.1	44	+0%
Toxic shock syndrome	1	0.1‡	--	--
Tuberculosis	9	1.0‡	10	-10%
Tularemia	9	1.0‡	13	-31%
Varicella	28	3.2	26	+8%
Vibriosis	9	1.0‡	--	--
West Nile Virus	169	19.4	73	+132%

YTD: Year-to-Date Rate: Cases per 100,000 population 5-Year Median: 2013–2017

‡ Unstable rate based on <20 observations

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Campylobacteriosis

Symptoms include diarrhea, cramping, abdominal pain, and fever within 2–5 days after exposure.

Regions	Cases	Rate†
Sioux Falls MSA	83	32.0
Rapid City MSA	61	44.2
Northeast	104	60.3
Southeast	93	82.1
Central	86	92.0
West	77	82.7
South Dakota	**504**	**58.0**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.





Counties with cases (* for <5 cases):

Aurora*, Beadle 13, Bennett*, Bon Homme 12, Brookings 5, Brown 15, Brule 9, Butte 9, Campbell 6, Charles Mix 12, Clark 5, Clay 7, Codington 13, Corson*, Custer 7, Davison 17, Day*, Deuel 16, Dewey 7, Douglas 8, Edmunds*, Fall River 9, Faulk*, Grant *, Gregory 8, Haakon*, Hamlin 9, Hand*, Hanson 6, Harding 6, Hughes*, Hutchinson 14, Hyde*, Jackson*, Jerauld*, Kingsbury 8, Lake 5, Lawrence 10, Lincoln 17, Lyman*, Marshall*, McCook 7, McPherson*, Meade 13, Mellette*, Miner 5, Minnehaha 50, Moody 5, Oglala Lakota 7, Pennington 48, Perkins 9, Potter*, Roberts 6, Sanborn 5, Spink 5, Stanley*, Todd 10, Tripp*, Turner 9, Union 5, Walworth 6, Yankton 11, Ziebach*.



Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

CRE: Carbapenem-resistant Enterobacteriaceae, family of bacteria that are difficult to treat because of high levels of resistance to antibiotics.

Regions	Cases	Rate†
Sioux Falls MSA	17	6.6‡
Rapid City MSA	7	5.1‡
Northeast	5	2.9‡
Southeast	2	1.8‡
Central	8	8.6‡
West	5	5.4‡
South Dakota	**44**	**5.1**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area

Counties with cases (* for <5 cases):
Beadle*, Brown*, Charles Mix*, Codington*, Davison*, Dewey*, Edmunds*, Lawrence*, Lincoln 5, Marshall*, Meade*, Minnehaha 11, Oglala Lakota*, Pennington 6, Todd*, Turner*, Yankton*.







‡ Unstable rates based on <20 observations

South Dakota healthcare associated infections: http://doh.sd.gov/diseases/hai/

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Chlamydia

Most people who have chlamydia don't know it since the disease often has no symptoms. Chlamydia is the most commonly reported STD in the United States and South Dakota.

Regions	Cases	Rate†
Sioux Falls MSA	1,166	450.0
Rapid City MSA	777	562.4
Northeast	535	309.9
Southeast	313	276.5
Central	511	546.5
West	818	878.8
South Dakota	**4,120**	**473.7**





†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):

Aurora 11, Beadle 49, Bennett 39, Bon Homme 11, Brookings 130, Brown 143, Brule 18, Buffalo 35, Butte 35, Campbell*, Charles Mix 54, Clark 6, Clay 63, Codington 65, Corson 73, Custer 21, Davison 77, Day 18, Deuel 6, Dewey 140, Douglas 5, Edmunds*, Fall River 12, Faulk*, Grant 13, Gregory 7, Haakon*, Hamlin 13, Hanson*, Harding*, Hughes 63, Hutchinson*, Hyde*, Jackson 26, Kingsbury*, Lake 22, Lawrence 89, Lincoln 133, Lyman 36, Marshall*, McCook 6, Meade 75, Mellette 14, Miner*, Minnehaha 1,022, Moody 13, Oglala Lakota 317, Pennington 702, Perkins*, Potter*, Roberts 76, Sanborn*, Spink 8, Stanley 6, Sully*, Todd 237, Tripp 27, Turner 5, Union 31, Walworth 20, Yankton 82, Ziebach 21.



SD STD: http://doh.sd.gov/diseases/infectious/std/

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Cryptosporidiosis

Cryptosporidiosis is a diarrheal disease caused by microscopic parasites that can live in the intestine of humans and animals and is passed in the stool of an infected person or animal.

Regions	Cases	Rate†
Sioux Falls MSA	46	17.8
Rapid City MSA	2	1.4‡
Northeast	46	26.6
Southeast	49	43.3
Central	18	19.3‡
West	8	8.6‡
South Dakota	**169**	**19.4**





†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):

Aurora*, Beadle 7, Bon Homme*, Brookings 8, Brown*, Butte*, Clark*, Clay 7, Codington 10, Davison 5, Day*, Deuel*, Douglas*, Edmunds*, Fall River*, Grant*, Gregory*, Hamlin 8, Hand*, Hughes*, Hutchinson 9, Jerauld*, Lake*, Lawrence*, Lincoln 9, Lyman*, Marshall*, McCook 6, McPherson*, Miner*, Minnehaha 29, Moody*, Pennington*, Sanborn*, Todd*, Tripp*, Turner*, Union 5, Yankton 13.



‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Cyclosporiosis

Cyclosporiasis is a diarrheal disease caused by a parasite that can live in the intestine of humans. Not transmitted person-to-person. Outbreaks occur when fruits and vegetables are contaminated with feces.

Regions	Cases	Rate†
Sioux Falls MSA	7	2.7‡
Rapid City MSA	15	10.9‡
Northeast	0	0.0‡
Southeast	3	2.6‡
Central	4	4.3‡
West	1	1.1‡
South Dakota	**30**	**3.4**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):
Gregory*, Lawrence*, Lincoln*, McCook*, Meade*, Minnehaha*, Pennington 13, Tripp*, Yankton*.







‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

E. coli, shiga toxin-producing (STEC)

Infections often include severe stomach cramps, diarrhea (often bloody), and vomiting, some may develop severe illness and hemolytic uremic syndrome (HUS).

Regions	Cases	Rate†
Sioux Falls MSA	54	20.8
Rapid City MSA	24	17.4
Northeast	26	15.1
Southeast	51	45.0
Central	27	28.9
West	17	18.3‡
South Dakota	**196**	**22.9**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.





Counties with cases (* for <5 cases):

Aurora*, Beadle*, Brookings*, Brown*, Brule*, Butte*, Clark*, Clay 7, Codington*, Corson 5, Custer*, Davison 21, Day*, Deuel*, Dewey*, Douglas*, Edmunds*, Gregory*, Hamlin*, Hanson*, Hughes*, Hutchinson 5, Kingsbury 5, Lake*, Lawrence 5, Lincoln 12, Marshall*, McCook*, McPherson*, Meade 6, Minnehaha 34, Oglala Lakota*, Pennington 18, Perkins*, Potter*, Roberts*, Sanborn*, Stanley* Todd*, Turner*, Union*, Walworth*, Yankton 9.



‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Giardiasis

Symptoms include: diarrhea, gas, flatulence, greasy stool that can float, abdominal cramps, upset stomach or nausea, dehydration.

Regions	Cases	Rate†
Sioux Falls MSA	29	11.2
Rapid City MSA	5	3.6‡
Northeast	16	9.3‡
Southeast	21	18.5
Central	23	24.6
West	12	12.9‡
South Dakota	**106**	**12.2**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.





Counties with cases (* for <5 cases):
Beadle*, Brookings*, Brown*, Brule*, Charles Mix*, Clark*, Clay 5, Codington*, Custer*, Davison*, Dewey*, Edmunds*, Hamlin*, Hughes 13, Lake*, Lawrence 5, Lincoln 6, McCook*, Minnehaha 21, Oglala Lakota 5, Pennington 5, Roberts*, Sanborn*, Spink*, Todd*, Tripp*, Union*, Yankton 11.



‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Gonorrhea

Symptoms vary depending on what part of the body is infected (anus, eyes, mouth, genitals, or throat). Gonorrhea can impact an individual's ability to have children if left untreated.

Regions	Cases	Rate†
Sioux Falls MSA	373	144.0
Rapid City MSA	408	295.3
Northeast	69	40.0
Southeast	69	60.9
Central	245	262.0
West	400	429.7
South Dakota	**1,564**	**179.8**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.





Counties with cases (* for <5 cases):

Aurora*, Beadle 5, Bennett 27, Bon Homme 5, Brookings 9, Brown 14, Brule 8, Buffalo 12, Butte 7, Charles Mix 16, Clark *, Clay 8, Codington 14, Corson 57, Custer 6, Davison 25, Day*, Dewey 84, Douglas*, Fall River*, Hamlin*, Hanson*, Hughes 15, Hutchinson*, Jackson 8, Lake*, Lawrence 7, Lincoln 14, Lyman 21, McCook*, Meade 7, Mellette 7, Minnehaha 358, Moody*, Oglala Lakota 194, Pennington 401, Potter*, Roberts 19, Spink*, Stanley*, Todd 130, Tripp 12, Union 6, Walworth 11, Yankton 15, Ziebach 11.



‡ Unstable rates based on <20 observations

SD STD: http://doh.sd.gov/diseases/infectious/std/

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Hepatitis C, acute and chronic

Hepatitis C virus infection is the most common bloodborne infection in the United States and South Dakota.

Regions	Cases	Rate†
Sioux Falls MSA	147	56.7
Rapid City MSA	93	67.3
Northeast	58	33.6
Southeast	33	29.1
Central	114	121.9
West	60	64.5
South Dakota	**505**	**58.1**





†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):
Beadle*, Bennett*, Bon Homme*, Brookings 8, Brown 16, Brule 7, Buffalo 15, Butte 5, Charles Mix 5, Clay*, Codington 7, Corson 27, Custer*, Davison 9, Day*, Dewey 18, Fall River*, Grant*, Hand*, Hughes 17, Hutchinson*, Jones*, Kingsbury*, Lake*, Lawrence 10, Lincoln 5, Lyman 15, Marshall*, McCook*, Meade 15, Mellette*, Minnehaha 139, Moody 10, Oglala Lakota 13, Pennington 78, Roberts 14, Sanborn*, Spink*, Todd 14, Tripp*, Turner*, Union*, Walworth 6, Yankton*, Ziebach 5.



‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

HIV (including Stage III AIDS)

New HIV-AIDS cases, 2018		
Regions	Cases	Rate†
Sioux Falls MSA	12	4.6‡
Rapid City MSA	5	3.6‡
Northeast	2	1.2‡
Southeast	4	3.5‡
Central	2	2.1‡
West	3	3.2‡
South Dakota	**28**	**3.2**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.





New HIV-AIDS cases, 2018		
Regions	Cases	Rate†
East River	20	3.3
West River	8	3.1‡
South Dakota	**28**	**3.2**



‡ Unstable rates based on <20 observations

SD HIV: http://doh.sd.gov/diseases/infectious/aids-hiv/HIV-AIDS-Prev.aspx

Legionellosis

Legionellosis is a bacteria that can cause pneumonia. Not transmitted person-to-person. Symptoms may include cough, fever, chills, shortness of breath, muscle aches & headaches.

Regions	Cases	Rate†
Sioux Falls MSA	19	7.3‡
Rapid City MSA	5	3.6‡
Northeast	1	0.6‡
Southeast	1	0.9‡
Central	1	1.1‡
West	3	3.2‡
South Dakota	**30**	**3.4**





†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):

Bon Homme *, Brookings*, Custer*, Edmunds*, Lincoln*, McCook*, Meade*, Minnehaha 14, Pennington*, Todd*, Turner *.



‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

MRSA, invasive

Invasive infections of methicillin-resistant *Staphylococcus aureus* (MRSA).

Regions	Cases	Rate†
Sioux Falls MSA	43	16.6
Rapid City MSA	27	19.5
Northeast	28	16.2
Southeast	13	11.5‡
Central	22	23.5
West	27	29.0
South Dakota	**160**	**18.4**





†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):
Beadle 5, Bennett*, Brown 5, Brule*, Buffalo*, Butte*, Charles Mix*, Clay*, Codington 6, Corson*, Custer*, Davison 9, Day*, Deuel*, Dewey*, Edmunds*, Fall River*, Gregory*, Hamlin*, Hughes 5, Jackson*, Lawrence*, Lincoln*, Marshall*, McCook*, Meade*, Mellette*, Minnehaha 34, Moody*, Oglala Lakota 6, Pennington 25, Potter*, Roberts*, Sanborn*, Spink*, Todd 9, Tripp*, Turner*, Walworth*.



‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

Pertussis (Whooping cough)

Bacterial infection of the respiratory tract characterized by sudden spasm of coughing.

Regions	Cases	Rate†
Sioux Falls MSA	14	5.4‡
Rapid City MSA	7	5.1‡
Northeast	43	24.9
Southeast	3	2.6‡
Central	49	52.4
West	4	4.3‡
South Dakota	**120**	**13.8**





†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):
Bon Homme*, Brown 18, Buffalo 7, Butte*, Charles Mix*, Codington*, Davison*, Dewey*, Edmunds 21, Gregory*, Hughes 11, Lincoln*, Lyman*, McPherson*, Minnehaha 13, Pennington 7, Potter*, Roberts*, Spink 19, Todd*.



‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Pneumococcal Disease, invasive

Death occurs in 14% of hospitalized adults with invasive disease.
Neurologic sequelae and learning disabilities can occur in meningitis patients.

Regions	Cases	Rate†
Sioux Falls MSA	28	10.8
Rapid City MSA	9	6.5‡
Northeast	24	13.9
Southeast	10	8.8‡
Central	15	16.0‡
West	6	6.4‡
South Dakota	**92**	**10.6**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.







Counties with cases (* for <5 cases):

Aurora*, Beadle*, Brookings*, Brown 10, Brule*, Buffalo*, Butte*, Clay*, Corson*, Custer*, Day*, Deuel*, Dewey*, Fall River*, Gregory*, Hanson*, Hughes*, Hutchinson*, Kingsbury*, Lake*, Lincoln*, Marshall*, McCook*, Minnehaha 21, Oglala Lakota*, Pennington 9, Roberts*, Spink*, Stanley*, Tripp*, Todd*, Turner*, Union*, Walworth*, Yankton*.

‡ Unstable rates based on <20 observations

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Rabies

Rabies is a fatal, but preventable, disease of mammals most often transmitted through the bite of a rabid animal.

Counties

Brookings: Bat (2)
Clark: Skunk (1)
Day: Skunk (1)
Hand: Skunk (1)
Lawrence: Skunk (1)
Marshall: Skunk (2)
Minnehaha: Bat (4)
Roberts: Skunk (1)
Sanborn: Cow (1)



	Skunk	Bat	Cow	Cat	Dog	Raccoon	Other*	Squirrel	Horse
Negative	6	78	37	55	43	21	8	5	3
Rabid	7	6	1	0	0	0	0	0	0

*Other: goat (2), gopher (1), mouse (1), muskrat (2), rabbit (1), sheep (1)

Animal Rabies in South Dakota, 2017 (N=22)





SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Salmonella

Most persons develop diarrhea, fever, and abdominal cramps 12 to 72 hours after infection. The illness usually lasts 4 to 7 days, and most persons recover without treatment.

Regions	Cases	Rate†
Sioux Falls MSA	58	22.4
Rapid City MSA	18	13.0‡
Northeast	47	27.2
Southeast	35	30.9
Central	24	25.7
West	32	34.4
South Dakota	**214**	**24.6**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):
Aurora*, Beadle*, Bennett*, Bon Homme*, Brookings 6, Brown*, Buffalo*, Butte 6, Campbell*, Charles Mix*, Clark*, Clay*, Codington 19, Corson*, Custer *, Davison*, Day*, Deuel*, Dewey*, Douglas*, Edmunds*, Fall River*, Grant*, Gregory*, Haakon*, Hamlin*, Hand*, Hanson*, Harding*, Hughes*, Hutchinson*, Jackson*, Kingsbury*, Lake 5, Lawrence*, Lincoln 18, Marshall*, McCook*, McPherson*, Meade*, Mellette*, Miner*, Minnehaha 35, Moody*, Oglala Lakota 6, Pennington 15, Perkins*, Potter*, Roberts*, Shannon*, Spink*, Stanley*, Todd*, Tripp*, Turner*, Union 8, Yankton 6, Ziebach*.

‡ Unstable rates based on <20 observations







Salmonella serotypes: Typhimurium 52, Enteritidis 29, San Diego 16, Newport 15, Infantis 10, Other or unknown serotypes 92

Disease fact sheets: http://doh.sd.gov/diseases/infectious/diseasefacts

SOUTH DAKOTA: 1 January – 30 November 2018: Provisional Data

Early Syphilis (primary, secondary, non-primary/secondary)

Syphilis is curable in early stages. Signs and symptoms of syphilis include a firm, round, and painless sore on genitals, anus, or mouth; or a rash on the body, including on palms of hands or soles of feet. Later stages include brain damage, heart disease, blindness and death.

Regions	Cases	Rate†
Sioux Falls MSA	18	6.9‡
Rapid City MSA	6	4.3‡
Northeast	3	1.7‡
Southeast	3	2.6‡
Central	3	3.2‡
West	11	11.8‡
South Dakota	**44**	**5.1**

†Rate: cases per 100,000 population.
MSA: Metropolitan Statistical Area.

Counties with cases (* for <5 cases):
Brookings*, Brule*, Clay*, Corson*, Jackson 10, Lincoln*, Minnehaha 15, Pennington 6, Perkins*, Walworth*, Yankton*.







‡ Unstable rates based on <20 observations

SD STD: http://doh.sd.gov/diseases/infectious/std/

SOUTH DAKOTA: 1 January – 31 October 2018: Provisional Data

West Nile Virus — South Dakota

Human West Nile Virus (WNV) reported to SD Department of Health (SD-DOH)

Human cases: 169
- Neuroinvasive: 47 (28%)
- West Nile fever: 122 (72%)

Age: median age 52 years, range 2–89

Sex: female 41%; male 59%

Race: white 85%; American Indian 12%; other 3%

Hospitalized: 60 (35%)

Deaths: 4 (Brown, Dewey, Lincoln, Miner)



West Nile Cases (blue) and blood donors (red) by week of illness onset, South Dakota 2018



SD-DOH: Phone 800-592-1861; westnile.sd.gov

CDC West Nile: cdc.gov/westnile

County Counts

Human cases: Beadle (6), Bon Homme (1), Brookings (5), Brown (15), Brule (1), Buffalo (1), Butte (1), Charles Mix (5), Clark (1), Clay (4), Codington (8), Corson (1), Davison (1), Day (3), Dewey (5), Douglas (3), Edmunds (4), Faulk (4), Grant (1), Hamlin (1), Hanson (2), Hughes (10), Hutchinson (3), Hyde (1), Jerauld (1), Kingsbury (2), Lake (2), Lawrence (1), Lincoln (11), Lyman (1), Marshall (3), Meade (2), Mellette (1), Miner (1), Minnehaha (14), Oglala Lakota (1), Pennington (12), Potter (3), Roberts (2), Spink (4), Stanley (1), Sully (2), Todd (1), Tripp (), Union (7), Walworth (2), Yankton (5), Ziebach (1)

Viremic blood donors: Brown (2), Edmunds (2), Faulk (1), Hand (1), Hanson (1), Lawrence (1), Minnehaha (4), Pennington (2), Potter (1), Spink (2), Todd (1), Tripp (1)

WNV positive mosquito detections: Beadle, Brookings, Brown, Custer, Davison, Hughes, Lincoln, Minnehaha, Stanley

WNV positive bird: Hawk (Codington)



SOUTH DAKOTA DEPARTMENT OF HEALTH

Healthcare Associated Infections, South Dakota

- 14 South Dakota hospitals and 19 long-term care facilities participate in the National Healthcare Safety Network (NHSN) report to the SD Dept of Health

- 4 target areas:
  - *Clostridium difficile* infections;
  - Bloodstream MRSA (methicillin-resistant *Staphylococcus aureus*);
  - Central line associated bloodstream infections (CLABSI);
  - Surgical site infection.

- Reports:
  - *C. difficile*: 752 cases (186 hospital onset; 128 community onset-health care facility associated)
  - MRSA (bloodstream): 178 (32 hospital onset)
  - CLABSI: 38 cases
  - SSI: 53 cases (46 colon, 7 hysterectomy)

  - 19 long-term care facilities report *C. difficile* to NHSN: 15 events

MRSA: methicillin-resistant staphylococcus aureus
CLABSI: central line-associated bloodstream infections
SSI: surgical site infection

Please see CDC: www.cdc.gov/nhsn
South Dakota healthcare associated infections: http://doh.sd.gov/diseases/hai/

SOUTH DAKOTA: 1 January – 31 October 2018: Provisional Data

Births and Deaths, South Dakota, 2018









Vital Records: http://doh.sd.gov/records/

Infectious Diseases, South Dakota 2008-2017

Reportable diseases	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	Median	TOTAL
Babesiosis	0	0	0	0	0	1	1	0	0	0	**0**	**2**
Brucellosis	0	0	0	0	0	1	0	0	0	1	**0**	**2**
Campylobacteriosis	262	300	297	301	276	296	307	346	447	395	**301**	**3,227**
Carbapenem-resist Enter(CRE)	NR	NR	NR	NR	NR	12	3	37	58	64	**37**	**174**
Chlamydia	2,919	3,015	3,187	3,412	3,925	3,947	4,129	3,877	4,337	4,438	**3,901**	**37,186**
Cryptosporidiosis	88	137	108	143	113	175	151	248	158	163	**147**	**1,484**
Cyclosporiasis	1	0	0	0	0	1	0	0	3	4	**0**	**9**
Dengue	0	0	1	0	2	3	0	2	1	0	**1**	**9**
Ehrlichiosis, Anaplasmosis	1	0	0	4	1	1	0	0	1	1	**1**	**9**
Giardiasis	137	113	102	110	144	111	131	129	116	104	**115**	**1,197**
Gonorrhea	382	345	467	602	707	789	880	1,055	1,273	1,290	**748**	**7,790**
Hantavirus pulmonary synd	0	0	0	1	1	0	0	0	0	1	**0**	**3**
Hepatitis A	3	3	1	2	0	4	3	2	2	1	**2**	**21**
Hepatitis B, chronic	48	33	51	51	51	80	58	52	60	52	**52**	**536**
Hepatitis B, acute	0	4	2	2	2	5	3	2	2	2	**2**	**24**
Hepatitis C, acute and chronic	364	384	350	356	392	406	516	570	713	584	**402**	**4,663**
Haemophilus influenzae, invasive	NR	NR	NR	NR	NR	NR	NR	NR	20	21	**21**	**41**
Hemolytic uremic syndrome	3	3	2	0	0	0	1	1	1	3	**1**	**14**
HIV and AIDS	34	21	35	21	29	36	31	24	47	41	**33**	**319**
Legionellosis	3	2	9	2	9	8	9	10	9	15	**9**	**76**
Leprosy (Hanson's disease)	1	0	0	0	0	0	0	0	0	0	**0**	**1**
Listeriosis	1	1	3	1	0	0	0	0	0	2	**1**	**8**
Lyme disease	3	1	1	4	4	4	2	5	11	12	**4**	**47**
Malaria	0	1	3	2	5	7	5	4	4	8	**4**	**39**
Measles	0	0	0	0	0	0	8	2	0	0	**0**	**10**
Meningococcal disease	3	5	0	3	0	4	2	1	1	0	**2**	**19**
Mumps	1	2	2	0	0	0	0	0	2	0	**0**	**7**
Pertussis	67	56	32	37	71	67	109	16	14	9	**47**	**478**
Q fever	1	9	4	1	2	4	5	5	4	5	**4**	**40**
Rabies, animal	24	53	32	40	60	28	21	29	27	33	**31**	**347**
Salmonellosis	154	197	186	162	170	183	164	230	303	226	**185**	**1,975**
Shiga toxin-producing E. coli	53	71	35	41	48	42	41	62	83	91	**51**	**567**
Shigellosis	76	4	7	6	11	190	616	285	28	29	**29**	**1,252**
Spotted fever rickettsiosis	3	0	0	1	1	7	3	2	6	13	**3**	**36**
Staph. Aureus, Methicillin-resistant, invasive (MRSA)	77	94	98	91	89	94	124	159	144	115	**96**	**1,085**
Strep. pneumoniae, invasive	NR	NR	NR	42	97	99	88	110	129	135	**99**	**700**
Syphilis, early (Primary, Secondary, non-primary/secondary)	4	2	4	0	21	49	76	48	42	52	**32**	**298**
Syphilis, congenital	0	0	0	0	0	0	3	0	2	3	**0**	**8**
Toxic shock syndrome	1	0	0	0	0	0	0	3	1	0	**0**	**5**
Tuberculosis	16	18	15	15	19	9	8	17	12	14	**15**	**143**
Tularemia	10	5	11	8	5	7	5	25	14	13	**9**	**103**
Typhoid fever	2	2	1	0	0	3	0	1	2	0	**1**	**11**
Varicella (chicken pox)	55	53	62	67	32	43	23	27	32	24	**38**	**418**
West Nile fever	28	15	16	2	141	92	45	29	116	47	**37**	**531**
West Nile neuroinvasive	11	6	4	0	62	57	12	11	35	26	**12**	**224**
TOTAL	4,836	4,956	5,128	5,530	6,494	6,866	7,583	7,426	8,282	8,037	**6,464**	**65,138**

SOUTH DAKOTA DEPARTMENT OF HEALTH

South Dakota Department of Health

doh.sd.gov/strategicplan

Vision

Healthy People
Healthy Communities
Healthy South Dakota

Mission

To promote, protect and improve the health of every South Dakotan

Guiding Principles

Serve with integrity
Eliminate health disparities
Demonstrate leadership and accountability
Focus on prevention and outcomes
Leverage partnerships
Promote innovation

SOUTH DAKOTA DEPARTMENT OF HEALTH

South Dakota Regions

Region	Population	%	Area (sq miles)	Density (people per sq mile)
Sioux Falls MSA*	259,094	29.8%	3,141	82.5
Rapid City MSA*	138,159	15.9%	6,247	22.1
Northeast	172,612	19.8%	12,277	14.1
Southeast	113,216	13.0%	5,863	19.3
Central	93,506	10.8%	24,860	3.8
West	93,079	10.7%	23,508	4.0
South Dakota	869,666	100%	75,896	11.5

*Metropolitan Statistical Area





Age Group	Population	%
<1 year	12,257	1%
1–4 years	49,502	6%
5–14 years	119,675	14%
15–24 years	116,225	13%
25–39 years	168,141	19%
40–64 years	262,242	30%
>65 years	141,624	16%

Region	Population
East River	610,853
West River	258,813

US Census Bureau, 2017 population estimate

SOUTH DAKOTA DEPARTMENT OF HEALTH

Reportable Diseases List

https://doh.sd.gov/diseases/infectious/reporting.aspx

Monthly surveillance reports

http://doh.sd.gov/statistics/surveillance

How to report infectious diseases

1. Secure disease reporting website: http://sd.gov/diseasereport
2. Telephone: **1-800-592-1804** confidential recorder; or
   1-800-592-1861 or **605-773-3737** After hours for Category I diseases or during normal business hours.
3. Fax: **605-773-5509**
4. Mail or courier: Office of Disease Prevention, SD Department of Health, 615 East 4th Street, Pierre, SD 57501; marked *"Confidential Disease Report"*

Department of Health publications

- **Public Health Bulletin:** http://doh.sd.gov/resources/bulletin.aspx
- **Adult Risk Behaviors:** http://doh.sd.gov/statistics/
- **Youth Risk Behaviors** (Dept of Education)**:** http://doh.sd.gov/statistics/YRBS.aspx
- **PRAMS** (Pregnancy risk assessment monitoring system) https://doh.sd.gov/statistics/prams.aspx