

The Health Behaviors of South Dakotans 2014

*A Report of the South Dakota
Behavioral Risk Factor Surveillance System*

South Dakota Department of Health
600 East Capitol Avenue
Pierre, South Dakota 57501

In cooperation with
the Centers for Disease Control and Prevention
Atlanta, Georgia

February 2016

Copies of this report and its distribution were paid for by a grant from
the Centers for Disease Control and Prevention.

Preface

The Health Behaviors of South Dakotans 2014 serves as a way to measure health risks of South Dakotans.

The information used to develop the report came from the Behavioral Risk Factor Surveillance System (BRFSS). The South Dakota Department of Health (DOH) initiated the BRFSS with help from the Centers for Disease Control and Prevention (CDC).

The survey consists of questions aimed at tracking and trending prevalence of health behaviors and conditions over time. We were unable to compare South Dakota data to the nation due to lack of available data from the CDC at time of publication.

The BRFSS is the world's largest telephone survey. The survey is administered to households with adults age 18 years or older.

The Office of Health Statistics edited and compiled data for this publication. This report contains as much information as practical from the survey.

For questions regarding *The Health Behaviors of South Dakotans 2014*, please contact:

Office of Health Statistics
615 East 4th Street
Pierre, South Dakota 57501-2536
Phone: (605) 773-3361
Internet: <http://doh.sd.gov/Statistics/>
National web site: <http://www.cdc.gov/brfss/>

The following people were the main contributors to the development of this report:

Barb Buhler	Public Information Officer
Carrie Cushing	Policy Data Analyst
Mark Gildemaster	Coordinator of South Dakota Behavioral Risk Factor Surveillance System

Table of Contents

Preface	v
List of Tables.....	viii
List of Figures	xi
Overview.....	3
Methodology	11
Health Behavior Topics.....	15
Overweight and Obesity.....	17
Physical Activity	23
Tobacco Use.....	25
Diabetes.....	34
Hypertension.....	42
Health Insurance.....	44
Breast and Cervical Cancer Screening.....	51
Colorectal Cancer Screening.....	57
Immunization	62
Cancer	67
Prostate Cancer.....	71
Asthma.....	76
Arthritis.....	78
Cardiovascular Disease	80
Chronic Obstructive Pulmonary Disease	86
Depression.....	88
Sleep.....	90
Sunblock Use.....	92
Kidney Disease.....	94
Vision Impairment	96
Seat Belt Use	98
Alcohol Use.....	100
General Health Status.....	106
Oral Health.....	117
Disability	120
HIV/AIDS.....	124
Confusion/Memory Loss	126
Salt Intake.....	128
Sexual Violence	129
Falls	131
Appendix A: Demographics.....	133
Appendix B: BRFSS Questionnaire	139

List of Tables

1.	Estimated Percentage and Number of Persons at Risk Due to Selected Factors (Ages 18 and Older Unless Otherwise Specified): South Dakota BRFSS, 2014	5
2.	Topics Covered on the South Dakota BRFSS, 2004-2014	6-7
3.	Disposition of All Telephone Numbers in the Sample, 2014	13
4.	Respondents Who Are Overweight or Obese, 2011-2014	18
5.	Respondents Who Are Class I-III Obese, 2011-2014	20
6.	Respondents Who Are Class II-III Obese, 2011-2014	22
7.	Respondents Who Reported No Leisure Time Physical Activity, 2011-2014	24
8.	Respondents Who Currently Smoke Cigarettes, 2011-2014	26
9.	Respondents Who Tried to Stop Smoking, Within the Past 12 Months, for One Day or Longer Because They Were Trying to Quit Smoking, 2011-2014	27
10.	Percent of Current Cigarette Smoking by Type of Health Insurance, Ages 18-64, 2011-2014	27
11.	Respondents Who Use Smokeless Tobacco, 2011-2014	30
12.	Respondents Who Have Heard of the <i>QuitLine</i> Program, 2013-2014	33
13.	Respondents Who Were Told They Have Diabetes, 2011-2014	35
14.	Respondents Who Were Told They Have Hypertension, 2011-2014	43
15.	Respondents, Ages 18-64, Who Do Not Have Health Insurance, 2011-2014	45
16.	Type of Health Insurance, Ages 18-64, 2011-2014	46
17.	How Long Since Respondent Last Visited a Doctor for a Routine Checkup, 2011-2014	46
18.	Respondents' Children, Ages 0-17, Who Do Not Have Health Insurance, 2011-2014	49
19.	Different Types of Health Coverage for Respondents' Children, Ages 17 and Under, 2011-2014	49
20.	Child Without Health Care Coverage Due to Various Reasons, 2011-2014	50
21.	Female Respondents, Ages 40 and Older, Who Have Not Had a Mammogram in the Past Two Years, 2012 and 2014	52

22.	Female Respondents Who Have Not Had a Clinical Breast Exam in the Past Two Years, 2012 and 2014.....	54
23.	Female Respondents Who Had Insufficient Cervical Cancer Screening in the Past Three Years, 2012 and 2014	56
24.	Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 2012 and 2014	58
25.	Percent of Respondents, Ages 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 2012 and 2014.....	60
26.	Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 2011-2014.....	63
27.	Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 2011-2014.....	65
28.	Respondents, Ages 50 and Older, Who Have Never Had a Shingles Shot, 2014....	66
29.	Respondents Who Have Ever Been Diagnosed With Cancer (Excluding Skin Cancer), 2011-2014	68
30.	Respondents Who Have Ever Been Diagnosed With Skin Cancer, 2011-2014	70
31.	Male Respondents, Ages 40 and Older, Who Have Not Had a PSA Test Within the Past Two Years, 2012 and 2014	72
32.	Respondents Who Were Told They Have Asthma, 2011-2014	77
33.	Respondents Who Were Told They Have Arthritis, 2011-2014	79
34.	Respondents Who Previously Had a Heart Attack, 2011-2014	81
35.	Respondents Who Have Angina or Coronary Artery Disease, 2011-2014	83
36.	Respondents Who Previously Had a Stroke, 2011-2014.....	85
37.	Respondents Who Have Been Told They Have COPD, 2011-2014.....	87
38.	Respondents Who Were Told They Have Depression, 2011-2014	89
39.	Respondents Who Get Less Than Six Hours of Sleep in a 24-Hour Period, 2013-2014.....	91
40.	Respondents Who Use Sunblock Most of the Time, 2011-2014	93
41.	Respondents Who Have Been Told They Have Kidney Disease, 2011-2014	95
42.	Respondents Who Have a Vision Impairment, 2013-2014	97

43.	Respondents Who Lack Seat Belt Use, 2011-2014.....	99
44.	Respondents Who Drank Alcohol in Past 30 Days, 2011-2014.....	101
45.	Respondents Who Engage in Binge Drinking, 2011-2014.....	103
46.	Respondents Who Engage in Heavy Drinking, 2011-2014.....	105
47.	Respondents Reporting Fair or Poor Health Status, 2011-2014	107
48.	Respondents Who Reported Physical Health Not Good for 30 Days of the Past 30, 2011-2014.....	109
49.	Respondents Who Stated Mental Health Not Good for 20-30 Days of the Past 30, 2011-2014	112
50.	Respondents Who Stated Usual Activities Unattainable for 10-30 Days of the Past 30, 2011-2014.....	115
51.	Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 2012 and 2014	118
52.	Activities Limited Due to Physical, Mental, or Emotional Problems, 2011-2014	121
53.	Respondents' Disability with Special Equipment Needed, 2011-2014.....	123
54.	Respondents Who Have Never Been Tested for HIV, 2011-2014.....	125
55.	Respondents Who Have Experienced Increased Confusion or Memory Loss, 2013-2014.....	127
56.	Respondents Who Are Watching Their Salt Intake, 2014.....	128
57.	Respondents Who Have Been a Victim of Sexual Violence in the Past 12 Months, 2014	130
58.	Respondents, Ages 45 and Older, Who Were Injured in a Fall in the Past 12 Months, 2012 and 2014	132
59.	Demographics of Survey Respondents, 2014	135
60.	Surveys Completed by Resident County, 2014	136-137

List of Figures

1.	Percent of Respondents Who Are Overweight or Obese Based on Body Mass Index, 1993-2010.....	17
2.	Percent of Respondents Who Are Overweight or Obese Based on Body Mass Index, 2011-2014.....	17
3.	Percent of Respondents Who Are Class I-III Obese Based on Body Mass Index, 1993-2010.....	19
4.	Percent of Respondents Who Are Class I-III Obese Based on Body Mass Index, 2011-2014.....	19
5.	Percent of Respondents Who Are Class II-III Obese Based on Body Mass Index, 2002-2010.....	21
6.	Percent of Respondents Who Are Class II-III Obese Based on Body Mass Index, 2011-2014.....	21
7.	Percent of Respondents Who Reported No Leisure Time Physical Activity, 1990-1992, 1994-1996, 1998, and 2000-2010.....	23
8.	Percent of Respondents Who Reported No Leisure Time Physical Activity, 2011-2014.....	23
9.	Percent of Respondents Who Currently Smoke Cigarettes, 1987-2010.....	25
10.	Percent of Respondents Who Currently Smoke Cigarettes, 2011-2014.....	25
11.	Percent of Respondents Who Have Been Advised by a Doctor, Nurse, or Other Health Professional to Quit Smoking in the Past 12 Months, 2012-2014.....	27
12.	Respondents' Place of Work Smoking Policy, 2011-2014.....	28
13.	Respondents' Rules About Smoking Inside the Home, 2011-2014.....	28
14.	Percent of Respondents Who Use Smokeless Tobacco, 1990, 1993-1996, 2001, 2003, and 2005-2010.....	29
15.	Percent of Respondents Who Use Smokeless Tobacco, 2011-2014.....	29
16.	Percent of Respondents Advised to Quit Using Smokeless Tobacco by a Doctor, Nurse, or Other Health Professional, 2011-2014.....	31
17.	Percent of Respondents Who Have Heard of the South Dakota <i>QuitLine</i> Program, 2013-2014.....	32
18.	Percent of Respondents Who Were Told They Have Diabetes, 1990-2010.....	34

19.	Percent of Respondents Who Were Told They Have Diabetes, 2011-2014.....	34
20.	Respondents Who Have Had a Test for High Blood Sugar or Diabetes Within the Past Three Years, 2011-2014.....	36
21.	Respondents' Diabetic Status, 2011-2014	36
22.	Respondents' Insulin Use for Diabetes, 2012 and 2014.....	37
23.	Number of Times Respondents Check Their Blood for Glucose or Sugar, 2012 and 2014	37
24.	Number of Times Respondents Check Their Feet for Sores or Irritations, 2012 and 2014	38
25.	Number of Times in the Past 12 Months Respondents Have Seen a Doctor, Nurse, or Other Health Professional for Their Diabetes, 2012 and 2014.....	38
26.	Number of Times in the Past 12 Months Respondents Had Hemoglobin A1c Checked by a Doctor, Nurse, or Other Health Professional, 2012 and 2014	39
27.	Respondents Who Had a Health Professional Check Their Feet for Any Sores or Irritations at Least Once in the Past Year, 2012 and 2014.....	39
28.	Respondents Who Had an Eye Exam in Which the Pupils Were Dilated in the Past Year, 2012 and 2014	40
29.	Percent of Respondents Told by a Doctor That Diabetes Has Affected Their Eyes or They Have Retinopathy, 2012 and 2014	40
30.	Percent of Respondents Who Have Ever Taken a Course or Class in How to Manage Diabetes, 2012 and 2014	41
31.	Percent of Respondents Who Were Told They Have Hypertension, 1990-1993, 1995-1997, 1999, 2001-2003, 2005, 2007, and 2009	42
32.	Percent of Respondents Who Were Told They Have Hypertension, 2011-2014.....	42
33.	Percent of Respondents, Ages 18-64, Who Do Not Have Health Insurance, 2000-2010	44
34.	Percent of Respondents, Ages 18-64, Who Do Not Have Health Insurance, 2011-2014.....	44
35.	Percent of Respondents, Ages 18-64, Who Needed to See a Doctor But Could Not Because of the Cost, 2011-2014	47
36.	Percent of Children, Ages 0-17, Who Do Not Have Health Insurance, 2000-2010...	48
37.	Percent of Children, Ages 0-17, Who Do Not Have Health Insurance, 2011-2014...	48

38.	Length of Time Since Uninsured Child Visited Doctor for Routine Checkup, 2011-2014.....	50
39.	Percent of Female Respondents, Ages 40 and Older, Who Have Not Had a Mammogram in the Past Two Years, 1990-2004, 2006, 2008, and 2010.....	51
40.	Percent of Female Respondents, Ages 40 and Older, Who Have Not Had a Mammogram in the Past Two Years, 2012 and 2014.....	51
41.	Percent of Female Respondents Who Have Not Had a Clinical Breast Exam in the Past Two Years, 2000-2004, 2006, 2008, and 2010.....	53
42.	Percent of Female Respondents Who Have Not Had a Clinical Breast Exam in the Past Two Years, 2012 and 2014.....	53
43.	Percent of Female Respondents Who Had Insufficient Cervical Cancer Screening in the Past Three Years, 1992-2004, 2006, 2008, and 2010.....	55
44.	Percent of Female Respondents Who Had Insufficient Cervical Cancer Screening in the Past Three Years, 2012 and 2014.....	55
45.	Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 1997, 1999, 2001-2002, 2004, 2006, 2008, and 2010.....	57
46.	Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 2012 and 2014.....	57
47.	Percent of Respondents, Age 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 1993, 1995, 1997, 1999, 2001-2002, 2004, 2006, 2008, and 2010.....	59
48.	Percent of Respondents, Age 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 2012 and 2014.....	59
49.	Percent of Respondents Who Had a Sigmoidoscopy or Colonoscopy for Their Most Recent Colorectal Exam, 2012 and 2014.....	61
50.	Percent of Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 1993-1995, 1997, and 1999-2010.....	62
51.	Percent of Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 2011-2014.....	62
52.	Percent of Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 1993-1995, 1997, and 1999-2010.....	64
53.	Percent of Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 2011-2014.....	64

54. Percent of Respondents Who Have Ever Been Diagnosed With Cancer, (Excluding Skin Cancer) 2011-2014	67
55. Percent of Respondents Who Have Ever Been Diagnosed With Skin Cancer, 2011-2014.....	69
56. Percent of Male Respondents, Ages 40 and Older, Who Have Not Had a PSA Test Within the Past Two Years, 2001-2002, 2004, 2006, 2008, and 2010	71
57. Percent of Male Respondents, Ages 40 and Older, Who Have Not Had a PSA Test Within the Past Two Years, 2012 and 2014.....	71
58. Percent of Respondents Who Stated That a Doctor, Nurse, or Other Health Professional Talked With Them About the Advantages of the PSA Test, 2012 and 2014	73
59. Percent of Respondents Who Stated That a Doctor, Nurse, or Other Health Professional Talked With Them About the Disadvantages of the PSA Test, 2012 and 2014	73
60. Percent of Respondents Who Were Recommended by a Doctor, Nurse, or Other Health Professional to Have a PSA Test, 2012 and 2014.....	74
61. Respondents Who Had a PSA Test When Health Professional Recommended It, 2012 and 2014.....	74
62. Respondents' Main Reason for Last PSA Test, 2012 and 2014.....	75
63. Percent of Respondents Who Were Told They Have Asthma, 2000-2010.....	76
64. Percent of Respondents Who Were Told They Have Asthma, 2011-2014.....	76
65. Percent of Respondents Who Were Told They Have Arthritis, 2001, 2003, 2005, 2007, and 2009	78
66. Percent of Respondents Who Were Told They Have Arthritis, 2011-2014.....	78
67. Percent of Respondents Who Previously Had a Heart Attack 2002, and 2004-2010	80
68. Percent of Respondents Who Previously Had a Heart Attack, 2011-2014.....	80
69. Percent of Respondents Who Have Angina or Coronary Heart Disease, 2002, and 2004-2010	82
70. Percent of Respondents Who Have Angina or Coronary Heart Disease, 2011-2014	82
71. Percent of Respondents Who Have Previously Had a Stroke, 2002, and 2004-2010.....	84

72.	Percent of Respondents Who Have Previously Had a Stroke, 2011-2014	84
73.	Percent of Respondents Who Were Told They Have COPD, 2011-2014.....	86
74.	Percent of Respondents Who Were Told They Have Depression, 2011-2014	88
75.	Percent of Respondents Who Get Less Than Six Hours of Sleep in an Average 24-Hour Period, 2013-2014	90
76.	Percent of Respondents Who Use Sunblock Most of the Time, 2007-2010	92
77.	Percent of Respondents Who Use Sunblock Most of the Time, 2011-2014	92
78.	Percent of Respondents Who Have Been Told They Have Kidney Disease, 2011-2014.....	94
79.	Percent of Respondents Who Have a Vision Impairment, 2013-2014.....	96
80.	Percent of Respondents Who Stated Lack of Seatbelt Use, 1987-1997, 2001-2002, 2006, 2008-2010.....	98
81.	Percent of Respondents Who Stated Lack of Seatbelt Use, 2011-2014	98
82.	Percent of Respondents Who Drank Alcohol in the Past 30 Days, 1995, 1997, 1999, and 2001-2010.....	100
83.	Percent of Respondents Who Drank Alcohol in the Past 30 Days, 2011-2014	100
84.	Percent of Respondents Who Engage in Binge Drinking, 1987-1993, 1995, 1997, 1999, and 2001-2010.....	102
85.	Percent of Respondents Who Engage in Binge Drinking, 2011-2014	102
86.	Percent of Respondents Who Engage in Heavy Drinking, 1987-1993, 1995, 1997, 1999, and 2001-2010.....	104
87.	Percent of Respondents Who Engage in Heavy Drinking, 2011-2014	104
88.	Percent of Respondents Reporting Fair or Poor Health Status, 1993-2010	106
89.	Percent of Respondents Reporting Fair or Poor Health Status, 2011-2014	106
90.	Percent of Respondents Reporting Physical Health Not Good for 30 Days of the Past 30, 2000-2001, and 2003-2010	108
91.	Percent of Respondents Reporting Physical Health Not Good for 30 Days of the Past 30, 2011-2014.....	108
92.	Average Number of Days Respondents' Physical Health Was Not Good in the Past 30, 2011-2014.....	110

93. Percent of Respondents Stating Mental Health Not Good for 20-30 Days of the Past 30, 2000-2001, and 2003-2010.....	111
94. Percent of Respondents Stating Mental Health Not Good for 20-30 Days of the Past 30, 2011-2014.....	111
95. Average Number of Days Respondents' Mental Health Was Not Good in the Past 30 Days, 2011-2014.....	113
96. Percent of Respondents Reporting Usual Activities Unattainable for 10-30 Days of the Past 30, 2001, and 2003-2010.....	114
97. Percent of Respondents Reporting Usual Activities Unattainable for 10-30 Days of the Past 30, 2011-2014.....	114
98. Average Number of Days Poor Physical or Mental Health Kept Respondents From Usual Activities in the Past 30 Days, 2011-2014.....	116
99. Percent of Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 1996-1997, 1999, 2002, 2004, 2006, 2008, and 2010	117
100. Percent of Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 2012 and 2014	117
101. Respondents' Main Reason for Not Visiting the Dentist in the Last Year, 2014	119
102. Percent of Respondents Whose Activities are Limited Due to Physical, Mental, or Emotional Problems, 2001, and 2003-2010.....	120
103. Percent of Respondents Whose Activities are Limited Due to Physical, Mental, or Emotional Problems, 2011-2014.....	120
104. Percent of Respondents Who Have a Disability With Special Equipment Needed, 2001, and 2003-2010.....	122
105. Percent of Respondents Who Have a Disability With Special Equipment Needed, 2011-2014.....	122
106. Percent of Respondents, Ages 18-64, Who Have Never Been Tested for HIV, 1993-2010.....	124
107. Percent of Respondents Who Have Never Been Tested for HIV, 2011-2014.....	124
108. Percent of Respondents Who Have Experienced Increased Confusion or Memory Loss, 2013-2014	126
109. Percent of Respondents Who Reported Being a Victim of Unwanted Sexual Experiences Within the Past 12 Months, 2007-2010	129

110. Percent of Respondents, Ages 45 or Older, Who Were Injured in a Fall in the Past 12 Months, 2012 and 2014131