

The following table shows the percent of those who have arthritis for various health behaviors and conditions. For example, 41 percent of respondents who have high blood pressure have arthritis, while 18 percent of respondents who do not have high blood pressure have arthritis.

**Arthritis Prevalence for Selected Health Behaviors and Conditions, 2011-2014**

	<b>Ever Diagnosed with Arthritis</b>
Underweight (BMI < 18.5)	16%
Recommended Weight (BMI = 18.5-24.9)	18%
Overweight (BMI = 25.0-29.9)	25%
Obese - Class I (BMI = 30.0-34.9)	31%
Obese - Classes II & III (BMI = 35.0+)	35%
Watching Salt Intake	33%
Not Watching Salt Intake	20%
Participates in Leisure Time Exercise	22%
Does Not Participate in Leisure Time Exercise	34%
Current Smoker	25%
Former Smoker	33%
Never Smoked	21%
Uses Smokeless Tobacco	21%
Does Not Use Smokeless Tobacco	25%
Heard of "South Dakota Quitline"	25%
Not Heard of "South Dakota Quitline"	33%
Ever Diagnosed with Diabetes	49%
Never Diagnosed with Diabetes	22%
Has High Blood Pressure	41%
Does Not Have High Blood Pressure	18%
Has Health Insurance (18-64)	19%
Does Not Have Health Insurance (18-64)	17%
Employer Based Coverage (18-64)	16%
Private Health Plan (18-64)	17%
Medicare (18-64)	48%
Medicaid or Medical Assistance (18-64)	28%
The military, CHAMPUS, TriCare, or the VA (18-64)	30%
The Indian Health Service (18-64)	19%
Breast Exam Within Past Two Years	28%
No Breast Exam Within Past Two Years	28%
Mammogram Within Past Two Years (40+)	41%
No Mammogram Within Past Two Years (40+)	34%
Pap Smear Within Past Three Years	21%
No Pap Smear Within Past Three Years	25%
Blood Stool Test Within Past Two Years (50+)	46%
No Blood Stool Test Within Past Two Years (50+)	41%
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	46%
Never Had a Sigmoidoscopy or Colonoscopy (50+)	32%
PSA Test Within Past Two Years (40+)	39%
No PSA Test Within Past Two Years (40+)	26%
Had a Flu Shot in Past 12 Months (65+)	54%
Did Not Have a Flu Shot in Past 12 Months (65+)	46%
Ever Had a Pneumonia Shot (65+)	56%
Never Had a Pneumonia Shot (65+)	44%
Ever Had a Shingles Shot (50+)	53%
Never Had a Shingles Shot (50+)	39%
Previously Had Heart Attack	51%
Never Had Heart Attack	23%

**Arthritis Prevalence for Selected Health Behaviors and Conditions, 2011-2014**

	<b>Ever Diagnosed with Arthritis</b>
Have Angina or Coronary Heart Disease	58%
Does Not Have Angina or Coronary Heart Disease	23%
Previously Had a Stroke	55%
Never Had a Stroke	24%
Ever Diagnosed with Cancer (Excluding Skin Cancer)	47%
Never Diagnosed with Cancer	23%
Ever Diagnosed with Skin Cancer	47%
Never Diagnosed with Skin Cancer	23%
Uses Sun Block Most of the Time	26%
Does Not Use Sun Block Most of the Time	24%
Current Asthma	40%
Former Asthma	25%
Never Had Asthma	23%
Ever Diagnosed with COPD	55%
Never Diagnosed with COPD	23%
Ever Diagnosed with Depression	39%
Never Diagnosed with Depression	22%
Ever Diagnosed with Kidney Disease	57%
Never Diagnosed with Kidney Disease	24%
Has Severe Vision Impairment	52%
Does Not Have Severe Vision Impairment	25%
Recent Increased Confusion/Memory Loss	51%
No Recent Increased Confusion/Memory Loss	26%
< 6 hours of sleep	40%
6+ hours of sleep	24%
Been to the Dentist in the Past Year	23%
Hasn't Been to the Dentist in the Past Year	29%
Always/Almost Always Wears Seat Belt	25%
Sometimes/Seldom/Never Wears Seat Belt	23%
Drank Alcohol in Past 30 Days	20%
Did Not Drink Alcohol in Past 30 Days	31%
Binge Drinker	13%
Not a Binge Drinker	27%
Heavy Drinker	20%
Not a Heavy Drinker	25%
Good/Very Good/Excellent Health Status	21%
Fair/Poor Health Status	51%
Physical Health Not Good for 0-29 Days of the Past 30	22%
Physical Health Not Good for 30 Days of the Past 30	60%
Mental Health Not Good for 0-19 Days of the Past 30	24%
Mental Health Not Good for 20-30 Days of the Past 30	39%
Usual Activities Unattainable for 0-9 Days of the Past 30	22%
Usual Activities Unattainable for 10-30 Days of the Past 30	54%
Has Physical, Mental, or Emotional Problems	54%
Does Not Have Physical, Mental, or Emotional Problems	17%
Has a Disability with Special Equipment Needed	61%
Does Not Have a Disability with Special Equipment Needed	22%
Injured in a Fall in Past 12 Months (45+)	61%
Not Injured in a Fall in Past 12 Months (45+)	36%
Ever Been Tested for HIV	20%
Never Been Tested for HIV	26%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014