

The following table shows the percent of those who have not had a Pap smear within the past three years for various health behaviors and conditions. For example, 15 percent of respondents who have health insurance have not had a Pap smear within the past three years, while 39 percent of respondents who do not have health insurance have not had a Pap smear within the past three years.

No Pap Smear Within Past Three Years for Selected Health Behaviors and Conditions, 2011-2014

	No Pap Smear Within Past Three Years
Underweight (BMI < 18.5)	34%
Recommended Weight (BMI = 18.5-24.9)	26%
Overweight (BMI = 25.0-29.9)	22%
Obese - Class I (BMI = 30.0-34.9)	20%
Obese - Classes II & III (BMI = 35.0+)	21%
Participates in Leisure Time Exercise	21%
Does Not Participate in Leisure Time Exercise	30%
Watching Salt Intake	21%
Not Watching Salt Intake	26%
Current Smoker	22%
Former Smoker	19%
Never Smoked	24%
Heard of "South Dakota Quitline"	21%
Not Heard of "South Dakota Quitline"	41%
Ever Diagnosed with Diabetes	29%
Never Diagnosed with Diabetes	22%
Has High Blood Pressure	26%
Does Not Have High Blood Pressure	21%
Employer Based Coverage (18-64)	12%
Private Health Plan (18-64)	20%
Medicare (18-64)	20%
Medicaid or Medical Assistance (18-64)	21%
The military, CHAMPUS, TriCare, or the VA (18-64)	6%
The Indian Health Service (18-64)	22%
Has Health Insurance (18-64)	15%
Does Not Have Health Insurance (18-64)	39%
Breast Exam Within Past Two Years	8%
No Breast Exam Within Past Two Years	60%
Mammogram Within Past Two Years (40+)	13%
No Mammogram Within Past Two Years (40+)	55%
Blood Stool Test Within Past Two Years (50+)	18%
No Blood Stool Test Within Past Two Years (50+)	30%
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	21%
Never Had a Sigmoidoscopy or Colonoscopy (50+)	43%
Had a Flu Shot in Past 12 Months (65+)	45%
Did Not Have a Flu Shot in Past 12 Months (65+)	47%
Ever Had a Pneumonia Shot (65+)	44%
Never Had a Pneumonia Shot (65+)	49%
Ever Had a Shingles Shot (50+)	33%
Never Had a Shingles Shot (50+)	28%
Previously Had Heart Attack	48%
Never Had Heart Attack	22%
Have Angina or Coronary Heart Disease	40%
Does Not Have Angina or Coronary Heart Disease	22%

No Pap Smear Within Past Three Years for Selected Health Behaviors and Conditions, 2011-2014

	No Pap Smear Within Past Three Years
Previously Had a Stroke	44%
Never Had a Stroke	22%
Ever Diagnosed with Cancer (Excluding Skin Cancer)	22%
Never Diagnosed with Cancer	23%
Ever Diagnosed with Skin Cancer	28%
Never Diagnosed with Skin Cancer	22%
Uses Sun Block Most of the Time	19%
Does Not Use Sun Block Most of the Time	24%
Current Asthma	22%
Former Asthma	23%
Never Had Asthma	23%
Ever Diagnosed with Arthritis	27%
Never Diagnosed with Arthritis	22%
Ever Diagnosed with COPD	34%
Never Diagnosed with COPD	22%
Ever Diagnosed with Depression	18%
Never Diagnosed with Depression	24%
Ever Diagnosed with Kidney Disease	25%
Never Diagnosed with Kidney Disease	23%
Has Severe Vision Impairment	43%
Does Not Have Severe Vision Impairment	24%
< 6 hours of sleep	20%
6+ hours of sleep	24%
Been to the Dentist in the Past Year	19%
Hasn't Been to the Dentist in the Past Year	33%
Always/Almost Always Wears Seat Belt	22%
Sometimes/Seldom/Never Wears Seat Belt	28%
Drank Alcohol in Past 30 Days	17%
Did Not Drink Alcohol in Past 30 Days	29%
Binge Drinker	18%
Not a Binge Drinker	24%
Heavy Drinker	27%
Not a Heavy Drinker	22%
Good/Very Good/Excellent Health Status	22%
Fair/Poor Health Status	32%
Physical Health Not Good for 0-29 Days of the Past 30	22%
Physical Health Not Good for 30 Days of the Past 30	35%
Mental Health Not Good for 0-19 Days of the Past 30	22%
Mental Health Not Good for 20-30 Days of the Past 30	25%
Usual Activities Unattainable for 0-9 Days of the Past 30	23%
Usual Activities Unattainable for 10-30 Days of the Past 30	22%
Has Physical, Mental, or Emotional Problems	31%
Does Not Have Physical, Mental, or Emotional Problems	21%
Has a Disability with Special Equipment Needed	45%
Does Not Have a Disability with Special Equipment Needed	22%
Injured in a Fall in Past 12 Months (45+)	28%
Not Injured in a Fall in Past 12 Months (45+)	27%
Ever Been Tested for HIV	13%
Never Been Tested for HIV	27%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014