

The following table shows the percent of those, aged 65 and older, who have not had a flu shot in the past year for various health behaviors and conditions. For example, 24 percent of respondents who are watching their salt intake have not had a flu shot in the past year, while 38 percent of respondents who are not watching their salt intake have not had a flu shot in the past year.

**No Flu Shot, Ages 65 and older, for Selected Health Behaviors and Conditions, 2011-2014**

	<b>Did Not Have a Flu Shot in Past 12 Months (65+)</b>
Underweight (BMI < 18.5)	46%
Recommended Weight (BMI = 18.5-24.9)	34%
Overweight (BMI = 25.0-29.9)	28%
Obese - Class I (BMI = 30.0-34.9)	31%
Obese - Classes II & III (BMI = 35.0+)	30%
Participates in Leisure Time Exercise	29%
Does Not Participate in Leisure Time Exercise	35%
Watching Salt Intake	24%
Not Watching Salt Intake	38%
Current Smoker	44%
Former Smoker	28%
Never Smoked	31%
Uses Smokeless Tobacco	51%
Does Not Use Smokeless Tobacco	30%
Heard of "South Dakota Quitline"	26%
Not Heard of "South Dakota Quitline"	33%
Ever Diagnosed with Diabetes	24%
Never Diagnosed with Diabetes	33%
Has High Blood Pressure	27%
Does Not Have High Blood Pressure	36%
Breast Exam Within Past Two Years	27%
No Breast Exam Within Past Two Years	35%
Mammogram Within Past Two Years (40+)	25%
No Mammogram Within Past Two Years (40+)	43%
Pap Smear Within Past Three Years	32%
No Pap Smear Within Past Three Years	33%
Blood Stool Test Within Past Two Years (50+)	21%
No Blood Stool Test Within Past Two Years (50+)	33%
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	27%
Never Had a Sigmoidoscopy or Colonoscopy (50+)	46%
PSA Test Within Past Two Years (40+)	29%
No PSA Test Within Past Two Years (40+)	47%
Ever Had a Pneumonia Shot (65+)	20%
Never Had a Pneumonia Shot (65+)	54%
Ever Had a Shingles Shot (50+)	17%
Never Had a Shingles Shot (50+)	41%
Previously Had Heart Attack	26%
Never Had Heart Attack	32%
Have Angina or Coronary Heart Disease	26%
Does Not Have Angina or Coronary Heart Disease	32%
Previously Had a Stroke	23%
Never Had a Stroke	31%
Ever Diagnosed with Cancer (Excluding Skin Cancer)	28%
Never Diagnosed with Cancer	31%

**No Flu Shot, Ages 65 and older, for Selected Health Behaviors and Conditions, 2011-2014**

	<b>Did Not Have a Flu Shot in Past 12 Months (65+)</b>
Ever Diagnosed with Skin Cancer	24%
Never Diagnosed with Skin Cancer	32%
Uses Sun Block Most of the Time	25%
Does Not Use Sun Block Most of the Time	34%
Current Asthma	23%
Former Asthma	25%
Never Had Asthma	31%
Ever Diagnosed with Arthritis	28%
Never Diagnosed with Arthritis	34%
Ever Diagnosed with COPD	22%
Never Diagnosed with COPD	32%
Ever Diagnosed with Depression	28%
Never Diagnosed with Depression	31%
Ever Diagnosed with Kidney Disease	21%
Never Diagnosed with Kidney Disease	31%
Has Severe Vision Impairment	30%
Does Not Have Severe Vision Impairment	29%
Recent Increased Confusion/Memory Loss	25%
No Recent Increased Confusion/Memory Loss	29%
< 6 hours of sleep	23%
6+ hours of sleep	29%
Been to the Dentist in the Past Year	28%
Hasn't Been to the Dentist in the Past Year	38%
Always/Almost Always Wears Seat Belt	29%
Sometimes/Seldom/Never Wears Seat Belt	43%
Drank Alcohol in Past 30 Days	30%
Did Not Drink Alcohol in Past 30 Days	31%
Binge Drinker	40%
Not a Binge Drinker	30%
Heavy Drinker	48%
Not a Heavy Drinker	30%
Good/Very Good/Excellent Health Status	32%
Fair/Poor Health Status	26%
Physical Health Not Good for 0-29 Days of the Past 30	31%
Physical Health Not Good for 30 Days of the Past 30	28%
Mental Health Not Good for 0-19 Days of the Past 30	31%
Mental Health Not Good for 20-30 Days of the Past 30	26%
Usual Activities Unattainable for 0-9 Days of the Past 30	31%
Usual Activities Unattainable for 10-30 Days of the Past 30	28%
Has Physical, Mental, or Emotional Problems	27%
Does Not Have Physical, Mental, or Emotional Problems	33%
Has a Disability with Special Equipment Needed	25%
Does Not Have a Disability with Special Equipment Needed	32%
Injured in a Fall in Past 12 Months (45+)	25%
Not Injured in a Fall in Past 12 Months (45+)	32%
Ever Been Tested for HIV	32%
Never Been Tested for HIV	31%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014