The following table shows the percent of those, ages 18-64, who do not have health insurance for various health behaviors and conditions. For example, five percent of respondents who have been to the dentist in the past year do not have health insurance, while 23 percent of respondents who have not been to the dentist in the past year do not have health insurance.

Prevalence of No Health Insurance (Ages 18-64) for Selected Health Behaviors and Conditions, 2011-2014

·	Does Not Have Health	
	Insurance (Ages 18-64)	
II. I (DMI - 40.5)	,	
Underweight (BMI < 18.5)	18% 10%	
Recommended Weight (BMI = 18.5-24.9) Overweight (BMI = 25.0-29.9)	9%	
g (9% 8%	
Obese - Classes I (BMI = 30.0-34.9)	12%	
Obese - Classes II & III (BMI = 35.0+)		
Participates in Leisure Time Exercise	9%	
Does Not Participate in Leisure Time Exercise	13% 8%	
Watching Salt Intake		
Not Watching Salt Intake	9%	
Current Smoker	18%	
Former Smoker	7%	
Never Smoked	7%	
Uses Smokeless Tobacco	12%	
Does Not Use Smokeless Tobacco	10%	
Heard of "South Dakota Quitline"	9%	
Not Heard of "South Dakota Quitline"	15%	
Ever Diagnosed with Diabetes	10%	
Never Diagnosed with Diabetes	10%	
Has High Blood Pressure	9%	
Does Not Have High Blood Pressure	10%	
Breast Exam Within Past Two Years	4%	
No Breast Exam Within Past Two Years	21%	
Mammogram Within Past Two Years (40+)	4%	
No Mammogram Within Past Two Years (40+)	17%	
Pap Smear Within Past Three Years	6%	
No Pap Smear Within Past Three Years	20%	
Blood Stool Test Within Past Two Years (50+)	3%	
No Blood Stool Test Within Past Two Years (50+)	8%	
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	4%	
Never Had a Sigmoidoscopy or Colonoscopy (50+)	13%	
PSA Test Within Past Two Years (40+)	2%	
No PSA Test Within Past Two Years (40+)	13%	
Ever Had a Shingles Shot (50+)	2%	
Never Had a Shingles Shot (50+)	7%	
Previously Had Heart Attack	7%	
Never Had Heart Attack	10%	
Have Angina or Coronary Heart Disease	7%	
Does Not Have Angina or Coronary Heart Disease	10%	
Previously Had a Stroke	8%	
Never Had a Stroke	10%	
Ever Diagnosed with Cancer (Excluding Skin Cancer)	10%	
Never Diagnosed with Cancer	10%	
Ever Diagnosed with Skin Cancer	6%	
Never Diagnosed with Skin Cancer	10%	
Uses Sun Block Most of the Time	5%	
Does Not Use Sun Block Most of the Time	11%	
DOGS INOURSE ONLY DIOCK MOST OF THE TIME	11%	

Prevalence of No Health Insurance (Ages 18-64) for Selected Health Behaviors and Conditions, 2011-2014

Conditions, 2011-2014	
	Does Not Have Health Insurance (Ages 18-64)
Current Asthma	13%
Former Asthma	15%
Never Had Asthma	9%
Ever Diagnosed with Arthritis	9%
Never Diagnosed with Arthritis	10%
Ever Diagnosed with COPD	17%
Never Diagnosed with COPD	9%
Ever Diagnosed with Depression	13%
Never Diagnosed with Depression	9%
Ever Diagnosed with Kidney Disease	10%
Never Diagnosed with Kidney Disease	10%
Has Severe Vision Impairment	15%
Does Not Have Severe Vision Impairment	9%
Recent Increased Confusion/Memory Loss	15%
No Recent Increased Confusion/Memory Loss	9%
< 6 hours of sleep	19%
6+ hours of sleep	8%
Been to the Dentist in the Past Year	5%
Hasn't Been to the Dentist in the Past Year	23%
Always/Almost Always Wears Seat Belt	8%
Sometimes/Seldom/Never Wears Seat Belt	16%
Drank Alcohol in Past 30 Days	9%
Did Not Drink Alcohol in Past 30 Days	11%
Binge Drinker	11%
Not a Binge Drinker	9%
Heavy Drinker	12%
Not a Heavy Drinker	9%
Good/Very Good/Excellent Health Status	9%
Fair/Poor Health Status	14%
Physical Health Not Good for 0-29 Days of the Past 30	10%
Physical Health Not Good for 30 Days of the Past 30	10%
Mental Health Not Good for 0-19 Days of the Past 30	9%
Mental Health Not Good for 20-30 Days of the Past 30	17%
Usual Activities Unattainable for 0-9 Days of the Past 30	10%
Usual Activities Unattainable for 10-30 Days of the Past 30	10%
Has Physical, Mental, or Emotional Problems	11%
Does Not Have Physical, Mental, or Emotional Problems	9%
Has a Disability with Special Equipment Needed	10%
Does Not Have a Disability with Special Equipment Needed	10%
Injured in a Fall in Past 12 Months (45+)	12%
Not Injured in a Fall in Past 12 Months (45+)	7%
Ever Been Tested for HIV	12%
Never Been Tested for HIV	9%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014