


# 2019 Novel Coronavirus (COVID-19)

South Dakota Department of Health

February 11, 2021



**We will begin in just a few moments. Thanks!**

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

This is an **emerging, rapidly evolving situation**. Information in this presentation is current as of February 10, 2021. Please check the South Dakota Department of Health website for the most current information and guidance.

**[COVID.sd.gov](https://covid.sd.gov)**

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Agenda

- Situation Update
- Long Term Care
- Vaccination Update
- Infection Prevention
- Community Mitigation
- Supply Chain Management
- On-going Communications
- Q&A Session

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Maximizing Mask Fit to Improve Performance

- Ensure tight fit of mask to face
  - Cloth mask or nylon over a surgical mask (photo B)
  - Knotted and tucked mask (photo C)

<https://www.cdc.gov/mmwr/volumes/70/wr/mm7007e1.htm>



**>90%  
exposure  
reduction**



*Not intended for press or for reporting purposes.*

# Updated Quarantine Guidance for Persons Vaccinated Against COVID-19

- Vaccinated persons should continue to protect themselves from COVID-19 exposure
- No quarantine is required for vaccinated persons exposed to someone with COVID-19 if criteria are met:
  - Are fully vaccinated (14 days or more after receipt of 2<sup>nd</sup> dose)
  - Are in the 3 months window period after receipt of 2<sup>nd</sup> dose
  - Remained asymptomatic since being exposed
- If the vaccinated person does not meet all three criteria above, follow current quarantine guidance

<https://www.cdc.gov/vaccines/covid-19/info-by-product/clinical-considerations.html>

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Coronavirus Situation (as of February 10, 2021)


- [International](#)
  - 106,555,206 confirmed cases
  - 2,333,446 deaths
- [United States](#) (50 states + DC)
  - 27,030,549 confirmed cases
  - 466,465 deaths
- [South Dakota](#)
  - 109,580 confirmed and probable cases
  - 1,815 deaths
  - 105,614 recovered cases

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Epidemiologic “Epi” Curve of COVID-19 Cases, by Date Reported to SD-DOH



As of February 10, 2021


*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH



# COVID-19 Case Map, by County



## Substantial Community Spread

Brookings	Pennington
Brown	Roberts
Charles Mix	Spink
Clark	Union
Codington	
Day	* New County
Grant	
Hughes	
Lincoln	
Minnehaha	

As of February 3, 2021

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH



# General Testing Recommendations

Medical providers are recommended to test individuals with signs and symptoms compatible with COVID-19 infection, including:

- Fever or chills
- Cough
- Shortness of breath or difficulty breathing
- Fatigue
- Muscle or body aches
- Headache
- New loss of taste or smell
- Sore throat
- Congestion or runny nose
- Nausea or vomiting
- Diarrhea

<https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html>

As of June 18, 2020

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Reporting COVID-19 Tests to SD-DOH

- **Reminder:** Coronavirus respiratory syndromes are a Category I disease
- Report ***immediately*** on suspicion of disease
- Reporting mechanisms:
  - Electronic Laboratory Report (ELR) – HL7 message to SD Health Link (health information exchange)
  - Flat file (CSV) – Secure email
  - Disease reporting website – [sd.gov/diseasereport](https://sd.gov/diseasereport)
  - Fax – 605.773.5509

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Updated Disease Reporting Website



South Dakota Department of Health

## **South Dakota Confidential Disease Report**

[SDCL 34-22-12](#) and [ARSD 44:20](#) [Reportable Disease List](#)

Phone: 800-592-1861 or 605-773-3737 | Fax: 605-773-5509

### **Instructions**

- (1) Please fill out the form as completely as possible before submission.
- (2) Use the **Tab** key to move to the next field.
- (3) Fields with an asterisk(\*) are required.

**Other disease reporting options:** [Outbreak Report](#) | [Weekly Influenza Rapid Antigen Report](#)

*Seeking your feedback! The South Dakota Department of Health launched a new disease reporting website on 02/02/2021 and we would like to hear about your user experience. Click [here](#) to take a brief survey.*

**Thank you** for your Confidential Disease Report to the South Dakota Department of Health  
Your submission has been recorded

Click [Here](#) to submit another Disease Report

*Seeking your feedback! The South Dakota Department of Health launched a new disease reporting website on 02/02/2021 and we would like to hear about your user experience. Click [here](#) to take a brief survey.*

Below is a summary of your responses

[Download PDF](#)

*Not intended for press or for reporting purposes.*

# Decline in COVID-19 Hospitalization Growth Rates Associated with Statewide Mask Mandates — 10 States, March–October 2020

**TABLE 2. Estimated association between mask mandates and COVID-19–associated hospitalization growth rates in sites with statewide mask mandates, by age group — 10 COVID-19–Associated Hospitalization Surveillance Network sites,<sup>\*,†</sup> March–October 2020**

Time relative to week mask mandate was implemented	All (≥18 yrs)		18–39 yrs		40–64 yrs		≥65 yrs	
	Percentage point change* (95% CI)	p-value	Percentage point change* (95% CI)	p-value	Percentage point change* (95% CI)	p-value	Percentage point change* (95% CI)	p-value
≥4 weeks before	–4.3 (–10.5 to 1.9)	0.17	–4.7 (–16.9 to 7.5)	0.43	–4.0 (–13.3 to 5.3)	0.38	–5.3 (–14.9 to 4.3)	0.27
<4 weeks before <sup>§</sup>	Referent	—	Referent	—	Referent	—	Referent	—
<3 weeks after	–2.4 (–4.7 to –0.1)	0.04	–2.1 (–6.4 to 2.2)	0.31	–2.9 (–5.5 to –0.3)	0.03	–1.1 (–3.9 to 1.6)	0.41
≥3 weeks after	–4.9 (–8.5 to –1.2)	<0.01	–5.5 (–10.4 to –0.6)	0.03	–5.5 (–10.2 to –0.8)	0.02	–0.5 (–5.2 to 4.1)	0.83

**Abbreviations:** CI = confidence interval; COVID-19 = coronavirus disease 2019.

\* Percentage points are coefficients from the regression models. Reported numbers are from regression models, which controlled for state, age group, time (week), and statewide closing and reopening.

† California, Colorado, Connecticut, Maryland, Michigan, Minnesota, New Mexico, New York, Ohio, and Oregon.

§ This period includes the implementation week (i.e., week zero).

[https://www.cdc.gov/mmwr/volumes/70/wr/mm7006e2.htm?s\\_cid=mm7006e2\\_x](https://www.cdc.gov/mmwr/volumes/70/wr/mm7006e2.htm?s_cid=mm7006e2_x)

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# COVID-19 Vaccination Intent, Perceptions, and Reasons for Not Vaccinating Among Groups Prioritized for Early Vaccination — United States, September and December 2020

TABLE 1. COVID-19 vaccination intent among surveyed adults, by vaccination priority group — United States, September and December 2020

Characteristic	Weighted % (95% CI)				
	IPSOS, Sep 2020* (n = 3,541)	IPSOS, Dec 2020† (n = 1,005)	NORC, Dec 2020‡ (n = 1,028)	Average of Dec IPSOS† and NORC‡ estimates (n = 2,033)	Difference between Dec and Sep estimates§
<b>All adults</b>					
Intent to get COVID-19 vaccine					
Absolutely certain/Very likely**	39.4 (37.7 to 41.2)	50.3 (46.9 to 53.6)	47.8 (42.7 to 52.8)	49.1 (46.0 to 52.1)	9.7 (6.2 to 13.2)
Somewhat likely	22.5 (21.0 to 24.0)	16.8 (14.2 to 19.4)	21.0 (17.4 to 24.8)	18.9 (16.4 to 21.4)	-3.6 (-6.5 to -0.7)
Not likely	38.1 (36.4 to 39.8)	33.0 (29.7 to 36.2)	31.2 (26.5 to 35.8)	32.1 (29.6 to 34.6)	-6.0 (-9.0 to -3.0)
<b>Essential workers</b>					
Intent to get COVID-19 vaccine					
Absolutely certain/Very likely**	37.1 (34.2 to 40.0)	49.0 (42.9 to 55.1)	42.8 (34.9 to 50.6)	45.9 (40.9 to 50.9)	8.8 (3.0 to 14.6)
Somewhat likely	22.8 (20.2 to 25.3)	14.4 (9.9 to 19.1)	23.0 (16.6 to 29.6)	18.7 (14.0 to 23.4)	-4.1 (-9.4 to 1.2)
Not likely	40.2 (37.3 to 43.2)	36.6 (30.7 to 42.3)	34.2 (25.8 to 42.6)	35.4 (30.8 to 40.0)	-4.8 (-10.3 to 0.7)
<b>Adults aged ≥65 yrs</b>					
Intent to get COVID-19 vaccine					
Absolutely certain/Very likely**	49.1 (45.6 to 52.6)	66.5 (60.0 to 73.0)	65.8 (59.0 to 72.6)	66.2 (61.5 to 70.8)	17.1 (11.3 to 22.9)
Somewhat likely	21.1 (18.3 to 23.9)	12.8 (8.4 to 17.2)	17.4 (12.0 to 22.9)	15.1 (11.6 to 18.6)	-6.0 (-10.5 to -1.5)
Not likely	29.8 (26.6 to 33.0)	20.6 (14.9 to 26.4)	16.8 (10.2 to 23.3)	18.7 (14.3 to 23.0)	-11.1 (-16.5 to -5.7)
<b>Adults aged 18–64 yrs with underlying medical conditions</b>					
Intent to get COVID-19 vaccine					
Absolutely certain/Very likely**	36.5 (33.4 to 39.6)	44.8 (38.0 to 51.5)	38.8 (32.6 to 45.1)	41.8 (37.2 to 46.4)	5.3 (-0.2 to 10.8)
Somewhat likely	23.0 (20.3 to 25.7)	19.2 (13.3 to 25.0)	20.6 (14.7 to 26.6)	19.9 (15.7 to 24.1)	-3.1 (-8.1 to 1.9)
Not likely	40.4 (37.3 to 43.7)	36.0 (29.4 to 42.8)	40.5 (34.5 to 46.5)	38.3 (33.8 to 42.8)	-2.1 (-7.6 to 3.4)
<b>Adults aged 18–64 yrs without underlying medical conditions and nonessential workers</b>					
Intent to get COVID-19 vaccine					
Absolutely certain/Very likely**	38.0 (34.5 to 41.4)	46.3 (40.5 to 52.1)	48.7 (40.0 to 57.4)	47.5 (42.3 to 52.7)	9.5 (3.3 to 15.7)
Somewhat likely	22.4 (19.4 to 25.2)	18.4 (13.8 to 23.1)	22.2 (13.2 to 31.3)	20.3 (15.2 to 25.4)	-2.1 (-8.0 to 3.8)
Not likely	39.8 (36.4 to 43.1)	35.2 (29.5 to 41.0)	29.0 (20.9 to 37.2)	32.2 (27.2 to 37.1)	-7.6 (-13.6 to -1.6)

Abbreviations: CI = confidence interval; COVID-19 = coronavirus disease 2019.

\* IPSOS KnowledgePanel Survey, fielded September 3–October 1.

† IPSOS KnowledgePanel Omnibus Survey, fielded December 18–20.

‡ NORC AmeriSpeak Omnibus Survey, fielded December 18–20.

§ CIs for differences that exclude zero are statistically significant.

\*\* Might include some persons who already received the COVID-19 vaccine.

[https://www.cdc.gov/mmwr/volumes/70/wr/mm7006e3.htm?s\\_cid=mm7006e3\\_x](https://www.cdc.gov/mmwr/volumes/70/wr/mm7006e3.htm?s_cid=mm7006e3_x)

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Selected CDC Updates

Available at: <https://www.cdc.gov/coronavirus/2019-ncov/whats-new-all.html>

Key Things to Know About COVID-19 Vaccines: <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/keythingstoknow.html>

Investigating the Impact of COVID-19 during Pregnancy:  
<https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/special-populations/pregnancy-data-on-covid-19/what-cdc-is-doing.html>

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Long Term Care

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH



# Continue to remain vigilant.

- The communal nature of long-term care facilities, and the population served, put those living in nursing homes at increased risk of infection and severe illness from COVID-19.
- Current CMS and CDC guidance in LTC has not yet changed. Regardless of the vaccination status of residents and staff in your facility, providers should continue to follow the Core Principles of Infection Prevention, PPE, and Visitation guidance until updated new recommendations are issued by CMS and CDC.
- Completed vaccination series should allow the Administrator and Governing Board confidence in allowing for more flexibility, safe visitation as well as resident movement. CMS guidance allows for visitation to be conducted through a variety of means based on a facility's structure and residents' needs.

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# PPE and BinaxNOW are available to facilitate visitation in LTC

To facilitate visitation please contact:

- ✓ PPE – email a request form to [COVIDResourceRequests@state.sd.us](mailto:COVIDResourceRequests@state.sd.us) OR call **605.773.3048** and requesting entities must provide information regarding their current facility status.
- ✓ BinaxNOW – submit a request for to Cindy Koopman-Viergets at email [Cindy.KoopmanViergets@state.sd.us](mailto:Cindy.KoopmanViergets@state.sd.us).

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Disease Impact – United States *as of 1.24.21*

## Resident and Staff Cases and Deaths

TOTAL RESIDENT COVID-19 CONFIRMED CASES  
**611,805**

TOTAL RESIDENT COVID-19 DEATHS  
**121,772**

TOTAL STAFF COVID-19 CONFIRMED CASES  
**525,400**

TOTAL STAFF COVID-19 DEATHS  
**1,499**


<https://data.cms.gov/stories/s/COVID-19-Nursing-Home-Data/bkwz-xpvg/>

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

## Weekly Resident Cases per 1,000 Residents




*as of 01.24.2021*

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

## Weekly Resident Deaths per 1,000 Residents



as of 01.24.2021

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# The Core Principles of COVID-19 Infection Prevention

## The Core Principles of COVID-19 Infection Prevention

- **Screening** of all who enter the facility for signs and symptoms of COVID-19 (e.g., temperature checks, questions or observations about signs or symptoms), and denial of entry of those with signs or symptoms
- **Hand hygiene** (use of alcohol-based hand rub is preferred)
- **Face covering or mask** (covering mouth and nose)
- **Social distancing** at least six feet between persons
- **Instructional signage** throughout the facility and proper **visitor education** on COVID19 signs and symptoms, infection control precautions, other applicable facility practices (e.g., use of face covering or mask, specified entries, exits and routes to designated areas, hand hygiene)
- **Cleaning and disinfecting** high frequency touched surfaces in the facility often, and designated visitation areas after each visit
- Appropriate use of **Personal Protective Equipment (PPE)**
- **Effective cohorting** of residents (e.g., separate areas dedicated COVID-19 care)
- **Resident and staff testing** are accessible

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Resumption of Recertification Surveys

Continue to conduct Focused Infection Control Surveys in LTC facilities as well as complaint surveys in all provider types.

Tentative plans are to begin recertification surveys March 2021.

Recertification surveys will be dependent on several factors including;

- Vaccination status of the residents, staff, and surveyors;
- Community spread of COVID-19 and;
- No cases of COVID-19 in the facility.

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH



# Vaccination Update

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Doses Administered

Total Doses  
Administered

129,541

Manufacturer	# of Doses
Moderna	68,729
Pfizer	60,812

Total Persons Administered a  
Vaccine

89,050

Doses	# of Recipients
Moderna - 1 dose	25,491
Moderna - Series Complete	21,619
Pfizer - 1 dose	23,068
Pfizer - Series Complete	18,872

Percent of Population  
with at least 1 Dose

13%

Doses	% of Pop.
Series Complete	5.87%
1 dose	12.91%

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# SD DOSES Received

Pfizer 1	42,900
Pfizer 2	24,375
Moderna 1	55,200
Moderna 2	35,200
LTC Pharm	24,050
Total	181,725

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# SD DOSES Received

This Weeks 1 <sup>st</sup> dose shipments	14,525
This Weeks 2 <sup>nd</sup> dose Shipments	11,150
Doses At Pharmacy	12,039
Second Dose to be given this week	10,950

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Weekly 1<sup>st</sup> Doses Projected

**Pfizer            5,850**

**Moderna    8,300**

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Bonus Doses

Pfizer vaccine yields 6 doses – this will be a label change

Moderna vaccine may yield 1 or 2 extra doses

**DO NOT POOL VACCINE FROM MULTIPLE VIALS**

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

## Priority groups

[https://doh.sd.gov/documents/COVID19/Vaccine/COVIDVaccineDistribution\\_Phase1.pdf](https://doh.sd.gov/documents/COVID19/Vaccine/COVIDVaccineDistribution_Phase1.pdf)

1A	19,265	22,364 Vaccinated
1B	10,867	2,935 Vaccinated-not including CVS/Walgreens
1C	49,642	21,890 Vaccinated
1D	265,561	27,970
1E	227,448	

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH



# Expected COVID-19 Vaccine Availability for South Dakota Residents

Phase	Population Group	January	February	March	April	May-December
1A	Frontline healthcare workers and long-term care facility healthcare workers					
1B	Long-term care residents					
1C	EMS, public health workers, and other healthcare workers (lab & clinic staff)					
	Law enforcement, correctional officers					
we are here	Persons aged 65 years and older <i>Starting (02/15/21) - Those 70 and over</i> <i>(Age to be lowered in 5-year increments as allocation allows)</i>					
	High risk patients - dialysis, post-transplant, and active cancer					
	High risk residents in congregate settings					
	Persons with 2 or more underlying medical conditions under the age of 65					
	Teachers and other school/college staff					
	Funeral service workers					
1E	Fire service personnel					
	Includes public-facing workers in essential and <u>critical infrastructure</u>					
Phase 2	All others 16 years and older					

 Estimated Vaccine Availability

Note: Tribal vaccine allocation & administration is handled by the [IHS](#)  
Veteran vaccine allocation & administration is handled by the [VA](#)


Due to limited allocation of the vaccine, the South Dakota Department of Health will use COVID-19 infection rates and will follow recommendations from the Advisory Committee on Immunization Practices (ACIP) to guide which counties will receive the vaccine first.



SOUTH DAKOTA  
DEPARTMENT OF HEALTH

covid.sd.gov


ASOF 02-10-21



SOUTH DAKOTA DEPARTMENT OF HEALTH

*Not intended for press or for reporting purposes.*

# South Dakota: All Federal Pharmacy Partners



- |                             |               |
|-----------------------------|---------------|
| ● CVS                       | ● Cardinal    |
| ● Walgreens                 | ● Topco       |
| ● Walmart                   | ● CPESN       |
| ● Rite Aid                  | ● ABC         |
| ● Kroger Corporate Pharmacy | ● MHA         |
| ● Albertsons                | ● Health Mart |
| ● Publix Super Markets      | ● Gerimed     |
| ● Retail Business Services  | ● Innovatix   |
| ● COSTCO                    |               |
| ● H-E-B                     |               |
| ● Hy-Vee                    |               |
| ● Meijer Pharmacy           |               |
| ● Southeastern Grocers      |               |
| ● PharMerica                |               |
| ● Lewis Drug                |               |

# Federal Partners in SD

	First Dose	Second Dose	Total
BOP	100	1	101
VA	7,682	1,545	9,227
IHS	10,555	3,351	13,906
DOD	1,448	337	1,785
Totals	19,785	5,234	25,019

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Janssen/Johnson & Johnson Vaccine

- **Have applied for EUA**
- **FDA to meet on February 26**
- **Viral Vector vaccine**
- **5 dose vials**

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Infection Prevention

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH



## Upcoming Webinar Education: Friday 2-12

### SARS-CoV-2: Mutations and Variants and Strains (Oh My!)

In this webinar, we will define mutation and variant as they relate to SARS-CoV-2, discuss the importance of the current variants and mutations including future predictions surrounding the epidemiology of spread and modeling and describe what is known about SARS-CoV-2 variants' susceptibility to vaccines and therapeutic antibodies. Continuing education credits available for attending.

 Friday, February 12, 2021 | 1:00 PM EST

**Go to website to register for event:**

<https://netec.org/education-and-training/>



SOUTH DAKOTA DEPARTMENT OF HEALTH





**Topic:** Point of Care Test (POCT) Reporting Tool for COVID-19 - Updates

**Date:** Thursday, Feb 11, 2021

**Time:** 2:00 – 3:00 PM Eastern Time

**Register in advance for this webinar:**

[https://cdc.zoomgov.com/webinar/register/WN\\_dp03SRQnSYeOfcBFy2CAmQ](https://cdc.zoomgov.com/webinar/register/WN_dp03SRQnSYeOfcBFy2CAmQ)

After registering, you will receive a confirmation email containing information about joining the webinar.

---

**Topic:** Point of Care Test (POCT) Reporting Tool for COVID-19 - Updates

**Date:** Friday, Feb 12, 2021

**Time:** 1:00 – 2:00 PM Eastern Time

**Register in advance for this webinar:**

[https://cdc.zoomgov.com/webinar/register/WN\\_dp03SRQnSYeOfcBFy2CAmQ](https://cdc.zoomgov.com/webinar/register/WN_dp03SRQnSYeOfcBFy2CAmQ)

After registering, you will receive a confirmation email containing information about joining the webinar.

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

**Maximizing Fit for Cloth and Medical Procedure Masks to Improve Performance and Reduce SARS-CoV-2 Transmission and Exposure, 2021 - [Read the CDC report](#).**

New community guidance on improving mask use has been posted ([Improve How Your Mask Protects You](#) and [Maximizing the Fit and Filtration of Your Mask](#))

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Interim Infection Prevention and Control Recommendations for Healthcare Personnel During the Coronavirus Disease 2019 (COVID-19) Pandemic

A well-fitting facemask (e.g., selection of a facemask with a nose wire to help the facemask conform to the face; selection of a facemask with ties rather than ear loops; use of a mask fitter; [tying the facemask's ear loops and tucking in the side pleats; fastening the facemask's ear loops behind the wearer's head](#)[external icon](#); use of a cloth mask over the facemask to help it conform to the wearer's face)

Additional information about strategies to improve fit and filtration, are available in [Improve the Fit and Increase the Filtration of Your Mask to Help Stop the Spread of COVID-19](#).

If implementing new strategies or equipment to improve fit, HCP should receive training on how to safely don and doff their facemask and on the facility protocol for cleaning and disinfecting any reusable equipment (e.g., fitter). HCP should also ensure that any new strategies or equipment do not impede their vision or ability to breathe.

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Community Mitigation



*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH



Community Spread Map by County of Residence



# Dashboard


County

All



**RT-PCR Test Positivity Rate:** This rate is equal to the number of positive RT-PCR tests divided by total RT-PCR tests, within the specified period of time. Date range includes last full day (24 hours) captured in the data set.

Positive Cases and 14-Day Trend Line by Date Reported to SD-DOH



**14-Day Trend of Positive Cases by Date Reported to SD-DOH:** This graph shows the trend (increasing or decreasing) of COVID-19 positive cases (persons who meet the national surveillance case definition of a confirmed case for COVID-19) at the state or county level.

Not intended for press or for reporting purposes.

# Supply Chain Management

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# PPE Request Procedure

All requests for PPE from DOH must be:

- Emailed to [COVIDResourceRequests@state.sd.us](mailto:COVIDResourceRequests@state.sd.us),
- Faxed to **605.773.5942**, or
- Called in to **605.773.3048** to ensure prioritization and coordination of requests.
- Do not duplicate your request by using all three means of communication.
- Any requests received through any other email or number will all be directed to email [COVIDResourceRequests@state.sd.us](mailto:COVIDResourceRequests@state.sd.us) OR call **605.773.3048** and requesting entities must provide information regarding their current facility status.

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# On-going Communication

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH




# Helpful sources of information:

[covid.sd.gov](https://covid.sd.gov)

[coronavirus.gov](https://coronavirus.gov)

- **SD COVID-19 Help Line: 800-997-2880**

SOUTH DAKOTA  
**COVID-19 INFORMATION LINE**  
Questions about COVID-19? We're here to help.  
PLEASE CALL **1-800-997-2880**



*Not intended for press or for reporting purposes.*




SOUTH DAKOTA DEPARTMENT OF HEALTH

# Communications

- SD-HAN: [sdhan.sd.gov](https://sdhan.sd.gov)
- [Epi Listserv](#)
- [Lab Listserv](#)
- [HAI Listserv](#)
- [OLC Listserv](#)

Visit **covid.sd.gov** to subscribe

SOUTH DAKOTA  
**COVID-19 INFORMATION LINE**  
Questions about COVID-19? We're here to help.  
PLEASE CALL **1-800-997-2880**



*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH

# Questions?

## Follow-up after the webinar

**COVID Helpline: 800-997-2880**

**Epidemiology: 605-773-3737**

**Laboratory: 605-773-3368**

**[COVID.sd.gov](https://COVID.sd.gov)**

*Not intended for press or for reporting purposes.*



SOUTH DAKOTA DEPARTMENT OF HEALTH