



South Dakota Regional Trauma Performance Improvement

Case Review Abstract Form 2

08/2022

INSTRUCTIONS: Type or print clearly. To be completed by Regional and Area Trauma Hospitals.

Information Pertinent to your Facility Only

Complete and return to [Bailey Zueber](#), Trauma Consultant or [Jamie Zilverberg](#), State Trauma Program Manager.

Tertiary Facility:

Referring Facility:

Patient Name:

Patient Gender:

Patient Age:

Transfer Team Request Time:
FORMAT - HH:MM

Transfer Team Arrival Time:
FORMAT - HH:MM

Arrival to Hospital Departure Time:
FORMAT - HH:MM

Mode of transport to your facility: ALS Ground BLS Ground Air POV Other
Procedures completed by Ground Ambulance or Flight Team (ex. O2, Intubation, IV, etc.)

Your ED Arrival Date:
EX: MM/DD/YYYY

Your ED Arrival Time:
FORMAT - HH:MM

ED Length of Stay:

PHYSIOLOGICAL ABSOLUTES		ANATOMIC ABSOLUTES	
Airway: All Ages	Airway obstruction and/or respiratory compromise requiring use of advanced airway.	Penetrating injury to chest, abdomen, head, neck	
Breathing: All Ages	RR < 10 or > 29	Limb paralysis (associated with trauma)	
Circulation: Neonate (0-28 days)	SBP ≤ 60 HR ≥ 180	Flail Chest	
Infant (1-12 months)	SBP ≤ 70 HR > 170	Amputation proximal to wrist or ankle or need for arterial bleed tourniquet use	
2-5 years	SBP ≤ 75 HR > 150	Burns > 20% BSA (partial or full thickness) and/or airway compromise	
6-10 years of age	SBP ≤ 85 HR > 135	2 or more long bone fractures	
Disability: All Ages	GCS < 10		
<p>*Normal SBP in children age 1-10 years = 70 + (2 X age in years) *The Pediatric Assessment Triangle should be the basis for all pediatric emergencies</p>			

Did the patient meet Physiological and/or Anatomical Absolute Criteria?	Yes	No		
Facility Defined Criteria				
Was the Trauma Team activated?	Yes	No	Who activated the Trauma Team?	EMS Hospital Staff
ED provider arrival time in minutes:	Surgeon arrival time in minutes:			

Pre-Hospital Vital Signs	Initial ED Vital Signs	Additional Vital Signs	Vital Signs Comments:
Temp	Temp	Temp	
Pulse	Pulse	Pulse	
Resp	Resp	Resp	
BP	BP	BP	
GCS	GCS	GCS	Total Inputs: (mL)
O2 Sat	O2 Sat	O2 Sat	Total outputs: (mL)

If applicable, which warming measures were taken in the care of this patient.

Mechanical Warmer (Bair Hugger) Warmed IV Fluids Warm Blankets Increasing ER Bay Temperature

Other Measures

Trauma Assessment

Airway ET Yes No N/A ET Time:
format - HH:MM

Breathing

Circulation

Disability

Co-Morbidities

ISS Traumatic
 Injuries

Abnormal Lab Findings
Pertinent to Trauma:

Portable Chest X-Ray
Time:
HH:MM

Portable Pelvic X-Ray
Time:
HH:MM

FAST
Time:
HH:MM

Backboard removal time
in minutes:

CT of Head Performed
With Contrast
Without Contrast
Time:
HH:MM

CT of Neck Performed
With Contrast
Without Contrast
Time:
HH:MM

CT of Chest Performed
With Contrast
Without Contrast
Time:
HH:MM

CT of Abd. Performed
With Contrast
Without Contrast
Time:
HH:MM

CT of Pelvis Performed
With Contrast
Without Contrast
Time:
HH:MM

Procedures completed in the ED (ex. O2, Intubation, Chest Tube, X-Rays, etc.) **With Times

Patient Emergency Room Disposition

format - m/d/yyyy h:MM:tt

Patient Died

Date/Time

Patient Discharged Home from ER

Date/Time

Patient Discharged to Tertiary Center

Date/Time

Facility:

Patient Admitted to your facility

Date/Time

LOS:

Mode of transport to your Tertiary Center: ALS Ground BLS Ground Air POV Other

To Operating Room Date/Time

LOS:

Patient Admitted to your facility ICU LOS Hospital LOS:

If Admission-Date of Hospital Discharge If Admission-Time of Hospital Discharge

Rehab Other:

Performance Improvement Findings/Requested Action Items

Section To be completed by Facility

A Primary PI review was conducted on this case
A Secondary PI review was conducted on this case
A Multidisciplinary review was conducted on this case

Facility Findings

PI Indicators

EMS Scene Time > 20 minutes
Backboard Removal > 20 minutes
Trauma Activation Criteria Met--Team not activated
Provider at Patients side > 30 minutes
CT performed after decision to transfer had been made
CT Chest without portable X-Ray
CT Chest/Abdomen/Pelvis without contrast
CT scan done on pediatric case </= 16 years

Decision to Transfer > 15 minutes
Decision to Transfer > 15 minutes and Tx protocol *NOT* followed
GCS </= and NOT intubated
Hypothermic (<97 degrees) without warming measures
Hemo/pneumo diagnosed and chest tube NOT placed
> 2 L crystalloid given before blood products started
I and O documentation missing
Death-Autopsy not required

Other:

Regional Performance Improvement Review Findings:

No action required:

Trend:

Guideline or Protocol:

Education:

CAH-Multidisciplinary Review:

Tertiary Hospital-M&M Review:

Additional Review: