

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/19/2020
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 435055	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2020
NAME OF PROVIDER OR SUPPLIER AVANTARA IPSWICH			STREET ADDRESS, CITY, STATE, ZIP CODE 617 BLOEMENDAAL DRIVE POST OFFICE BOX 728 IPSWICH, SD 57451		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p>INITIAL COMMENTS</p> <p>Surveyor: 41895 A COVID-19 Focused Infection Control Survey was conducted by the South Dakota Department of Health Licensure and Certification Office on 5/11/20 and 5/12/20. Avantara Ipswich was found in compliance with 42 CFR Part 483.80 infection control regulation: F880, F884 and F885.</p> <p>Avantara Ipswich was found in compliance with 42 CFR Part 483.73 related to E-0024(b)(6).</p> <p>Total residents: 34</p>	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

[Signature]

TITLE
Administrator

(X6) DATE
5-19-20

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are billed, an approved plan of correction is requisite to continued program participation.

RECEIVED
MAY 19 2020
SD DOH-OLC