

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 435124	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 03/31/2026
NAME OF PROVIDER OR SUPPLIER Good Samaritan Society Miller			STREET ADDRESS, CITY, STATE, ZIP CODE 421 EAST 4TH ST , MILLER, South Dakota, 57362	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F0000	<p>INITIAL COMMENTS</p> <p>A complaint health survey for compliance with 42 CFR Part 483, Subpart B, requirements for Long Term Care facilities was conducted on 3/31/26. The areas surveyed included the alleged use of profanity in an area where a resident was located and the alleged verbal abuse by a staff member towards a resident. Good Samaritan Society Miller was found in compliance.</p>	F0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Petar Mirkovic	TITLE Administrator	(X6) DATE 04/07/26
--	-------------------------------	------------------------------