

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/12/2021  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>435041</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>01/07/2021</b>
NAME OF PROVIDER OR SUPPLIER  <b>ABERDEEN HEALTH AND REHAB</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>1700 NORTH HIGHWAY 281 ABERDEEN, SD 57401</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p><b>INITIAL COMMENTS</b></p> <p>Surveyor: 26632 A COVID-19 Focused Infection Control Survey was conducted by the South Dakota Department of Health Licensure and Certification Office on 1/6/21 and 1/7/21. Aberdeen Health and Rehab was found in compliance with 42 CFR Part 483.10 resident rights and 42 CFR Part 483.80 infection control regulations: F550, F562, F563, F583, F880, F882, F885, and F886.</p> <p>Aberdeen Health and Rehab was found in compliance with 42 CFR Part 483.73 related to E-0024(b)(6).</p> <p>Total residents: 52</p>	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

*Kirstie Hoon*

TITLE

Exec Director

(X6) DATE

1/12/2021

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

RECEIVED

JAN 12 2020