
United States

Demographic Information		Health Status Indicators				
0040 B I d' I			Notelity, 2010		Montality 4 2047	
2018 Population II	ntormation		Natality – 2018	8.3	Mortality ⁴ - 2017 All Causes	704.0
Subject	Number	Percent	Percent of Low Birth Weight Infants Percent of Mothers Receiving	8.3	Heart Disease	731.9 165.0
Total population	327,167,434	100	Care in 1st Trimester	77.5	Malignant Neoplasms (Cancer)	152.5
White	197,546,407	60.4	Percent of Mothers Who Smoked	77.0	Trachea, Bronchus, & Lung	36.6
Hispanic	59,871,746	18.3	Cigarettes While Pregnant ²	6.5	Colon, Rectum, & Anus	13.7
Black or African American	40,902,223	12.5	Percent of Births Less Than 37 Wks. of Gestation	10.0	Female Breast	19.9
Asian	18,728,675	5.7	Average Age of Mother	29.0	Pancreas	11.1
American Indian & Alaska Native Pacific Islander	2,417,371	0.7	Teenage Birth Rate ³	7.2	Prostate	18.7
Multi-Racial	586,346 7,114,666	0.2 2.2	Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births	51.6 0.8	Leukemia Chronic Lower Respiratory Diseases	6.1 40.9
Wulli-Kaciai	7,114,000	2.2	Percent Hispanic Births	23.4	Alzheimer's Disease	31.0
			Percent Unmarried	39.6	Cerebrovascular Disease	37.6
Under Eveere	19,810,275	6.1	Percent WIC births	36.0	Accidents	49.4
Under 5 years Under 18 years	73,399,342	22.4	Percent Breastfeeding at discharge	83.5	Motor Vehicle Accidents	12.0
65 years and over	52,431,193	16.0	Percent Payment-Private Insurance	49.6	Diabetes	21.5
co yeare and ever	02, 101, 100		Percent Payment-Medicaid	42.3	Influenza and Pneumonia	14.3
			Percent C-Section	31.9	Intentional Self-Harm (Suicide)	14.0
					Chronic Liver Disease and Cirrhosis Infant Mortality	10.9 5.79
					I mant wortainty	5.79
					Leading Causes of Death	Total
						Deaths
					1. Heart Disease	647,457
					2. Malignant Neoplasms (Cancer)	599,108
					3. Accidents 4. Chronic Lower Respiratory Disease	169,936 160,201
					5. Cerebrovascular Disease	146,383
					6. Alzheimer's Disease	121,404
					7. Diabetes	83,564
					8. Influenza and Pneumonia	55,672
					Nephritis, Nephrotic Syndrome, and	50,633
					Nephrosis	•
					10. Intentional Self-Harm (Suicide)	47,173
					⁴ The mortality rates, except infant mortal	ality are age-
					adjusted death rates per 100,000 pop	ulation. Age-
					adjusting to the standard million populati	
					differences between populations, making t	
					compare. Infant mortality is calculated as infant (less than one year old) deaths p	
			Only one year of U.S. data are given to compare with	five veers	births.	7C1 1,000 11VE
			of state and county data because the numbers on the			
			level are much greater and do not fluctuate as much an		Source: National Center for Health Stati	,
Source: United States Census Bureau, 20	018 Population		² Data for mothers who used tobacco are self-reported.	tobacco are self-reported for Disease Control and Prevention, U.S. Department of I		
Estimates			³ Teenage birth rate is live births per 1,000 females age	15-17.	Health and Human Services, Hyattsville, Maryland.	

South Dakota

Demographic Information

Health Status Indicators 2014-2018



South Dakota is located in the north central portion of the United States and averages 10.7 persons per square mile.

2018 Population Information

Subject	Number	Percent
Total population	882,235	100.0
White	718,383	81.4
American Indian & Alaska Native	73,084	8.3
Hispanic	36,402	4.1
Black or African American	20,162	2.3
Asian	14,776	1.7
Pacific Islander	491	0.1
Multi-Racial	18,937	2.1
Under 5 years	62,132	7.0
Under 18 years	217,606	24.7
65 years and over	146,854	16.6

Natality	
 Percent of Low Birth Weight Infants 	6.6
Percent of Mothers Receiving	
Care in 1st Trimester	75.1
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	13.4
 Percent of Births Less Than 37 Wks. of Gestation 	8.9
Average Age of Mother	28.1
 Teenage Birth Rate² 	10.8
Percent White, Non-Hispanic Births	71.7
Percent American Indian, Non-Hispanic Births	14.7
Percent Hispanic Births	5.1
 Percent Unmarried 	37.0
 Percent WIC births 	31.4
 Percent Breastfeeding at discharge 	80.0
 Percent Payment-Private Insurance 	59.4
 Percent Payment-Medicaid 	31.2
Percent C-Section	25.0

Motality

Mortality ³	
All Causes	719.1
Heart Disease	152.9
Malignant Neoplasms (Cancer)	154.6
 Trachea, Bronchus, & Lung 	38.6
 Colon, Rectum, & Anus 	15.6
Female Breast	18.6
Pancreas	10.9
Prostate	18.8
Leukemia	6.2
Chronic Lower Respiratory Diseases	42.7
 Alzheimer's Disease 	36.2
 Cerebrovascular Disease 	35.5
Accidents	50.9
 Motor Vehicle Accidents 	17.2
 Diabetes 	23.9
 Influenza and Pneumonia 	18.2
 Intentional Self-Harm (Suicide) 	19.9
 Chronic Liver Disease and Cirrhosis 	17.0
Infant Mortality	6.34

Leading Causes of Death	Total Deaths
1. Heart Disease	8,644
Malignant Neoplasms (Cancer)	8,351
3. Accidents	2,420
4. Chronic Lower Respiratory Diseases	2,370
Alzheimer's Disease	2,184
Cerebrovascular Disease	2,037
7. Diabetes	1,272
Influenza and Pneumonia	1,051
Intentional Self-Harm (Suicide)	835
10. Chronic Liver Disease and Cirrhosis	760
Percent of Deaths due to tobacco use	17.4
Median age at death	79

122

See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics

Source: United States Census Bureau, 2018 Population Estimates

[•]Denotes a health status indicator which is significantly lower than the national average.

 $[\]circ \text{Denotes}$ a health status indicator which is significantly higher than the national average.

¹Data for mothers who used tobacco are self-reported.

²Teenage birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the national average.

oDenotes a health status indicator which is significantly higher than the national average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Aurora County

Demographic Information

Aurora County is located in the south central portion of the state and averages 3.8 persons per square mile. Plankinton is the largest city in Aurora County.

2018 Population Information

Subject	Number	Percent
Total population	2,801	100.0
White	2,483	88.6
Hispanic	179	6.4
American Indian & Alaska Native	70	2.5
Asian	20	0.7
Black or African American	19	0.7
Pacific Islander	0	0.0
Multi-Racial	30	1.1
Under 5 years	179	6.4
Under 18 years	695	24.8
65 years and over	577	20.6

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	7.0
Percent of Mothers Receiving	
Care in 1st Trimester	75.0
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	9.0
Percent of Births Less Than 37 Wks. of Gestation	9.5
Average Age of Mother	27.7
Teenage Birth Rate ²	16.3
Percent White, Non-Hispanic Births	91.0
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	8.5
 Percent Unmarried 	27.4
Percent WIC births	36.7
Percent Breastfeeding at discharge	78.0
 Percent Payment-Private Insurance 	73.9
 Percent Payment-Medicaid 	16.6
Percent C-Section	29.4

All Causes	621.1
Heart Disease	150.6
Malignant Neoplasms (Cancer)	157.9
Trachea, Bronchus, & Lung	39.7
Colon, Rectum, & Anus	18.4
Female Breast	32.3
Pancreas	LNE
Prostate	47.1
Leukemia	LNE
Chronic Lower Respiratory Diseases	36.6
Alzheimer's Disease	39.2
Cerebrovascular Disease	36.6
Accidents	43.1
Motor Vehicle Accidents	21.0
Diabetes	24.9
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
T1. Heart Disease	34
T1. Malignant Neoplasms (Cancer)	34
Alzheimer's Disease	10
Cerebrovascular Disease	9
T5. Accidents	8
T5. Chronic Lower Respiratory Diseases	8
7. Diabetes	6
Percent of Deaths due to tobacco use	19.3
Median age at death	82

See technical notes for more information.
Source: South Dakota Department of Health.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Beadle County

Demographic Information

Beadle County is located in the center of eastern South Dakota and averages 13.8 persons per square mile. Huron is the largest city in Beadle County.

2018 Population Information

Subject	Number	Percent
Total population	18,883	100.0
White	13,935	73.8
Asian	2,128	11.3
Hispanic	2,088	11.1
American Indian & Alaska Native	204	1.1
Black or African American	173	0.9
Pacific Islander	51	0.3
Multi-Racial	304	1.6
Under 5 years	1,659	8.8
Under 18 years	5,208	27.6
65 years and over	3,209	17.0

Source: United States Census Bureau, 2018 Population

Estimates

Natality	
Percent of Low Birth Weight Infants	7.5
Percent of Mothers Receiving	
Care in 1st Trimester	62.5
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	11.6
Percent of Births Less Than 37 Wks. of Gestation	10.3
Average Age of Mother	27.0
○ Teenage Birth Rate ²	22.9
Percent White, Non-Hispanic Births	56.9
Percent American Indian, Non-Hispanic Births	1.4
Percent Hispanic Births	22.3
Percent Unmarried	40.7
 Percent WIC births 	47.7
Percent Breastfeeding at discharge	77.2
Percent Payment-Private Insurance	52.4
Percent Payment-Medicaid	38.4
Percent C-Section	30.1
1	

Mortality ³	
All Causes	744.9
Heart Disease	132.2
Malignant Neoplasms (Cancer)	172.2
Trachea, Bronchus, & Lung	37.6
Colon, Rectum, & Anus	10.9
Female Breast	21.4
Pancreas	11.9
Prostate	25.2
Leukemia	3.8
Chronic Lower Respiratory Diseases	39.0
Alzheimer's Disease	40.4
Cerebrovascular Disease	46.1
Accidents	43.6
Motor Vehicle Accidents	11.0
 Diabetes 	36.0
 Influenza and Pneumonia 	37.8
Intentional Self-Harm (Suicide)	20.6
Chronic Liver Disease and Cirrhosis	15.2
Infant Mortality	7.02

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer) 2. Heart Disease 3. Cerebrovascular Disease 4. Alzheimer's Disease 5. Influenza and Pneumonia 6. Chronic Lower Respiratory Diseases 7. Accidents 8. Diabetes 9. Intentional Self-Harm (Suicide)	210 186 67 63 56 51 46 44
Chronic Liver Disease and Cirrhosis Percent of Deaths due to tobacco use Median age at death	14 20.1 82

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Bennett County

Demographic Information

Bennett County is located on the southern border in western South Dakota and averages 2.9 persons per square mile. Martin is the largest city in Bennett County.

2018 Population Information

Subject	Number	Percent
Total population American Indian & Alaska Native White Hispanic Asian Black or African American Pacific Islander Multi-Racial	3,468 1,961 1,109 194 15 14 2 173	100.0 56.5 32.0 5.6 0.4 0.4 0.1 5.0
Under 5 years Under 18 years 65 years and over	336 1,175 433	9.7 33.9 12.5

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

6.5
59.9
24.1
11.2
25.9
28.4
17.6
72.8
3.1
72.5
60.7
53.5
17.1
54.3
22.5

•	41.1 35.8 99.8 3.0
Heart Disease 23	9.8
Malignant Neoplasms (Cancer) 19	3 N
Trachea, Bronchus, & Lung 3	J.U
Colon, Rectum, & Anus 23	3.7
Female Breast 3	0.1
Pancreas L	NE
Prostate 4:	3.0
Leukemia L	NE
Chronic Lower Respiratory Diseases 7	1.5
Alzheimer's Disease 1	7.8
Cerebrovascular Disease 29	9.1
Accidents 9	7.4
Motor Vehicle Accidents 3	6.2
Diabetes	0.5
Influenza and Pneumonia 2	6.5
Intentional Self-Harm (Suicide) 25	5.0
Chronic Liver Disease and Cirrhosis 4	5.9
Infant Mortality 15	.43

Leading Causes of Death	Total Deaths
1. Heart Disease	40
Malignant Neoplasms (Cancer)	35
3. Diabetes	18
4. Accidents	16
5. Chronic Lower Respiratory Diseases	12
6. Chronic Liver Disease and Cirrhosis	7
7. Septicemia	6
T8. Cerebrovascular Disease	5
T8. Influenza and Pneumonia	5
Percent of Deaths due to tobacco use	25.5
Median age at death	72

125

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Bon Homme County

Demographic Information

Bon Homme County is located on the Nebraska border in eastern South Dakota and averages 12.5 persons per square mile. Springfield is the largest city in Bon Homme County.

2018 Population Information

Subject	Number	Percent
Total population	6,980	100.0
White	5,973	85.6
American Indian & Alaska Native	570	8.2
Hispanic	242	3.5
Black or African American	88	1.3
Asian	12	0.2
Pacific Islander	3	0.0
Multi-Racial	92	1.3
Under 5 years	370	5.3
Under 18 years	1,418	20.3
65 years and over	1,422	20.4

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natanty	
Percent of Low Birth Weight Infants	4.7
Percent of Mothers Receiving	
Care in 1st Trimester	78.6
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	10.9
Percent of Births Less Than 37 Wks. of Gestation	7.6
Average Age of Mother	28.4
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	93.5
Percent American Indian, Non-Hispanic Births	1.8
Percent Hispanic Births	1.8
 Percent Unmarried 	22.9
Percent WIC births	31.2
Percent Breastfeeding at discharge	83.6
Percent Payment-Private Insurance	75.4
Percent Payment-Medicaid	19.4
Percent C-Section	26.4

Natality

Mortality ³	
All Causes	615.1
Heart Disease	110.5
Malignant Neoplasms (Cancer)	142.0
 Trachea, Bronchus, & Lung 	21.7
Colon, Rectum, & Anus	9.7
Female Breast	28.6
Pancreas	15.4
Prostate	LNE
Leukemia	13.1
Chronic Lower Respiratory Diseases	47.1
 Alzheimer's Disease 	20.3
Cerebrovascular Disease	36.2
Accidents	47.6
Motor Vehicle Accidents	18.9
Diabetes	18.8
Influenza and Pneumonia	21.2
Intentional Self-Harm (Suicide)	15.7
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total
Loading Gadoos of Dodin	Deaths
Malignant Neoplasms (Cancer)	81
2. Heart Disease	76
Chronic Lower Respiratory Diseases	30
Cerebrovascular Disease	24
5. Accidents	22
T6. Influenza and Pneumonia	17
T6. Essential (Primary) Hypertension and	17
Hypertensive Renal Disease	
8. Alzheimer's Disease	16
9. Diabetes	11
Unspecified Dementia	10
Percent of Deaths due to tobacco use	10.1
	84
Median age at death	04

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Brookings County

Demographic Information

Brookings County is located on the eastern border of the state and averages 40.3 persons per square mile. Brookings is the largest city in Brookings County.

2018 Population Information

Subject	Number	Percent
Total population	35,232	100.0
White	31,618	89.7
Hispanic	1,207	3.4
Asian	1,022	2.9
Black or African American	543	1.5
American Indian & Alaska Native	364	1.0
Pacific Islander	21	0.1
Multi-Racial	457	1.3
Under 5 years	2,237	6.3
Under 18 years	7,223	20.5
65 years and over	4,195	11.9
/	.,	

Health Status Indicators 2014-2018

Natality	
 Percent of Low Birth Weight Infants 	5.3
 Percent of Mothers Receiving 	
Care in 1st Trimester	84.0
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	8.5
 Percent of Births Less Than 37 Wks. of Gestation 	6.8
 Average Age of Mother 	28.8
 Teenage Birth Rate² 	6.2
Percent White, Non-Hispanic Births	84.1
Percent American Indian, Non-Hispanic Births	1.9
Percent Hispanic Births	5.1
Percent Unmarried	20.7
 Percent WIC births 	19.0
 Percent Breastfeeding at discharge 	88.2
 Percent Payment-Private Insurance 	76.6
 Percent Payment-Medicaid 	16.5
Percent C-Section	18.3

Mortality ³			
All Causes	619.2		
Heart Disease	144.0		
Malignant Neoplasms (Cancer)	134.2		
 Trachea, Bronchus, & Lung 	27.0		
Colon, Rectum, & Anus	14.3		
Female Breast	15.4		
Pancreas	10.2		
Prostate	16.7		
Leukemia	7.7		
 Chronic Lower Respiratory Diseases 	29.3		
Alzheimer's Disease	31.9		
Cerebrovascular Disease	41.5		
 Accidents 	38.0		
 Motor Vehicle Accidents 	9.3		
Diabetes	20.5		
 Influenza and Pneumonia 	10.8		
Intentional Self-Harm (Suicide)	15.0		
Chronic Liver Disease and Cirrhosis	11.2		
Infant Mortality	7.81		

Leading Causes of Death	Total Deaths
1. Heart Disease	229
Malignant Neoplasms (Cancer)	203
Cerebrovascular Disease	67
4. Accidents	62
Alzheimer's Disease	52
Chronic Lower Respiratory Diseases	45
7. Diabetes	31
8. Intentional Self-Harm (Suicide)	23
Influenza and Pneumonia	17
10. Chronic Liver Disease and Cirrhosis	16
Percent of Deaths due to tobacco use	13.8
Median age at death	82

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Source: United States Census Bureau, 2018 Population

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Brown County

Demographic Information

Brown County is located on the North Dakota border in the eastern part of the state and averages 21.3 persons per square mile. Aberdeen is the largest city in Brown County.

2018 Population Information

Subject	Number	Percent
Total population White Hispanic American Indian & Alaska Native Asian Black or African American Pacific Islander Multi-Racial	39,316 33,779 1,283 1,261 1,212 952 79 750	100.0 85.9 3.3 3.2 3.1 2.4 0.2 1.9
Under 5 years Under 18 years 65 years and over	2,659 9,416 6,747	6.8 23.9 17.2

Source: United States Census Bureau, 2018 Population

Estimates

Percent of Low Birth Weight Infants 6.0 • Percent of Mothers Receiving Care in 1st Trimester o Percent of Mothers Who Smoked Cigarettes While Pregnant¹ • Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother • Teenage Birth Rate² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births Percent Unmarried

68.8 16.2 6.9 28.2 5.4 81.4 4.9 4.3 34.1 • Percent WIC births 28.2 Percent Breastfeeding at discharge 81.0 o Percent Payment-Private Insurance 67.8 Percent Payment-Medicaid 28.2 Percent C-Section 27.5

Natality

Mortality³

Health Status Indicators 2014-2018

All Causes	679.7
Heart Disease	138.1
Malignant Neoplasms (Cancer)	154.5
Trachea, Bronchus, & Lung	39.2
Colon, Rectum, & Anus	18.1
Female Breast	25.7
Pancreas	8.3
Prostate	16.7
Leukemia	4.7
Chronic Lower Respiratory Diseases	36.6
Alzheimer's Disease	33.8
Cerebrovascular Disease	35.4
 Accidents 	39.5
 Motor Vehicle Accidents 	10.3
Diabetes	27.3
Influenza and Pneumonia	21.3
 Intentional Self-Harm (Suicide) 	12.5
 Chronic Liver Disease and Cirrhosis 	9.7
Infant Mortality	4.32

Leading Causes of Death	l otal
Leading Causes of Death	Deaths
1. Heart Disease	406
Malignant Neoplasms (Cancer)	398
3. Alzheimer's Disease	107
Chronic Lower Respiratory Diseases	104
Cerebrovascular Disease	99
6. Accidents	96
7. Diabetes	73
8. Influenza and Pneumonia	64
Unspecified Dementia	32
T10. Essential (Primary) Hypertension	28
and Hypertensive Renal Disease	
T10. Septicemia	28
Percent of Deaths due to tobacco use	14.2
Median age at death	82

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Brule County

Demographic Information

Brule County is located in the south central part of the state and averages 6.4 persons per square mile. Chamberlain is the largest city in Brule County.

2018 Population Information

Subject	Number	Percent
Total population	5,229	100.0
White	4,395	84.1
American Indian & Alaska Native	464	8.9
Hispanic	151	2.9
Black or African American	28	0.5
Asian	20	0.4
Pacific Islander	2	0.0
Multi-Racial	169	3.2
Under 5 years	346	6.6
Under 18 years	1,365	26.1
65 years and over	992	19.0
•		

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

All Causes

Natality	
Percent of Low Birth Weight Infants	5.0
Percent of Mothers Receiving	
Care in 1st Trimester	66.8
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	14.9
Percent of Births Less Than 37 Wks. of Gestation	7.6
Average Age of Mother	27.6
Teenage Birth Rate ²	5.0
Percent White, Non-Hispanic Births	73.4
Percent American Indian, Non-Hispanic Births	19.9
Percent Hispanic Births	0.8
Percent Unmarried	38.9
Percent WIC births	36.4
Percent Breastfeeding at discharge	72.9
Percent Payment-Private Insurance	61.1
Percent Payment-Medicaid	34.9
Percent C-Section	33.3

Heart Disease	160.0
Malignant Neoplasms (Cancer)	133.0
Trachea, Bronchus, & Lung	27.1
Colon, Rectum, & Anus	16.8
Female Breast	LNE
Pancreas	9.8
Prostate	35.0
Leukemia	10.4
Chronic Lower Respiratory Diseases	39.7
Alzheimer's Disease	35.0
 Cerebrovascular Disease 	12.3
Accidents	50.4
Motor Vehicle Accidents	19.4
Diabetes	18.1
Influenza and Pneumonia	18.7
Intentional Self-Harm (Suicide)	12.9
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE
Leading Course of Dooth	Total
Leading Causes of Death	Deaths
1. Heart Disease	65
2. Malignant Neoplasms (Cancer)	53
3. Alzheimer's Disease	17
T4. Accidents	16
T4. Chronic Lower Respiratory Diseases	16
Influenza and Pneumonia	8
7. Diabetes	7
T8. Cerebrovascular Disease	5
T8. Unspecified Dementia	5

Mortality³

657.8

13.6

78

See technical notes for more information.

T8. Nephritis, Nephrotic Syndrome, and

Percent of Deaths due to tobacco use

Nephrosis

Median age at death

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Buffalo County

Demographic Information

Buffalo County is located in the central portion of the state and averages 4.1 persons per square mile. Fort Thompson is the largest city in Buffalo County.

2018 Population Information

Subject	Number	Percent
Total population	2,036	100.0
American Indian & Alaska Native	1,569	77.1
White	308	15.1
Hispanic	100	4.9
Black or African American	16	0.8
Pacific Islander	2	0.1
Asian	1	0.0
Multi-Racial	40	2.0
Under 5 years	248	12.2
Under 18 years	802	39.4
65 years and over	160	7.9
,		_

Source: United States Census Bureau, 2018 Population

Estimates

Health	Status	Indicators	2014-2018
HIGHILI	Otatus	III MIGALOI 3	2017 2010

9.3
29.8
27.5
14.1
25.8
55.8
13.0
78.2
1.4
74.5
66.0
35.0
10.6
77.3
20.8

1,689.2
264.6
347.3
167.7
91.5
LNE
52.3
150.1
38.0
121.7
55.5
119.0
141.0
13.89

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer)	23
2. Heart Disease	18
T3. Accidents	11
T3. Chronic Liver Disease and Cirrhosis	11
Intentional Self-Harm (Suicide)	10
6. Diabetes	8
Percent of Deaths due to tobacco use Median age at death	19.5 63

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Butte County

Demographic Information

Butte County is located on the western border of the state and averages 4.5 people per square mile. Belle Fourche is the largest city in Butte County.

2018 Population Information

Subject	Number	Percent
Total population	10,222	100.0
White	9,302	91.0
Hispanic	370	3.6
American Indian & Alaska Native	198	1.9
Black or African American	58	0.6
Asian	45	0.4
Pacific Islander	11	0.1
Multi-Racial	238	2.3
Under 5 years	653	6.4
Under 18 years	2,476	24.2
65 years and over	2,048	20.0

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	7.3
Percent of Mothers Receiving	
Care in 1st Trimester	78.8
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	19.0
Percent of Births Less Than 37 Wks. of Gestation	10.2
 Average Age of Mother 	27.1
Teenage Birth Rate ²	9.6
Percent White, Non-Hispanic Births	92.8
Percent American Indian, Non-Hispanic Births	1.2
Percent Hispanic Births	3.7
Percent Unmarried	34.9
 Percent WIC births 	40.3
Percent Breastfeeding at discharge	85.8
Percent Payment-Private Insurance	55.7
 Percent Payment-Medicaid 	36.8
Percent C-Section	23.7

Motality

Mortality ³		
All Causes	745.8	
Heart Disease	184.6	
Malignant Neoplasms (Cancer)	176.0	
Trachea, Bronchus, & Lung	54.1	
Colon, Rectum, & Anus	22.6	
Female Breast	10.6	
Pancreas	7.3	
Prostate	15.4	
Leukemia	5.8	
 Chronic Lower Respiratory Diseases 	65.6	
Alzheimer's Disease	31.1	
Cerebrovascular Disease	37.0	
Accidents	53.4	
Motor Vehicle Accidents	22.6	
 Diabetes 	10.3	
 Influenza and Pneumonia 	7.9	
 Intentional Self-Harm (Suicide) 	5.8	
Chronic Liver Disease and Cirrhosis	20.9	
Infant Mortality	7.65	

Leading Causes of Death	Total Deaths
1. Heart Disease	137
Malignant Neoplasms (Cancer)	129
3. Chronic Lower Respiratory Diseases	49
4. Accidents	30
Cerebrovascular Disease	27
6. Alzheimer's Disease	24
Chronic Liver Disease and Cirrhosis	11
8. Diabetes	8
T9. Unspecified Dementia	7
T9. Septicemia	7
Percent of Deaths due to tobacco use	20.5
Median age at death	79

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Campbell County

Demographic Information

Campbell County is located in the north central portion of the state and averages 2.0 persons per square mile. Herreid is the largest city in Campbell County.

2018 Population Information

Subject	Number	Percent
Total population	1,377	100.0
White	1,316	95.6
Hispanic	28	2.0
American Indian & Alaska Native	14	1.0
Black or African American	4	0.3
Asian	4	0.3
Pacific Islander	0	0.0
Multi-Racial	11	8.0
Under 5 years	59	4.3
Under 18 years	219	15.9
65 years and over	390	28.3

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	LNE
Percent of Mothers Receiving	
Care in 1st Trimester	79.7
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	LNE
Percent of Births Less Than 37 Wks. of Gestation	9.4
 Average Age of Mother 	29.4
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	89.1
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	LNE
Percent Unmarried	10.9
 Percent WIC births 	15.6
Percent Breastfeeding at discharge	85.7
Percent Payment-Private Insurance	72.1
 Percent Payment-Medicaid 	13.1
Percent C-Section	31.3

Mortality ³		
All Causes	602.4	
Heart Disease	107.9	
Malignant Neoplasms (Cancer)	113.5	
Trachea, Bronchus, & Lung	49.8	
Colon, Rectum, & Anus	LNE	
Female Breast	LNE	
Pancreas	LNE	
Prostate	LNE	
Leukemia	LNE	
Chronic Lower Respiratory Diseases	LNE	
Alzheimer's Disease	LNE	
Cerebrovascular Disease	34.4	
Accidents	120.5	
Motor Vehicle Accidents	LNE	
Diabetes	29.8	
Influenza and Pneumonia	20.4	
Intentional Self-Harm (Suicide)	LNE	
Chronic Liver Disease and Cirrhosis	LNE	
Infant Mortality	LNE	

Leading Causes of Death	Total Deaths
Heart Disease	17
Malignant Neoplasms (Cancer)	15
3. Accidents	8
4. Cerebrovascular Disease	6
Percent of Deaths due to tobacco use Median age at death	17.6 77

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Charles Mix County

Demographic Information

Charles Mix County is located in the south central area of the state and averages 8.3 persons per square mile. Wagner is the largest city in Charles Mix County.

2018 Population Information

Subject	Number	Percent
Total population	9,338	100.0
White American Indian & Alaska Native	5,859 2,798	62.7 30.0
Hispanic	326	3.5
Black or African American Asian	44 25	0.5 0.3
Pacific Islander	0	0.0
Multi-Racial	286	3.1
Under 5 years	826	8.8
Under 18 years 65 years and over	2,775 1,715	29.7 18.4

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	5.7
 Percent of Mothers Receiving 	
Care in 1st Trimester	63.8
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	22.2
Percent of Births Less Than 37 Wks. of Gestation	8.1
 Average Age of Mother 	26.8
 Teenage Birth Rate² 	23.6
Percent White, Non-Hispanic Births	42.3
Percent American Indian, Non-Hispanic Births	48.3
Percent Hispanic Births	3.5
Percent Unmarried	54.8
Percent WIC births	54.8
Percent Breastfeeding at discharge	69.6
Percent Payment-Private Insurance	37.5
Percent Payment-Medicaid	51.0
Percent C-Section	30.8

Motality

Mortality ³		
o All Causes	896.6	
Heart Disease	190.0	
Malignant Neoplasms (Cancer)	188.9	
Trachea, Bronchus, & Lung	44.8	
Colon, Rectum, & Anus	28.4	
Female Breast	31.2	
Pancreas	6.8	
Prostate	24.9	
Leukemia	4.3	
Chronic Lower Respiratory Diseases	40.4	
Alzheimer's Disease	50.9	
Cerebrovascular Disease	33.3	
 Accidents 	83.0	
Motor Vehicle Accidents	28.5	
Diabetes	41.8	
Influenza and Pneumonia	20.3	
Intentional Self-Harm (Suicide)	36.8	
 Chronic Liver Disease and Cirrhosis 	39.2	
Infant Mortality	4.89	

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer) Heart Disease Accidents Alzheimer's Disease Chronic Lower Respiratory Diseases Cerebrovascular Disease Diabetes Influenza and Pneumonia Chronic Liver Disease and Cirrhosis Intentional Self-Harm (Suicide)	126 121 42 41 28 24 23 17 16 13
Percent of Deaths due to tobacco use Median age at death	15.7 78

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Clark County

Demographic Information

Clark County is located in east central South Dakota and averages 3.9 persons per square mile. Clark is the largest city in Clark County.

2018 Population Information

Subject	Number	Percent
Total population	3,739	100.0
White	3,489	93.3
Hispanic	119	3.2
Black or African American	69	1.8
Asian	24	0.6
American Indian & Alaska Native	6	0.2
Pacific Islander	0	0.0
Multi-Racial	32	0.9
Under 5 years	392	10.5
Under 18 years	966	25.8
65 years and over	791	21.2

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	7.4
Percent of Mothers Receiving	
Care in 1st Trimester	69.5
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	8.0
Percent of Births Less Than 37 Wks. of Gestation	8.0
Average Age of Mother	28.5
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	93.2
Percent American Indian, Non-Hispanic Births	1.5
Percent Hispanic Births	4.3
 Percent Unmarried 	14.5
Percent WIC births	19.4
Percent Breastfeeding at discharge	87.7
Percent Payment-Private Insurance	83.6
Percent Payment-Medicaid	14.2
Percent C-Section	22.5

Motality

Mortality ³		
All Causes	681.9	
Heart Disease	125.1	
Malignant Neoplasms (Cancer)	161.5	
Trachea, Bronchus, & Lung	29.3	
Colon, Rectum, & Anus	10.7	
Female Breast	13.6	
Pancreas	18.8	
Prostate	29.9	
Leukemia	23.6	
Chronic Lower Respiratory Diseases	37.5	
Alzheimer's Disease	34.3	
Cerebrovascular Disease	36.0	
Accidents	32.4	
Motor Vehicle Accidents	LNE	
Diabetes	36.3	
Influenza and Pneumonia	18.3	
Intentional Self-Harm (Suicide)	LNE	
Chronic Liver Disease and Cirrhosis	LNE	
Infant Mortality	9.23	

Leading Causes of Death	Total Deaths
 Malignant Neoplasms (Cancer) Heart Disease 	51 36
3. Alzheimer's Disease	13
T4. Chronic Lower Respiratory Diseases	12
T4. Cerebrovascular Disease	12
6. Accidents	11
7. Diabetes	10
Influenza and Pneumonia	7
Unspecified Dementia	5
Percent of Deaths due to tobacco use	15.7
Median age at death	83

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.


oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Clay County

Demographic Information

Health Status Indicators 2014-2018



Clay County is located in the southeastern part of the state and averages 33.6 persons per square mile. Vermillion is the largest city in Clay County.

2018 Population Information

Subject	Number	Percent
Total population	14,041	100.0
White	12,173	86.7
American Indian & Alaska Native	495	3.5
Hispanic	423	3.0
Asian	401	2.9
Black or African American	227	1.6
Pacific Islander	11	0.1
Multi-Racial	311	2.2
Under 5 years	742	5.3
Under 18 years	2,456	17.5
65 years and over	1,717	12.2

Natality	
Percent of Low Birth Weight Infants	5.1
Percent of Mothers Receiving	
Care in 1st Trimester	81.4
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	9.8
Percent of Births Less Than 37 Wks. of Gestation	7.4
 Average Age of Mother 	28.8
 Teenage Birth Rate² 	4.9
Percent White, Non-Hispanic Births	80.0
Percent American Indian, Non-Hispanic Births	7.0
Percent Hispanic Births	3.8
Percent Unmarried	30.0
Percent WIC births	29.3
Percent Breastfeeding at discharge	81.7
Percent Payment-Private Insurance Percent Payment Medicald	68.1
Percent Payment-Medicaid Percent C-Section	27.1
O Percent G-Section	31.1

Mortality ³		
All Causes	789.0	
 Heart Disease 	237.1	
Malignant Neoplasms (Cancer)	172.9	
Trachea, Bronchus, & Lung	38.1	
Colon, Rectum, & Anus	11.8	
Female Breast	17.3	
Pancreas	10.4	
Prostate	34.1	
Leukemia	9.7	
Chronic Lower Respiratory Diseases	55.3	
Alzheimer's Disease	28.8	
Cerebrovascular Disease	41.6	
Accidents	33.8	
Motor Vehicle Accidents	15.6	
Diabetes	19.5	
Influenza and Pneumonia	31.8	
 Intentional Self-Harm (Suicide) 	9.3	
Chronic Liver Disease and Cirrhosis	10.0	
Infant Mortality	LNE	
Leading Occase of Beath	Total	

Leading Causes of Death	Deaths
1. Heart Disease	161
Malignant Neoplasms (Cancer)	111
3. Chronic Lower Respiratory Diseases	35
Cerebrovascular Disease	29
Influenza and Pneumonia	21
T6. Accidents	19
T6. Alzheimer's Disease	19
8. Diabetes	14
T9. Intentional Self-Harm (Suicide)	7
T9. Unspecified Dementia	7
Percent of Deaths due to tobacco use Median age at death	16.6 80

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Codington County

Demographic Information

Codington County is located in eastern South Dakota and averages 39.5 persons per square mile. Watertown is the largest city in Codington County.

2018 Population Information

Subject	Number	Percent
Total population	28,015	100.0
White	25,933	92.6
Hispanic	689	2.5
American Indian & Alaska Native	647	2.3
Asian	207	0.7
Black or African American	165	0.6
Pacific Islander	2	0.0
Multi-Racial	372	1.3
Under 5 years	1,760	6.3
Under 18 years	6,724	24.0
65 years and over	4,949	17.7

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	7.2
 Percent of Mothers Receiving 	
Care in 1st Trimester	81.3
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	19.4
Percent of Births Less Than 37 Wks. of Gestation	8.4
Average Age of Mother	27.6
Teenage Birth Rate ²	7.5
Percent White, Non-Hispanic Births	88.1
Percent American Indian, Non-Hispanic Births	4.9
Percent Hispanic Births	2.7
Percent Unmarried	37.3
Percent WIC births	32.9
Percent Breastfeeding at discharge	78.7
Percent Payment-Private Insurance	68.9
Percent Payment-Medicaid	27.9
Percent C-Section	24.2

Motality

Mortality ³		
All Causes	646.6	
Heart Disease	148.8	
Malignant Neoplasms (Cancer)	170.6	
Trachea, Bronchus, & Lung	40.5	
Colon, Rectum, & Anus	19.5	
Female Breast	30.2	
Pancreas	15.4	
Prostate	15.9	
Leukemia	5.9	
Chronic Lower Respiratory Diseases	40.1	
Alzheimer's Disease	27.5	
Cerebrovascular Disease	29.9	
 Accidents 	34.0	
Motor Vehicle Accidents	14.8	
Diabetes	22.4	
Influenza and Pneumonia	15.3	
 Intentional Self-Harm (Suicide) 	10.3	
 Chronic Liver Disease and Cirrhosis 	8.0	
Infant Mortality	3.92	

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer)	316
2. Heart Disease	297
Chronic Lower Respiratory Diseases	77
Cerebrovascular Disease	61
5. Alzheimer's Disease	57
6. Accidents	54
7. Diabetes	41
8. Influenza and Pneumonia	30
Unspecified Dementia	19
10. Vascular Dementia	17
Percent of Deaths due to tobacco use	21.8
Median age at death	81

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.


oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Corson County

Demographic Information

Health Status Indicators 2014-2018



Corson County is located in the north central portion of the state and averages 1.6 persons per square mile. McLaughlin is the largest city in Corson County.

2018 Population Information

Subject	Number	Percent
Total population	4,165	100.0
American Indian & Alaska Native	2,583	62.0
White	1,191	28.6
Hispanic	220	5.3
Asian	22	0.5
Black or African American	17	0.4
Pacific Islander	1	0.0
Multi-Racial	131	3.1
Under 5 years	429	10.3
Under 18 years	1,538	36.9
65 years and over	471	11.3

Source: United States Census Bureau, 2018 Population

Estimates

Natality	
Percent of Low Birth Weight Infants	8.6
Percent of Mothers Receiving	
Care in 1st Trimester	41.5
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	26.6
 Percent of Births Less Than 37 Wks. of Gestation 	15.5
 Average Age of Mother 	26.8
Teenage Birth Rate ²	22.2
Percent White, Non-Hispanic Births	19.0
Percent American Indian, Non-Hispanic Births	72.6
Percent Hispanic Births	LNE
 Percent Unmarried 	71.4
 Percent WIC births 	57.7
 Percent Breastfeeding at discharge 	53.2
Percent Payment-Private Insurance	17.8
Percent Payment-Medicaid	72.7
Percent C-Section	28.0

Mortality ³	
o All Causes	1,303.3
 Heart Disease 	289.6
Malignant Neoplasms (Cancer)	198.2
Trachea, Bronchus, & Lung	26.2
Colon, Rectum, & Anus	19.8
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	40.1
Alzheimer's Disease	LNE
Cerebrovascular Disease	34.0
 Accidents 	137.9
Motor Vehicle Accidents	36.3
 Diabetes 	83.5
Influenza and Pneumonia	49.2
Intentional Self-Harm (Suicide)	51.2
Chronic Liver Disease and Cirrhosis	47.3
Infant Mortality	10.68

Leading Causes of Death	Total
Leading Gauses of Death	Deaths
1. Heart Disease	52
Malignant Neoplasms (Cancer)	38
3. Accidents	25
4. Diabetes	16
5. Intentional Self-Harm (Suicide)	10
6. Chronic Liver Disease and Cirrhosis	9
7. Influenza and Pneumonia	8
8. Chronic Lower Respiratory Diseases	7
T9. Cerebrovascular Disease	6
T9. Nephritis, Nephrotic Syndrome, and	6
Nephrosis	
Percent of Deaths due to tobacco use	16.0
Median age at death	63

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.


oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Custer County

Demographic Information

Health Status Indicators 2014-2018



Custer County is located in the southern Black Hills and averages 5.3 persons per square mile. Custer is the largest city in Custer County.

2018 Population Information

Subject	Number	Percent
Total population	8,726	100.0
White	7,896	90.5
American Indian & Alaska Native	287	3.3
Hispanic	270	3.1
Asian	53	0.6
Black or African American	50	0.6
Pacific Islander	2	0.0
Multi-Racial	168	1.9
Under 5 years	350	4.0
Under 18 years	1,343	15.4
65 years and over	2,621	30.0

Source: United States Census Bureau, 2018 Population

Estimates

Natality	
Percent of Low Birth Weight Infants	8.0
Percent of Mothers Receiving	
Care in 1st Trimester	74.5
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	17.5
Percent of Births Less Than 37 Wks. of Gestation	8.0
 Average Age of Mother 	29.1
 Teenage Birth Rate² 	4.4
Percent White, Non-Hispanic Births	82.8
Percent American Indian, Non-Hispanic Births	6.4
Percent Hispanic Births	5.0
Percent Unmarried	33.5
Percent WIC births	29.0
Percent Breastfeeding at discharge	87.8
Percent Payment-Private Insurance	56.4
Percent Payment-Medicaid	33.3
Percent C-Section	22.2

Mortality ³	
All Causes	661.8
Heart Disease	133.6
 Malignant Neoplasms (Cancer) 	119.4
Trachea, Bronchus, & Lung	29.9
Colon, Rectum, & Anus	13.9
Female Breast	13.7
Pancreas	7.3
Prostate	12.5
Leukemia	5.7
 Chronic Lower Respiratory Diseases 	27.8
Alzheimer's Disease	25.9
Cerebrovascular Disease	40.6
Accidents	72.1
Motor Vehicle Accidents	19.9
Diabetes	14.7
Influenza and Pneumonia	23.9
Intentional Self-Harm (Suicide)	29.6
Chronic Liver Disease and Cirrhosis	17.6
Infant Mortality	LNE

Leading Causes of Death	l otal Deaths
1. Heart Disease	110
Malignant Neoplasms (Cancer)	102
3. Accidents	39
Cerebrovascular Disease	30
Chronic Lower Respiratory Diseases	22
6. Alzheimer's Disease	19
Influenza and Pneumonia	16
Intentional Self-Harm (Suicide)	15
T9. Diabetes	11
T9. Chronic Liver Disease and Cirrhosis	11
Percent of Deaths due to tobacco use	16.8
Median age at death	77

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Davison County

Demographic Information

Davison County is located in eastern South Dakota and averages 44.8 persons per square mile. Mitchell is the largest city in Davison County.

2018 Population Information

Subject	Number	Percent
Total population	19,790	100.0
White	17,922	90.6
Hispanic	617	3.1
American Indian & Alaska Native	599	3.0
Black or African American	154	8.0
Asian	123	0.6
Pacific Islander	13	0.1
Multi-Racial	362	1.8
Under 5 years	1,254	6.3
Under 18 years	4,539	22.9
65 years and over	3,724	18.8

Health Status Indicators 2014-2018

ivalanty	
Percent of Low Birth Weight Infants	7.3
 Percent of Mothers Receiving 	
Care in 1st Trimester	84.9
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	17.1
Percent of Births Less Than 37 Wks. of Gestation	9.5
 Average Age of Mother 	27.6
Teenage Birth Rate ²	8.1
Percent White, Non-Hispanic Births	83.4
Percent American Indian, Non-Hispanic Births	7.7
Percent Hispanic Births	4.8
Percent Unmarried	40.3
Percent WIC births	34.4
Percent Breastfeeding at discharge	74.7
Percent Payment-Private Insurance	65.2
Percent Payment-Medicaid	29.5
Percent C-Section	32.1

Natality

Mortality ³			
All Causes	744.8		
Heart Disease	174.1		
Malignant Neoplasms (Cancer)	158.5		
Trachea, Bronchus, & Lung	44.1		
Colon, Rectum, & Anus	15.5		
Female Breast	18.9		
Pancreas	9.7		
Prostate	11.8		
Leukemia	8.0		
Chronic Lower Respiratory Diseases	39.8		
Alzheimer's Disease	27.6		
Cerebrovascular Disease	45.7		
Accidents	48.0		
 Motor Vehicle Accidents 	8.9		
Diabetes	23.7		
Influenza and Pneumonia	23.6		
Intentional Self-Harm (Suicide)	16.6		
Chronic Liver Disease and Cirrhosis	12.2		
Infant Mortality	5.56		

Leading Causes of Death	ıotai
Leading Gauses of Death	Deaths
1. Heart Disease	273
Malignant Neoplasms (Cancer)	230
Cerebrovascular Disease	78
4. Accidents	60
Chronic Lower Respiratory Diseases	57
6. Alzheimer's Disease	52
Influenza and Pneumonia	40
Unspecified Dementia	36
9. Diabetes	32
 Essential (Primary) Hypertension and Hypertensive Renal Disease 	27
Percent of Deaths due to tobacco use Median age at death	17.4 82

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Day County

Demographic Information

Day County is located in the northeastern part of the state and averages 5.6 persons per square mile. Webster is the largest city in Day County.

2018 Population Information

Subject	Number	Percent
Total population	5,505	100.0
White	4,721	85.8
American Indian & Alaska Native	487	8.8
Hispanic	131	2.4
Asian	47	0.9
Black or African American	21	0.4
Pacific Islander	0	0.0
Multi-Racial	98	1.8
Under 5 years	276	5.0
Under 18 years	1,241	22.5
65 years and over	1,400	25.4

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

rtatanty	
Percent of Low Birth Weight Infants	5.1
Percent of Mothers Receiving	
Care in 1st Trimester	72.8
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	21.9
 Percent of Births Less Than 37 Wks. of Gestation 	5.8
Average Age of Mother	28.3
Teenage Birth Rate ²	9.5
Percent White, Non-Hispanic Births	73.8
Percent American Indian, Non-Hispanic Births	18.2
Percent Hispanic Births	2.2
Percent Unmarried	33.7
Percent WIC births	35.3
Percent Breastfeeding at discharge	76.4
Percent Payment-Private Insurance	64.5
Percent Payment-Medicaid	32.3
Percent C-Section	28.4

Natality

Mortality ³	
All Causes	742.2
Heart Disease	149.7
Malignant Neoplasms (Cancer)	150.8
Trachea, Bronchus, & Lung	30.8
Colon, Rectum, & Anus	14.0
Female Breast	19.1
Pancreas	16.8
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	33.4
Alzheimer's Disease	39.8
Cerebrovascular Disease	45.7
Accidents	71.4
Motor Vehicle Accidents	23.5
Diabetes	19.5
Influenza and Pneumonia	23.3
Intentional Self-Harm (Suicide)	15.7
Chronic Liver Disease and Cirrhosis	14.2
Infant Mortality	LNE

Leading Causes of Death	Total	
Leading Causes of Death	Deaths	
1. Heart Disease	86	
Malignant Neoplasms (Cancer)	74	
Cerebrovascular Disease	28	
4. Alzheimer's Disease	27	
5. Accidents	25	
Chronic Lower Respiratory Diseases	19	
Influenza and Pneumonia	13	
8. Diabetes	11	
T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	8	
T9. Parkinson's Disease	8	
Percent of Deaths due to tobacco use	14.1	
Median age at death	83	

140

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Deuel County

Demographic Information

Deuel County borders Minnesota and averages 7.0 persons per square mile. Clear Lake is the largest city in Deuel County.

2018 Population Information

	Subject	Number	Percent	
٦	Total population	4,337	100.0	
	White	4,104	94.6	
	Hispanic	123	2.8	
	Black or African American	37	0.9	
	American Indian & Alaska Native	20	0.5	
	Asian	11	0.3	
	Pacific Islander	0	0.0	
	Multi-Racial	42	1.0	
ι	Jnder 5 years	278	6.4	
	Jnder 18 years	1,032	23.8	
6	65 years and over	949	21.9	

Health Status Indicators 2014-2018

ivalanty	
Percent of Low Birth Weight Infants	4.6
Percent of Mothers Receiving	
Care in 1st Trimester	81.2
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	9.6
Percent of Births Less Than 37 Wks. of Gestation	7.3
Average Age of Mother	28.5
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	94.3
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	5.0
Percent Unmarried	18.8
Percent WIC births	21.5
Percent Breastfeeding at discharge	86.6
Percent Payment-Private Insurance Percent Payment Medicaid	78.2
Percent Payment-Medicaid Percent C-Section	14.0
Percent C-Section	21.8

Natality

Mortality ³	
All Causes	640.7
Heart Disease	135.9
Malignant Neoplasms (Cancer)	164.5
Trachea, Bronchus, & Lung	35.4
Colon, Rectum, & Anus	10.0
Female Breast	LNE
Pancreas	8.5
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	39.5
Alzheimer's Disease	20.9
Cerebrovascular Disease	47.8
Accidents	30.9
Motor Vehicle Accidents	18.2
Diabetes	13.7
Influenza and Pneumonia	17.9
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	10.9
Infant Mortality	LNE

Leading Causes of Death	Total
Leading Gauses of Death	Deaths
Malignant Neoplasms (Cancer)	58
2. Heart Disease	49
Cerebrovascular Disease	18
4. Chronic Lower Respiratory Diseases	17
Septicemia	11
6. Accidents	10
T7. Alzheimer's Disease	8
T7. Influenza and Pneumonia	8
Pneumonitis due to Solids and Liquids	7
T10. Diabetes	5
T10. Essential (Primary) Hypertension	5
and Hypertensive Renal Disease	
Percent of Deaths due to tobacco use	14.5
Median age at death	81

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Dewey County

Demographic Information

Dewey County is located in the north central region of the state and averages 2.3 persons per square mile. Eagle Butte is the largest city in Dewey County.

2018 Population Information

Subject	Number	Percent
Total population	5,904	100.0
American Indian & Alaska Native	4,158	70.4
White	1,187	20.1
Hispanic	284	4.8
Black or African American	27	0.5
Asian	11	0.2
Pacific Islander	1	0.0
Multi-Racial	236	4.0
Under 5 years	770	13.0
Under 18 years	2,237	37.9
65 years and over	559	9.5

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	8.7
 Percent of Mothers Receiving 	
Care in 1st Trimester	49.5
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	18.8
 Percent of Births Less Than 37 Wks. of Gestation 	17.1
 Average Age of Mother 	26.4
 ○ Teenage Birth Rate² 	42.4
Percent White, Non-Hispanic Births	10.8
Percent American Indian, Non-Hispanic Births	79.6
Percent Hispanic Births	2.1
Percent Unmarried	67.2
Percent WIC births	76.9
Percent Breastfeeding at discharge	55.4
Percent Payment-Private Insurance Percent Payment Medicaid	17.9
 Percent Payment-Medicaid Percent C-Section 	69.4 31.0
O Percent G-Section	31.0

Motality

Mortality ³	
o All Causes	1,297.4
Heart Disease	197.5
Malignant Neoplasms (Cancer)	193.9
Trachea, Bronchus, & Lung	51.0
Colon, Rectum, & Anus	17.5
Female Breast	35.3
Pancreas	11.4
Prostate	32.5
Leukemia	16.0
Chronic Lower Respiratory Diseases	46.0
 Alzheimer's Disease 	14.9
Cerebrovascular Disease	35.7
 Accidents 	144.3
 Motor Vehicle Accidents 	58.9
 Diabetes 	80.8
 Influenza and Pneumonia 	55.1
 Intentional Self-Harm (Suicide) 	51.1
 Chronic Liver Disease and Cirrhosis 	115.6
Infant Mortality	5.29

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer)	47
2. Heart Disease 3. Accidents	44 39
Chronic Liver Disease and Cirrhosis	26
Diabetes Intentional Self-Harm (Suicide)	19 14
7. Influenza and Pneumonia	12
Chronic Lower Respiratory Diseases Cerebrovascular Disease	10 9
T9. Nephritis, Nephrotic Syndrome, and Nephrosis	9
Percent of Deaths due to tobacco use Median age at death	14.0 64

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Douglas County

Demographic Information

Douglas County is located in south central South Dakota and averages 7.0 persons per square mile. Armour is the largest city in Douglas County.

2018 Population Information

Subject	Number	Percent
Total population	2,935	100.0
White	2,755	93.9
American Indian & Alaska Native	67	2.3
Hispanic	57	1.9
Black or African American	15	0.5
Asian	5	0.2
Pacific Islander IslanderIslander	0	0.0
Multi-Racial	36	1.2
Under 5 years	223	7.6
Under 18 years	755	25.7
65 years and over	707	24.1

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	4.7
Percent of Mothers Receiving	
Care in 1st Trimester	78.9
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	9.9
Percent of Births Less Than 37 Wks. of Gestation	7.0
Average Age of Mother	27.8
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	94.9
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	2.3
 Percent Unmarried 	12.1
Percent WIC births	19.7
Percent Breastfeeding at discharge	91.0
Percent Payment-Private Insurance	70.0
Percent Payment-Medicaid	16.7
Percent C-Section	25.7

Natality

Mortality³

All Causes	625.6
Heart Disease	85.2
Malignant Neoplasms (Cancer)	133.6
Trachea, Bronchus, & Lung	26.4
Colon, Rectum, & Anus	17.1
Female Breast	48.0
Pancreas	13.5
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	61.6
Alzheimer's Disease	56.6
Cerebrovascular Disease	20.8
Accidents	50.6
Motor Vehicle Accidents	LNE
Diabetes	29.3
Influenza and Pneumonia	17.0
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	23.1
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer)	38
2. Heart Disease	34
3. Alzheimer's Disease	26
4. Chronic Lower Respiratory Diseases	18
5. Accidents	16
6. Diabetes	11
7. Cerebrovascular Disease	9
T8. Influenza and Pneumonia	8
T8. Essential (Primary) Hypertension and Hypertensive Renal Disease	8
Percent of Deaths due to tobacco use	15.3
Median age at death	87

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Edmunds County

Demographic Information



Edmunds County is located in the north central region of the state and averages 3.6 persons per square mile. Ipswich is the largest city in Edmunds County.

2018 Population Information

Subject	Number	Percent
Total population	3,875	100.0
White	3,676	94.9
Hispanic	77	2.0
Asian	40	1.0
American Indian & Alaska Native	36	0.9
Black or African American	11	0.3
Pacific Islander	0	0.0
Multi-Racial	35	0.9
Under 5 years	272	7.0
Under 18 years	926	23.9
65 years and over	834	21.5

Source: United States Census Bureau, 2018 Population Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	4.0
Percent of Mothers Receiving	
Care in 1st Trimester	59.6
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	6.7
 Percent of Births Less Than 37 Wks. of Gestation 	5.4
Average Age of Mother	29.0
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	95.5
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	1.8
Percent Unmarried	12.9
Percent WIC births	13.5
Percent Breastfeeding at discharge	89.3
 Percent Payment-Private Insurance 	86.5
Percent Payment-Medicaid	11.2
Percent C-Section	19.2

Mortality ³		
All Causes	603.7	
Heart Disease	139.2	
 Malignant Neoplasms (Cancer) 	106.4	
Trachea, Bronchus, & Lung	25.1	
Colon, Rectum, & Anus	9.3	
Female Breast	LNE	
Pancreas	13.1	
Prostate	LNE	
Leukemia	LNE	
Chronic Lower Respiratory Diseases	29.2	
Alzheimer's Disease	35.1	
Cerebrovascular Disease	34.9	
Accidents	56.4	
Motor Vehicle Accidents	18.1	
Diabetes	24.3	
Influenza and Pneumonia	23.3	
Intentional Self-Harm (Suicide)	LNE	
Chronic Liver Disease and Cirrhosis	9.0	

Infant Mortality

Leading Causes of Death	Total Deaths
1. Heart Disease	52
2. Malignant Neoplasms (Cancer)	33
3. Accidents	16
4. Alzheimer's Disease	15
5. Cerebrovascular Disease	14
T6. Chronic Lower Respiratory Diseases	10
T6. Influenza and Pneumonia	10
8. Diabetes	7
9. Septicemia	6
T10. Unspecified Dementia	5 5
T10. Essential (Primary) Hypertension and Hypertensive Renal Disease	5
Percent of Deaths due to tobacco use	16.3
Median age at death	84

LNE

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Fall River County

Demographic Information

Fall River County is located in the southwestern corner of the state and averages 4.1 persons per square mile. Hot Springs is the largest city in Fall River County.

2018 Population Information

Subject	Number	Percent
Total population	6,758	100.0
White	5,729	84.8
American Indian & Alaska Native	383	5.7
Hispanic	271	4.0
Asian	90	1.3
Black or African American	77	1.1
Pacific Islander	3	0.0
Multi-Racial	205	3.0
Under 5 years	274	4.1
Under 18 years	1,155	17.1
65 years and over	1,960	29.0

Source: United States Census Bureau, 2018 Population Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	8.0
Percent of Mothers Receiving	
Care in 1st Trimester	66.0
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	19.9
Percent of Births Less Than 37 Wks. of Gestation	7.4
Average Age of Mother	27.3
Teenage Birth Rate ²	5.3
Percent White, Non-Hispanic Births	75.9
Percent American Indian, Non-Hispanic Births	9.1
Percent Hispanic Births	7.0
Percent Unmarried	41.6
Percent WIC births	39.6
Percent Breastfeeding at discharge	82.8
Percent Payment-Private Insurance	46.8
Percent Payment-Medicaid Percent C Continue	39.4
Percent C-Section	16.4

Motality

Mortality ³		
o All Causes	970.2	
 Heart Disease 	215.4	
Malignant Neoplasms (Cancer)	180.1	
Trachea, Bronchus, & Lung	43.1	
Colon, Rectum, & Anus	20.2	
Female Breast	22.1	
Pancreas	5.2	
Prostate	25.7	
Leukemia	5.4	
 Chronic Lower Respiratory Diseases 	81.7	
Alzheimer's Disease	47.4	
Cerebrovascular Disease	42.7	
Accidents	64.6	
Motor Vehicle Accidents	24.9	
Diabetes	36.9	
Influenza and Pneumonia	17.5	
Intentional Self-Harm (Suicide)	29.4	
Chronic Liver Disease and Cirrhosis	22.9	
Infant Mortality	LNE	
	Total	

Leading Causes of Death	Total
•	Deaths
Heart Disease	139
Malignant Neoplasms (Cancer)	120
Chronic Lower Respiratory Diseases	57
4. Alzheimer's Disease	33
5. Accidents	29
Cerebrovascular Disease	28
7. Diabetes	24
8. Intentional Self-Harm (Suicide)	13
9. Unspecified Dementia	11
T10. Influenza and Pneumonia	10
T10. Chronic Liver Disease and Cirrhosis	10
Percent of Deaths due to tobacco use	25.6
Median age at death	79

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Faulk County

Demographic Information

Faulk County is located in north central South Dakota and averages 2.4 persons per square mile. Faulkton is the largest city in Faulk County.

2018 Population Information

Subject	Number	Percent
Total population	2,330	100.0
White	2,255	96.8
Hispanic	30	1.3
Asian	15	0.6
Black or African American	12	0.5
American Indian & Alaska Native	6	0.3
Pacific Islander	0	0.0
Multi-Racial	12	0.5
Under 5 years	193	8.3
Under 18 years	590	25.3
65 years and over	544	23.3

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	8.2
 Percent of Mothers Receiving 	
Care in 1st Trimester	57.3
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	1.8
Percent of Births Less Than 37 Wks. of Gestation	5.8
 Average Age of Mother 	29.5
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	98.8
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	LNE
Percent Unmarried	7.0
Percent WIC births	14.1
Percent Breastfeeding at discharge	91.2
Percent Payment-Private Insurance Payment Medicaid	88.9
Percent Payment-Medicaid Percent C Section	8.8
Percent C-Section	24.0

Motality

Mortality ³	
All Causes	708.2
Heart Disease	127.1
Malignant Neoplasms (Cancer)	144.8
Trachea, Bronchus, & Lung	37.0
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	27.5
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	49.0
Alzheimer's Disease	37.9
Cerebrovascular Disease	40.9
Accidents	39.9
Motor Vehicle Accidents	LNE
Diabetes	22.7
Influenza and Pneumonia	13.0
Intentional Self-Harm (Suicide)	36.7
Chronic Liver Disease and Cirrhosis	32.9
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Heart Disease	33
Malignant Neoplasms (Cancer)	31
T3. Chronic Lower Respiratory Diseases	13
T3. Alzheimer's Disease	13
Cerebrovascular Disease	11
6. Accidents	9
7. Chronic Liver Disease and Cirrhosis	5
Percent of Deaths due to tobacco use	12.4
Median age at death	83

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.


oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Grant County

Demographic Information

Health Status Indicators 2014-2018



Grant County borders Minnesota in northeastern South Dakota and averages 10.8 persons per square mile. Milbank is the largest city in Grant County.

2018 Population Information

Subject	Number	Percent
Total population	7,147	100.0
White	6,573	92.0
Hispanic	348	4.9
American Indian & Alaska Native	83	1.2
Black or African American	47	0.7
Asian	18	0.3
Pacific Islander	2	0.0
Multi-Racial	76	1.1
Under 5 years	443	6.2
Under 18 years	1,609	22.5
65 years and over	1,489	20.8

Natality	
Percent of Low Birth Weight Infants	4.5
Percent of Mothers Receiving	
Care in 1st Trimester	78.8
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	11.9
Percent of Births Less Than 37 Wks. of Gestation	6.7
Average Age of Mother	28.2
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	89.8
Percent American Indian, Non-Hispanic Births	1.9
Percent Hispanic Births	5.5
 Percent Unmarried 	24.2
 Percent WIC births 	24.9
Percent Breastfeeding at discharge	83.9
Percent Payment-Private Insurance	72.2
Percent Payment-Medicaid	19.2
Percent C-Section	26.3

Mortality ³	
All Causes	737.1
Heart Disease	177.0
Malignant Neoplasms (Cancer)	140.2
Trachea, Bronchus, & Lung	38.9
 Colon, Rectum, & Anus 	6.4
Female Breast	18.0
Pancreas	8.1
Prostate	23.7
Leukemia	5.0
Chronic Lower Respiratory Diseases	52.6
Alzheimer's Disease	52.2
Cerebrovascular Disease	50.7
Accidents	48.2
Motor Vehicle Accidents	29.0
Diabetes	21.9
Influenza and Pneumonia	18.4
Intentional Self-Harm (Suicide)	23.2
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE
	Total

Leading Causes of Death	Total Deaths
Heart Disease Malignant Neoplasms (Cancer) Alzheimer's Disease Chronic Lower Respiratory Diseases Cerebrovascular Disease Accidents Diabetes Influenza and Pneumonia Parkinson's Disease Intentional Self-Harm (Suicide)	106 81 36 33 31 21 14 12 10 8
Percent of Deaths due to tobacco use Median age at death	17.0 83

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Gregory County

Demographic Information

Gregory County borders the west bank of the Missouri River and the state of Nebraska and averages 4.2 persons per square mile. Gregory is the largest city in Gregory County.

2018 Population Information

Subject	Number	Percent
Total population	4,212	100.0
White	3,681	87.4
American Indian & Alaska Native	306	7.3
Hispanic	67	1.6
Asian	19	0.5
Black or African American	16	0.4
Pacific Islander	1	0.0
Multi-Racial	122	2.9
Under 5 years	277	6.6
Under 18 years	992	23.6
65 years and over	1,072	25.5

Health Status Indicators 2014-2018

itatanty	
 Percent of Low Birth Weight Infants 	3.7
Percent of Mothers Receiving	
Care in 1st Trimester	73.1
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	11.9
Percent of Births Less Than 37 Wks. of Gestation	7.4
Average Age of Mother	28.1
Teenage Birth Rate ²	16.3
Percent White, Non-Hispanic Births	77.2
Percent American Indian, Non-Hispanic Births	15.1
Percent Hispanic Births	1.5
Percent Unmarried	33.5
Percent WIC births	38.7
Percent Breastfeeding at discharge	80.1
Percent Payment-Private Insurance	56.6
Percent Payment-Medicaid	38.2
Percent C-Section	27.9

Natality

Mortality ³	
All Causes	771.9
Heart Disease	161.1
Malignant Neoplasms (Cancer)	175.9
Trachea, Bronchus, & Lung	37.4
Colon, Rectum, & Anus	14.1
Female Breast	20.3
Pancreas	21.4
Prostate	17.0
Leukemia	LNE
Chronic Lower Respiratory Diseases	51.3
Alzheimer's Disease	24.5
Cerebrovascular Disease	51.8
Accidents	71.4
Motor Vehicle Accidents	39.4
Diabetes	21.9
 Influenza and Pneumonia 	5.8
Intentional Self-Harm (Suicide)	13.1
Chronic Liver Disease and Cirrhosis	31.5
Infant Mortality	11.03

Leading Causes of Death	Total Deaths
1. Heart Disease	74
Malignant Neoplasms (Cancer)	68
Cerebrovascular Disease	25
Chronic Lower Respiratory Diseases	24
5. Accidents	16
6. Alzheimer's Disease	14
7. Diabetes	9
Chronic Liver Disease and Cirrhosis	7
T9. Septicemia	6
T9. Disorders of Lipoprotein Metabolism and Other Lipidemias	6
Percent of Deaths due to tobacco use Median age at death	17.0 82

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Haakon County

Demographic Information

Haakon County is located in the west central region of the state and averages 1.1 persons per square mile. Philip is the largest city in Haakon County.

2018 Population Information

Subject	Number	Percent
Total population	1,918	100.0
White	1,756	91.6
American Indian & Alaska Native	46	2.4
Hispanic	40	2.1
Asian	5	0.3
Black or African American	4	0.2
Pacific Islander	2	0.1
Multi-Racial	65	3.4
Under 5 years	115	6.0
Under 18 years	449	23.4
65 years and over	468	24.4

Health Status Indicators 2014-2018

inatality	
 Percent of Low Birth Weight Infants 	2.9
Percent of Mothers Receiving	
Care in 1st Trimester	80.2
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	15.7
Percent of Births Less Than 37 Wks. of Gestation	5.9
Average Age of Mother	28.0
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	86.3
Percent American Indian, Non-Hispanic Births	2.9
Percent Hispanic Births	LNE
Percent Unmarried	24.5
Percent WIC births	27.7
Percent Breastfeeding at discharge	82.4
Percent Payment-Private Insurance	70.6
Percent Payment-Medicaid	25.5
Percent C-Section	18.6

Natality

Mortality ³	
All Causes	677.6
Heart Disease	125.1
Malignant Neoplasms (Cancer)	150.8
Trachea, Bronchus, & Lung	54.4
Colon, Rectum, & Anus	15.7
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	32.8
Chronic Lower Respiratory Diseases	73.1
Alzheimer's Disease	LNE
Cerebrovascular Disease	17.4
Accidents	31.3
Motor Vehicle Accidents	LNE
Diabetes	LNE
Influenza and Pneumonia	38.5
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
T1. Heart Disease	24
T1. Malignant Neoplasms (Cancer)	24
Chronic Lower Respiratory Diseases	16
4. Influenza and Pneumonia	9
Urinary Tract Infection, Site Not Specified	5
Percent of Deaths due to tobacco use Median age at death	12.3 85

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hamlin County

Demographic Information

Hamlin County is located in the northeastern region of the state and averages 11.6 persons per square mile. Estelline is the largest city in Hamlin County.

2018 Population Information

Subject	Number	Percent
Total population	6,111	100.0
White	5,683	93.0
Hispanic	296	4.8
American Indian & Alaska Native	34	0.6
Black or African American	29	0.5
Asian	17	0.3
Pacific Islander	0	0.0
Multi-Racial	52	0.9
Under 5 years	550	9.0
Under 18 years	1,924	31.5
65 years and over	953	15.6
Under 18 years	1,924	31.5

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	4.4
Percent of Mothers Receiving	
Care in 1st Trimester	74.8
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	12.6
Percent of Births Less Than 37 Wks. of Gestation	7.5
Average Age of Mother	27.6
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	95.7
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	3.1
 Percent Unmarried 	12.1
Percent WIC births	27.6
 Percent Breastfeeding at discharge 	89.2
 Percent Payment-Private Insurance 	77.8
Percent Payment-Medicaid	14.9
Percent C-Section	15.6

Mortality ³		
All Causes	734.8	
Heart Disease	114.4	
Malignant Neoplasms (Cancer)	143.6	
Trachea, Bronchus, & Lung	53.6	
Colon, Rectum, & Anus	11.9	
Female Breast	15.6	
Pancreas	7.8	
Prostate	LNE	
Leukemia	7.7	
Chronic Lower Respiratory Diseases	30.0	
 Alzheimer's Disease 	73.9	
Cerebrovascular Disease	41.7	
Accidents	44.0	
Motor Vehicle Accidents	15.5	
Diabetes	26.9	
Influenza and Pneumonia	22.5	
Intentional Self-Harm (Suicide)	13.3	
Chronic Liver Disease and Cirrhosis	13.0	
Infant Mortality	8.55	

Leading Causes of Death	Total
Leading Causes of Death	Deaths
Malignant Neoplasms (Cancer)	58
2. Heart Disease	49
Alzheimer's Disease	35
Cerebrovascular Disease	17
5. Accidents	15
Vascular Dementia	13
T7. Chronic Lower Respiratory Diseases	12
T7. Diabetes	12
Influenza and Pneumonia	11
T10. Unspecified Dementia	6
T10. Essential (Primary) Hypertension	6
And Hypertensive Renal Disease	
Percent of Deaths due to tobacco use	14.6
Median age at death	83

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hand County

Demographic Information

Hand County is located in central South Dakota and averages 2.4 persons per square mile. Miller is the largest city in Hand County.

2018 Population Information

Subject	Number	Percent
Total population	3,262	100.0
White	3,149	96.5
Hispanic	45	1.4
American Indian & Alaska Native	16	0.5
Asian	13	0.4
Black or African American	4	0.1
Pacific Islander	1	0.0
Multi-Racial	34	1.0
Under 5 years	191	5.9
Under 18 years	715	21.9
65 years and over	826	25.3
•		

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	8.2
 Percent of Mothers Receiving 	
Care in 1st Trimester	59.9
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	7.6
Percent of Births Less Than 37 Wks. of Gestation	10.3
 Average Age of Mother 	28.8
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	96.2
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	1.6
 Percent Unmarried 	14.7
Percent WIC births	9.2
Percent Breastfeeding at discharge	87.4
Percent Payment-Private Insurance	86.4
Percent Payment-Medicaid	9.2
Percent C-Section	33.2

Mortality ³	
All Causes	648.4
Heart Disease	130.7
Malignant Neoplasms (Cancer)	129.4
 Trachea, Bronchus, & Lung 	16.2
Colon, Rectum, & Anus	20.7
Female Breast	LNE
Pancreas	15.1
Prostate	47.8
Leukemia	LNE
Chronic Lower Respiratory Diseases	47.8
Alzheimer's Disease	31.8
Cerebrovascular Disease	50.7
Accidents	49.4
Motor Vehicle Accidents	LNE
Diabetes	19.8
Influenza and Pneumonia	20.9
Intentional Self-Harm (Suicide)	24.3
Chronic Liver Disease and Cirrhosis	12.3
Infant Mortality	LNE

Leading Causes of Death	Total	
J	Deaths	
Heart Disease	52	
Malignant Neoplasms (Cancer)	39	
Cerebrovascular Disease	20	
4. Chronic Lower Respiratory Diseases	18	
5. Alzheimer's Disease	15	
6. Accidents	14	
7. Essential (Primary) Hypertension and	10	
Hypertensive Renal Disease		
8. Influenza and Pneumonia	7	
9. Diabetes	6	
T10. Unspecified Dementia	5	
T10. Septicemia	5	
Percent of Deaths due to tobacco use	26.4	
Median age at death	84	

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hanson County

Demographic Information

Hanson County is located in southeastern South Dakota and averages 7.7 people per square mile. Alexandria is the largest city in Hanson County.

2018 Population Information

Subject	Number	Percent
Total population	3,376	100.0
White	3,252	96.3
Hispanic	50	1.5
Black or African American	14	0.4
Asian	14	0.4
American Indian & Alaska Native	12	0.4
Pacific Islander	0	0.0
Multi-Racial	34	1.0
Under 5 years	256	7.6
Under 18 years	1,032	30.6
65 years and over	521	15.4

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	5.4
Percent of Mothers Receiving	
Care in 1st Trimester	75.0
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	5.4
Percent of Births Less Than 37 Wks. of Gestation	6.4
 Average Age of Mother 	30.1
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	98.0
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	LNE
 Percent Unmarried 	12.7
 Percent WIC births 	9.4
Percent Breastfeeding at discharge	86.3
Percent Payment-Private Insurance	80.4
Percent Payment-Medicaid	8.3
Percent C-Section	22.5

Motality

Mortality ³	
o All Causes	926.1
Heart Disease	187.4
 Malignant Neoplasms (Cancer) 	316.9
Trachea, Bronchus, & Lung	55.4
 Colon, Rectum, & Anus 	85.7
Female Breast	LNE
Pancreas	27.9
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	21.3
Alzheimer's Disease	42.1
Cerebrovascular Disease	33.3
Accidents	56.3
Motor Vehicle Accidents	28.4
Diabetes	31.2
Influenza and Pneumonia	24.5
Intentional Self-Harm (Suicide)	19.0
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE
The state of the s	

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer)	45
2. Heart Disease	26
3. Accidents	8
4. Alzheimer's Disease	5
Percent of Deaths due to tobacco use Median age at death	16.7 77

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Harding County

Demographic Information

Harding County is located in the northwestern corner of the state and averages 0.5 persons per square mile. Buffalo is the largest city in Harding County.

2018 Population Information

Subject	Number	Percent
Total population	1,249	100.0
White	1,152	92.2
Hispanic	33	2.6
American Indian & Alaska Native	27	2.2
Black or African American	11	0.9
Asian	3	0.2
Pacific Islander	0	0.0
Multi-Racial	23	1.8
Under 5 years	82	6.6
Under 18 years	290	23.2
65 years and over	222	17.8

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	4.4
Percent of Mothers Receiving	
Care in 1st Trimester	84.3
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	5.5
Percent of Births Less Than 37 Wks. of Gestation	5.6
Average Age of Mother	29.2
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	89.0
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	LNE
 Percent Unmarried 	12.1
 Percent WIC births 	8.8
Percent Breastfeeding at discharge	91.9
 Percent Payment-Private Insurance 	83.3
 Percent Payment-Medicaid 	7.8
Percent C-Section	22.0

Mortality ³	
All Causes	453.1
Heart Disease	110.5
 Malignant Neoplasms (Cancer) 	77.7
Trachea, Bronchus, & Lung	LNE
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	LNE
Alzheimer's Disease	LNE
Cerebrovascular Disease	40.3
Accidents	73.6
Motor Vehicle Accidents	LNE
Diabetes	42.4
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
Heart Disease Malignant Neoplasms (Cancer) Accidents	9 7 6
Percent of Deaths due to tobacco use Median age at death	10.8 75

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hughes County

Demographic Information

Hughes County is located in the center of the state and averages 23.0 persons per square mile. Pierre is the largest city in Hughes County.

2018 Population Information

Subject	Number	Percent
Total population	17,650	100.0
White	14,438	81.8
American Indian & Alaska Native	1,956	11.1
Hispanic	565	3.2
Asian	133	8.0
Black or African American	124	0.7
Pacific Islander	2	0.0
Multi-Racial	432	2.4
Under 5 years	1.183	6.7
Under 18 years	4,251	24.1
65 years and over	3,057	17.3
•	, -	

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	6.4
 Percent of Mothers Receiving 	
Care in 1st Trimester	55.0
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	18.2
Percent of Births Less Than 37 Wks. of Gestation	9.4
Average Age of Mother	28.0
Teenage Birth Rate ²	11.8
Percent White, Non-Hispanic Births	70.8
Percent American Indian, Non-Hispanic Births	20.2
Percent Hispanic Births	2.9
Percent Unmarried	41.9
Percent WIC births	33.4
Percent Breastfeeding at discharge	76.9
Percent Payment-Private Insurance	58.9
Percent Payment-Medicaid	38.2
Percent C-Section	28.4

Motolity

Mortality ³	
All Causes	671.3
Heart Disease	136.0
Malignant Neoplasms (Cancer)	140.0
Trachea, Bronchus, & Lung	38.7
Colon, Rectum, & Anus	20.6
Female Breast	30.0
Pancreas	11.1
Prostate	8.6
Leukemia	4.6
Chronic Lower Respiratory Diseases	58.3
 Alzheimer's Disease 	21.4
Cerebrovascular Disease	43.3
Accidents	45.2
Motor Vehicle Accidents	14.0
Diabetes	34.6
 Influenza and Pneumonia 	35.1
Intentional Self-Harm (Suicide)	18.8
 Chronic Liver Disease and Cirrhosis 	6.8
Infant Mortality	7.64

Leading Causes of Death	Total
	Deaths
1. Heart Disease	157
Malignant Neoplasms (Cancer)	155
3. Chronic Lower Respiratory Diseases	67
Cerebrovascular Disease	52
5. Accidents	45
6. Influenza and Pneumonia	43
7. Diabetes	39
8. Alzheimer's Disease	27
9. Intentional Self-Harm (Suicide)	17
10. Unspecified Dementia	10
Percent of Deaths due to tobacco use	18.9
Median age at death	80

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hutchinson County

Demographic Information

Hutchinson County is located in the southeastern region of the state and averages 9.0 persons per square mile. Parkston is the largest city in Hutchinson County.

2018 Population Information

Subject	Number	Percent
Total population	7,380	100.0
White	6,925	93.8
Hispanic	211	2.9
American Indian & Alaska Native	77	1.0
Black or African American	73	1.0
Asian	18	0.2
Pacific Islander	2	0.0
Multi-Racial	74	1.0
Under 5 years	683	9.3
Under 18 years	1,880	25.5
65 years and over	1,697	23.0

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	6.6
Percent of Mothers Receiving	
Care in 1st Trimester	68.8
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	7.9
Percent of Births Less Than 37 Wks. of Gestation	8.1
 Average Age of Mother 	28.6
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	94.1
Percent American Indian, Non-Hispanic Births	1.0
Percent Hispanic Births	2.8
Percent Unmarried	19.5
Percent WIC births	19.4
Percent Breastfeeding at discharge	84.4
Percent Payment-Private Insurance	78.2
Percent Payment-Medicaid Percent C Costian	15.6
Percent C-Section	25.1

Motality

Mortality ³		
All Causes	717.6	
Heart Disease	155.6	
Malignant Neoplasms (Cancer)	132.4	
Trachea, Bronchus, & Lung	30.7	
Colon, Rectum, & Anus	13.1	
Female Breast	13.1	
Pancreas	6.5	
Prostate	28.0	
Leukemia	LNE	
Chronic Lower Respiratory Diseases	34.8	
 Alzheimer's Disease 	54.3	
Cerebrovascular Disease	50.5	
Accidents	67.1	
Motor Vehicle Accidents	23.6	
 Diabetes 	8.9	
Influenza and Pneumonia	16.7	
Intentional Self-Harm (Suicide)	LNE	
Chronic Liver Disease and Cirrhosis	10.7	
Infant Mortality	8.71	

Leading Causes of Death	Total
	Deaths
Heart Disease	136
Malignant Neoplasms (Cancer)	93
3. Alzheimer's Disease	60
Cerebrovascular Disease	49
5. Accidents	35
Chronic Lower Respiratory Diseases	26
7. Influenza and Pneumonia	17
T8. Unspecified Dementia	13
T8. Essential (Primary) Hypertension and	13
Hypertensive Renal Disease	
Pneumonitis Due to Solids and	12
Liquids	
Percent of Deaths due to tobacco use	9.6
Median age at death	86

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hyde County

Demographic Information

Hyde County is located in the central region of the state and averages 1.7 people per square mile. Highmore is the largest city in Hyde County.

2018 Population Information

Subject	Number	Percent
Total population	1,282	100.0
White	1,121	87.4
American Indian & Alaska Native	101	7.9
Hispanic	18	1.4
Black or African American	7	0.5
Asian	3	0.2
Pacific Islander	1	0.1
Multi-Racial	31	2.4
Under 5 years	78	6.1
Under 18 years	265	20.7
65 years and over	324	25.3
=		

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

ivatanty	
Percent of Low Birth Weight Infants	6.2
Percent of Mothers Receiving	
Care in 1st Trimester	63.8
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	9.9
Percent of Births Less Than 37 Wks. of Gestation	6.2
Average Age of Mother	27.4
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	85.2
Percent American Indian, Non-Hispanic Births	11.1
Percent Hispanic Births	LNE
Percent Unmarried	32.1
Percent WIC births	23.5
Percent Breastfeeding at discharge	85.2
Percent Payment-Private Insurance	72.8
Percent Payment-Medicaid	25.9
Percent C-Section	18.5

Natality

Mortality ³		
747.6		
227.8		
132.2		
33.5		
LNE		
28.3		
33.4		
45.3		
72.7		
44.1		
27.0		
23.9		
LNE		
LNE		
LNE		

Leading Causes of Death	Total Deaths
Heart Disease	31
Malignant Neoplasms (Cancer)	19
T3. Accidents	8
T3. Cerebrovascular Disease	8
5. Alzheimer's Disease	6
Percent of Deaths due to tobacco use Median age at death	12.0 85

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Jackson County

Demographic Information

Jackson County is located in western South Dakota and averages 1.6 persons per square mile. Wanblee is the largest city in Jackson County.

2018 Population Information

Number	Percent
3,307	100.0
1,651	49.9
1,304	39.4
151	4.6
35	1.1
5	0.2
1	0.0
160	4.8
354	10.7
1,105	33.4
442	13.4
	3,307 1,651 1,304 151 35 5 1 160

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	7.3
Percent of Mothers Receiving	
Care in 1st Trimester	57.9
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	21.3
 Percent of Births Less Than 37 Wks. of Gestation 	13.1
 Average Age of Mother 	26.6
○ Teenage Birth Rate ²	40.1
Percent White, Non-Hispanic Births	17.2
Percent American Indian, Non-Hispanic Births	75.3
Percent Hispanic Births	2.6
Percent Unmarried	74.7
Percent WIC births	64.4
Percent Breastfeeding at discharge	64.5
Percent Payment-Private Insurance	15.2
Percent Payment-Medicaid Percent C Seption	60.9
Percent C-Section	26.0

Mortality ³	
o All Causes	1,022.9
 Heart Disease 	227.1
Malignant Neoplasms (Cancer)	182.7
Trachea, Bronchus, & Lung	57.0
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	29.9
Leukemia	LNE
Chronic Lower Respiratory Diseases	85.7
Alzheimer's Disease	LNE
Cerebrovascular Disease	25.8
 Accidents 	135.8
 Motor Vehicle Accidents 	101.0
Diabetes	48.0
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	31.0
Chronic Liver Disease and Cirrhosis	43.0
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Heart Disease	43
Malignant Neoplasms (Cancer)	34
3. Accidents	20
4. Chronic Lower Respiratory Diseases	15
5. Diabetes	9
Chronic Liver Disease and Cirrhosis	6
T7. Cerebrovascular Disease	5
T7. Intentional Self-Harm (Suicide)	5
T7. Aortic Aneurysm and Dissection	5
Percent of Deaths due to tobacco use	11.0
Median age at death	69

157

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Jerauld County

Demographic Information

Jerauld County is located in the central region of the state and averages 3.9 persons per square mile. Wessington Springs is the largest city in Jerauld County.

2018 Population Information

Number	Percent
2,043	100.0
1,897	92.9
102	5.0
13	0.6
4	0.2
3	0.1
3	0.1
21	1.0
131	6.4
480	23.5
550	26.9
	2,043 1,897 102 13 4 3 3 21

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	4.5
Percent of Mothers Receiving	
Care in 1st Trimester	85.0
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	14.5
Percent of Births Less Than 37 Wks. of Gestation	6.4
Average Age of Mother	29.0
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	92.7
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	4.5
 Percent Unmarried 	26.4
Percent WIC births	25.7
Percent Breastfeeding at discharge	76.1
 Percent Payment-Private Insurance 	80.0
 Percent Payment-Medicaid 	17.3
Percent C-Section	24.5

Mortality ³	
All Causes	627.2
Heart Disease	147.9
Malignant Neoplasms (Cancer)	155.0
Trachea, Bronchus, & Lung	37.0
Colon, Rectum, & Anus	16.2
Female Breast	LNE
Pancreas	38.3
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	38.0
 Alzheimer's Disease 	79.1
Cerebrovascular Disease	34.7
Accidents	59.5
Motor Vehicle Accidents	47.9
Diabetes	LNE
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Heart Disease	34
Malignant Neoplasms (Cancer)	31
3. Alzheimer's Disease	26
Cerebrovascular Disease	9
T5. Accidents	7
T5. Chronic Lower Respiratory Diseases	7
Percent of Deaths due to tobacco use Median age at death	16.4 86

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Jones County

Demographic Information

Jones County is located in western South Dakota and averages 1.0 persons per square mile. Murdo is the largest city in Jones County.

2018 Population Information

Number	Percent
928	100.0
825	88.9
39	4.2
22	2.4
3	0.3
_	0.7
-	0.0
36	3.9
57	6.1
206	22.2
216	23.3
	928 825 39 22 3 3 0 36

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	5.1
Percent of Mothers Receiving	
Care in 1st Trimester	57.6
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	18.6
Percent of Births Less Than 37 Wks. of Gestation	8.5
Average Age of Mother	28.8
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	84.7
Percent American Indian, Non-Hispanic Births	8.5
Percent Hispanic Births	LNE
Percent Unmarried	30.5
Percent WIC births	25.4
Percent Breastfeeding at discharge	83.1
Percent Payment-Private Insurance	69.5
Percent Payment-Medicaid	28.8
Percent C-Section	15.3

Mortality ³	
All Causes	648.7
Heart Disease	127.5
Malignant Neoplasms (Cancer)	184.1
Trachea, Bronchus, & Lung	46.7
Colon, Rectum, & Anus	31.8
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	58.6
Alzheimer's Disease	LNE
Cerebrovascular Disease	34.1
Accidents	LNE
Motor Vehicle Accidents	LNE
Diabetes	LNE
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer) Heart Disease Chronic Lower Respiratory Diseases	16 12 5
Percent of Deaths due to tobacco use Median age at death	25.5 78

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Source: United States Census Bureau, 2018 Population

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Kingsbury County

Demographic Information

Kingsbury County is located in east central South Dakota and averages 6.2 persons per square mile. De Smet is the largest city in Kingsbury County.

2018 Population Information

Subject	Number	Percent
Total population	4,919	100.0
White	4,648	94.5
Hispanic	104	2.1
American Indian & Alaska Native	40	0.8
Asian	31	0.6
Black or African American	22	0.4
Pacific Islander	0	0.0
Multi-Racial	74	1.5
Under 5 years	327	6.6
Under 18 years	1,127	22.9
65 years and over	1,139	23.2

Health Status Indicators 2014-2018

5.1
87.3
9.9
5.7
28.5
LNE
94.9
LNE
3.3
23.3
21.2
89.0
78.8
17.6
17.9

Mortality ³		
All Causes	765.2	
Heart Disease	178.8	
Malignant Neoplasms (Cancer)	190.7	
Trachea, Bronchus, & Lung	43.4	
Colon, Rectum, & Anus	17.9	
Female Breast	25.6	
Pancreas	24.4	
Prostate	LNE	
Leukemia	16.1	
Chronic Lower Respiratory Diseases	37.1	
Alzheimer's Disease	25.5	
Cerebrovascular Disease	39.4	
Accidents	73.2	
 Motor Vehicle Accidents 	46.2	
Diabetes	24.6	
Influenza and Pneumonia	23.0	
Intentional Self-Harm (Suicide)	26.9	
Chronic Liver Disease and Cirrhosis	24.2	
Infant Mortality	LNE	

Leading Causes of Death	Total Deaths
Heart Disease Malignant Neoplasms (Cancer)	88 79
Accidents Cerebrovascular Disease	21 20
Chronic Lower Respiratory Diseases Alzheimer's Disease	18 14
T7. Diabetes T7. Influenza and Pneumonia	11
T9. Chronic Liver Disease and Cirrhosis T9. Parkinson's Disease	7 7
Percent of Deaths due to tobacco use Median age at death	12.4 83

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Lake County

Demographic Information

Lake County is located in the east central region of the state and averages 19.9 persons per square mile. Madison is the largest city in Lake County.

2018 Population Information

Subject	Number	Percent
Total population	13,057	100.0
White	12,127	92.9
Hispanic	346	2.6
American Indian & Alaska Native	143	1.1
Black or African American	137	1.0
Asian	122	0.9
Pacific Islander	7	0.1
Multi-Racial	175	1.3
Under 5 years	709	5.4
Under 18 years	2,627	20.1
65 years and over	2,871	22.0

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	6.0
Percent of Mothers Receiving	
Care in 1st Trimester	76.8
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	10.5
Percent of Births Less Than 37 Wks. of Gestation	9.0
Average Age of Mother	28.7
Teenage Birth Rate ²	2.8
Percent White, Non-Hispanic Births	89.4
Percent American Indian, Non-Hispanic Births	2.9
Percent Hispanic Births	4.0
Percent Unmarried	25.4
Percent WIC births	22.2
Percent Breastfeeding at discharge	83.7
Percent Payment-Private Insurance Percent Payment Medicaid	70.7 20.8
Percent Payment-Medicaid Percent C-Section	20.6 25.6
Felcelii G-Section	25.6

Notality

Mortality ³		
All Causes	666.2	
Heart Disease	151.7	
Malignant Neoplasms (Cancer)	131.6	
Trachea, Bronchus, & Lung	35.5	
Colon, Rectum, & Anus	15.7	
Female Breast	9.6	
Pancreas	14.1	
Prostate	14.5	
Leukemia	8.1	
Chronic Lower Respiratory Diseases	44.9	
Alzheimer's Disease	34.3	
 Cerebrovascular Disease 	54.1	
 Accidents 	31.9	
 Motor Vehicle Accidents 	8.7	
Diabetes	27.2	
 Influenza and Pneumonia 	5.3	
Intentional Self-Harm (Suicide)	18.8	
Chronic Liver Disease and Cirrhosis	11.1	
Infant Mortality	7.72	

Leading Causes of Death	Total
Ecading Gauses of Death	Deaths
1. Heart Disease	146
Malignant Neoplasms (Cancer)	130
Cerebrovascular Disease	50
Chronic Lower Respiratory Diseases	42
5. Alzheimer's Disease	30
Unspecified Dementia	28
7. Accidents	26
8. Diabetes	25
Intentional Self-Harm (Suicide)	10
 Other Interstitial Pulmonary Diseases With Fibrosis 	8
Percent of Deaths due to tobacco use Median age at death	20.2 79

•Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

See technical notes for more information.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Lawrence County

Demographic Information

Lawrence County is located along the Wyoming border and averages 30.1 persons per square mile. Spearfish is the largest city in Lawrence County.

2018 Population Information

Subject	Number	Percent
Total population	25,741	100.0
White	23,324	90.6
Hispanic	860	3.3
American Indian & Alaska Native	534	2.1
Asian	375	1.5
Black or African American	196	8.0
Pacific Islander	14	0.1
Multi-Racial	438	1.7
Under 5 years	1,121	4.4
Under 18 years	4,600	17.9
65 years and over	5,617	21.8

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

	Natality	
∘ Pe	rcent of Low Birth Weight Infants	8.8
Perc	ent of Mothers Receiving	
	Care in 1st Trimester	79.9
∘ Pe	rcent of Mothers Who Smoked	
	Cigarettes While Pregnant ¹	16.4
o Pe	rcent of Births Less Than 37 Wks. of Gestation	11.2
	age Age of Mother	28.3
• Te	enage Birth Rate ²	3.8
Perc	ent White, Non-Hispanic Births	88.2
Perc	ent American Indian, Non-Hispanic Births	2.6
Perc	ent Hispanic Births	4.1
Perc	ent Unmarried	37.0
Perc	ent WIC births	29.1
Perc	ent Breastfeeding at discharge	85.6
	ent Payment-Private Insurance	61.6
	ent Payment-Medicaid	30.9
• Pe	rcent C-Section	21.1

Mortality³ • All Causes 673.5 • Heart Disease 124.6 Malignant Neoplasms (Cancer) 135.2 • Trachea, Bronchus, & Lung 26.8 Colon, Rectum, & Anus 17.6 Female Breast 21.9 Pancreas 8.2 Prostate 15.5 Leukemia 3.4 Chronic Lower Respiratory Diseases 50.6 Alzheimer's Disease 30.1 Cerebrovascular Disease 29.0 Accidents 52.2 Motor Vehicle Accidents 17.0 Diabetes 19.5 Influenza and Pneumonia 18.5 Intentional Self-Harm (Suicide) 22.9 Chronic Liver Disease and Cirrhosis 16.9 Infant Mortality 11.31

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	244
2. Heart Disease	236
3. Chronic Lower Respiratory Diseases	98
4. Accidents	73
5. Alzheimer's Disease	60
Cerebrovascular Disease	53
7. Diabetes	38
8. Influenza and Pneumonia	34
Intentional Self-Harm (Suicide)	32
T10. Chronic Liver Disease and Cirrhosis	26
T10. Vascular Dementia	26
Percent of Deaths due to tobacco use	19.6
Median age at death	80

162

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Lincoln County

Demographic Information

Lincoln County is located in southeastern South Dakota and averages 77.7 persons per square mile. Harrisburg is the largest city in Lincoln County.

2018 Population Information

Subject	Number	Percent
Total population	58,807	100.0
White	54,583	92.8
Hispanic	1,302	2.2
Black or African American	877	1.5
Asian	776	1.3
American Indian & Alaska Native	334	0.6
Pacific Islander	18	0.0
Multi-Racial	917	1.6
Under 5 years	4,321	7.3
Under 18 years	16,465	28.0
65 years and over	7,568	12.9

Health Status Indicators 2014-2018

■ All Causes

Natality	
Percent of Low Birth Weight Infants	6.3
 Percent of Mothers Receiving 	
Care in 1st Trimester	89.1
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	5.4
Percent of Births Less Than 37 Wks. of Gestation	8.1
 Average Age of Mother 	29.7
Teenage Birth Rate ²	3.1
Percent White, Non-Hispanic Births	93.2
Percent American Indian, Non-Hispanic Births	0.4
Percent Hispanic Births	2.2
Percent Unmarried	17.4
 Percent WIC births 	8.3
 Percent Breastfeeding at discharge 	86.2
 Percent Payment-Private Insurance 	84.7
 Percent Payment-Medicaid 	10.2
Percent C-Section	24.9

Mortality³

486 N

All Gauses	400.0
Heart Disease	107.2
 Malignant Neoplasms (Cancer) 	116.9
 Trachea, Bronchus, & Lung 	29.7
 Colon, Rectum, & Anus 	9.0
Female Breast	16.3
Pancreas	13.0
Prostate	19.3
Leukemia	4.4
 Chronic Lower Respiratory Diseases 	26.1
Alzheimer's Disease	39.8
 Cerebrovascular Disease 	22.5
Accidents	24.3
 Motor Vehicle Accidents 	7.1
Diabetes	10.2
 Influenza and Pneumonia 	10.2
 Intentional Self-Harm (Suicide) 	9.1
 Chronic Liver Disease and Cirrhosis 	2.9
Infant Mortality	6.00

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer)	303
2. Heart Disease	275
3. Alzheimer's Disease	98
4. Chronic Lower Respiratory Diseases	68
5. Accidents	66
Cerebrovascular Disease	58
T7. Diabetes	25
T7. Influenza and Pneumonia	25
T9. Intentional Self-Harm (Suicide)	23
T9. Unspecified Dementia	23
Percent of Deaths due to tobacco use Median age at death	18.3 80

•Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Source: United States Census Bureau, 2018 Population Estimates

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Lyman County

Demographic Information

Lyman County is located in central South Dakota and averages 2.3 persons per square mile. Lower Brule is the largest city in Lyman County.

2018 Population Information

Subject	Number	Percent
Total population White American Indian & Alaska Native Hispanic Black or African American Asian Pacific Islander Multi-Racial	3,821 2,129 1,424 103 26 12 2 125	100.0 55.7 37.3 2.7 0.7 0.3 0.1 3.3
Under 5 years Under 18 years 65 years and over	350 1,123 605	9.2 29.4 15.8

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	8.0
Percent of Mothers Receiving	
Care in 1st Trimester	48.5
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	22.7
Percent of Births Less Than 37 Wks. of Gestation	n 12.7
 Average Age of Mother 	26.5
 Teenage Birth Rate² 	41.6
Percent White, Non-Hispanic Births	38.2
Percent American Indian, Non-Hispanic Births	52.7
Percent Hispanic Births	1.9
 Percent Unmarried 	63.5
 Percent WIC births 	57.1
 Percent Breastfeeding at discharge 	65.1
 Percent Payment-Private Insurance 	36.5
 Percent Payment-Medicaid 	55.8
 Percent C-Section 	31.3

Mortality ³			
All Causes	923.0		
Heart Disease	150.7		
Malignant Neoplasms (Cancer)	197.6		
Trachea, Bronchus, & Lung	63.2		
Colon, Rectum, & Anus	24.4		
Female Breast	41.1		
Pancreas	LNE		
Prostate	53.8		
Leukemia	LNE		
Chronic Lower Respiratory Diseases	42.5		
Alzheimer's Disease	39.3		
Cerebrovascular Disease	50.6		
Accidents	86.1		
Motor Vehicle Accidents	43.1		
Diabetes	48.0		
Influenza and Pneumonia	16.1		
 Intentional Self-Harm (Suicide) 	75.3		
Chronic Liver Disease and Cirrhosis	40.1		
Infant Mortality	LNE		

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer)	44
2. Heart Disease	31
3. Accidents	15
Intentional Self-Harm (Suicide)	12
Cerebrovascular Disease	11
T6. Chronic Lower Respiratory Diseases	10
T6. Diabetes	10
8. Alzheimer's Disease	8
9. Chronic Liver Disease and Cirrhosis	6
Percent of Deaths due to tobacco use	27.1
Median age at death	72

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

McCook County

Demographic Information



McCook County is located in eastern South Dakota and averages 9.8 persons per square mile. Salem is the largest city in McCook County.

2018 Population Information

Subject	Number	Percent
Total population	5,546	100.0
White	5,152	92.9
Hispanic	236	4.3
American Indian & Alaska Native	47	8.0
Black or African American	44	8.0
Asian	9	0.2
Pacific Islander	2	0.0
Multi-Racial	56	1.0
Under 5 years	409	7.4
Under 18 years	1,527	27.5
65 years and over	1,053	19.0

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	5.0
Percent of Mothers Receiving	
Care in 1st Trimester	75.1
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	8.9
Percent of Births Less Than 37 Wks. of Gestation	7.2
 Average Age of Mother 	28.9
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	93.3
Percent American Indian, Non-Hispanic Births	1.0
Percent Hispanic Births	4.0
Percent Unmarried	22.5
Percent WIC births	24.1
Percent Breastfeeding at discharge	82.2
Percent Payment-Private Insurance	76.9
Percent Payment-Medicaid	15.9
Percent C-Section	25.2

Notality

Mortality ³			
All Causes	864.5		
Heart Disease	193.6		
 Malignant Neoplasms (Cancer) 	223.4		
Trachea, Bronchus, & Lung	51.6		
Colon, Rectum, & Anus	24.7		
Female Breast	32.2		
Pancreas	12.3		
Prostate	48.4		
Leukemia	LNE		
 Chronic Lower Respiratory Diseases 	11.6		
 Alzheimer's Disease 	76.2		
Cerebrovascular Disease	51.1		
Accidents	37.5		
Motor Vehicle Accidents	15.0		
Diabetes	37.2		
Influenza and Pneumonia	17.6		
Intentional Self-Harm (Suicide)	11.7		
Chronic Liver Disease and Cirrhosis	LNE		
Infant Mortality	LNE		

Leading Causes of Death	Total
Leading Causes of Death	Deaths
Malignant Neoplasms (Cancer)	90
2. Heart Disease	87
3. Alzheimer's Disease	38
Cerebrovascular Disease	24
5. Diabetes	15
6. Accidents	13
7. Influenza and Pneumonia	9
8. Septicemia	8
T9. Chronic Lower Respiratory Diseases	5
T9. Unspecified Dementia	5
T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	5
T9. Parkinson's Disease	5
Percent of Deaths due to tobacco use Median age at death	11.0 81

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

McPherson County

Demographic Information

McPherson County is located in the north central region of the state and averages 2.2 persons per square mile. Eureka is the largest city in McPherson County.

2018 Population Information

Subject	Number	Percent
Total population	2,407	100.0
White	2,323	96.5
Hispanic	33	1.4
Black or African American	15	0.6
Asian	9	0.4
American Indian & Alaska Native	4	0.2
Pacific Islander	2	0.1
Multi-Racial	21	0.9
Under 5 years	157	6.5
Under 18 years	592	24.6
65 years and over	676	28.1

Source: United States Census Bureau, 2018 Population Estimates

Health Status Indicators 2014-2018

Percent of Low Birth Weight Infants	9.1
 Percent of Mothers Receiving 	
Care in 1st Trimester	56.2
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	6.6
Percent of Births Less Than 37 Wks. of Gestation	9.1
Average Age of Mother	28.6
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	97.5
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	LNE
 Percent Unmarried 	18.2
Percent WIC births	24.0
Percent Breastfeeding at discharge	80.2
 Percent Payment-Private Insurance 	80.2
 Percent Payment-Medicaid 	17.4
Percent C-Section	28.1

Natality

Mortality³

All Causes	655.9
Heart Disease	182.8
Malignant Neoplasms (Cancer)	133.7
Trachea, Bronchus, & Lung	33.5
Colon, Rectum, & Anus	10.3
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
 Chronic Lower Respiratory Diseases 	20.8
Alzheimer's Disease	25.0
Cerebrovascular Disease	38.4
Accidents	39.2
Motor Vehicle Accidents	14.4
Diabetes	40.1
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	51.6
Chronic Liver Disease and Cirrhosis	19.1
Infant Mortality	LNE
-	

Leading Causes of Death	Total Deaths
1. Heart Disease	57
Malignant Neoplasms (Cancer)	33
Cerebrovascular Disease	16
4. Accidents	11
Alzheimer's Disease	10
6. Diabetes	9
7. Chronic Lower Respiratory Diseases	6
Percent of Deaths due to tobacco use Median age at death	12.8 85

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Marshall County

Demographic Information

Marshall County is located in the northeastern part of the state and averages 5.6 persons per square mile. Britton is the largest city in Marshall County.

2018 Population Information

Subject	Number	Percent
Total population	5,112	100.0
White	4,063	79.5
Hispanic	621	12.1
American Indian & Alaska Native	334	6.5
Black or African American	26	0.5
Asian	8	0.2
Pacific Islander	0	0.0
Multi-Racial	60	1.2
Under 5 years	435	8.5
Under 18 years	1,191	23.3
65 years and over	1,033	20.2

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	5.9
Percent of Mothers Receiving	
Care in 1st Trimester	59.0
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	12.4
Percent of Births Less Than 37 Wks. of Gestation	7.6
Average Age of Mother	28.8
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	76.6
Percent American Indian, Non-Hispanic Births	10.4
Percent Hispanic Births	10.1
Percent Unmarried	27.3
Percent WIC births	24.9
Percent Breastfeeding at discharge	86.2
Percent Payment-Private Insurance Payment Payment Medicaid	73.1
Percent Payment-Medicaid Percent C Section	19.8
Percent C-Section	24.8

Natality

Mortality ³		
All Causes	623.9	
Heart Disease	128.6	
Malignant Neoplasms (Cancer)	122.2	
Trachea, Bronchus, & Lung	30.5	
Colon, Rectum, & Anus	7.8	
Female Breast	17.4	
Pancreas	19.6	
Prostate	18.0	
Leukemia	LNE	
Chronic Lower Respiratory Diseases	42.9	
Alzheimer's Disease	31.9	
Cerebrovascular Disease	57.3	
Accidents	50.7	
Motor Vehicle Accidents	20.5	
Diabetes	16.8	
Influenza and Pneumonia	16.1	
Intentional Self-Harm (suicide)	13.9	
Chronic Liver Disease and Cirrhosis	LNE	
Infant Mortality	8.45	

Leading Causes of Death	Deaths
Heart Disease Malignant Neoplasms (Cancer)	50 43
3. Cerebrovascular Disease	21
Chronic Lower Respiratory Diseases Accidents	17 15
Alzheimer's Disease Influenza and Pneumonia	14 7
8. Diabetes	5
Percent of Deaths due to tobacco use Median age at death	17.9 80

Total

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Meade County

Demographic Information

Meade County is located in west central South Dakota and averages 7.3 persons per square mile. Sturgis is the largest city in Meade County.

2018 Population Information

Subject	Number	Percent
Total population	28,294	100.0
White	24,629	87.0
Hispanic	1,275	4.5
American Indian & Alaska Native	736	2.6
Black or African American	536	1.9
Asian	312	1.1
Pacific Islander	27	0.1
Multi-Racial	779	2.8
Under 5 years	1,522	5.4
Under 18 years	6,463	22.8
65 years and over	4,316	15.3

Source: United States Census Bureau, 2018 Population

Estimates

Health Statu	s Indicators	2014-2018

Natality	
Percent of Low Birth Weight Infants	7.6
 Percent of Mothers Receiving 	
Care in 1st Trimester	81.1
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	14.5
Percent of Births Less Than 37 Wks. of Gestation	10.1
Average Age of Mother	28.2
 Teenage Birth Rate² 	5.4
Percent White, Non-Hispanic Births	86.8
Percent American Indian, Non-Hispanic Births	4.0
Percent Hispanic Births	3.7
Percent Unmarried	28.4
Percent WIC births	26.0
Percent Breastfeeding at discharge	88.1
Percent Payment-Private Insurance	59.7
Percent Payment-Medicaid	25.4
Percent C-Section	21.5

Mortality ³		
All Causes	694.5	
Heart Disease	147.6	
Malignant Neoplasms (Cancer)	172.6	
Trachea, Bronchus, & Lung	51.2	
Colon, Rectum, & Anus	15.7	
Female Breast	18.4	
Pancreas	11.8	
Prostate	26.5	
Leukemia	7.0	
 Chronic Lower Respiratory Diseases 	59.9	
 Alzheimer's Disease 	24.2	
Cerebrovascular Disease	29.4	
 Accidents 	35.5	
Motor Vehicle Accidents	14.6	
 Diabetes 	15.8	
Influenza and Pneumonia	21.0	
Intentional Self-Harm (suicide)	17.5	
Chronic Liver Disease and Cirrhosis	13.0	
Infant Mortality	4.96	

Leading Causes of Death	l otal Deaths
Malignant Neoplasms (Cancer) Heart Disease Chronic Lower Respiratory Diseases Accidents	262 214 88 50
 5. Cerebrovascular Disease 6. Alzheimer's Disease 7. Influenza and Pneumonia T8. Intentional Self-Harm (Suicide) T8. Unspecified Dementia 10. Diabetes 	42 34 30 26 26 25
Percent of Deaths due to tobacco use Median age at death	17.6 77

Tatal

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Mellette County

Demographic Information



Mellette County is located in the south central region of the state and averages 1.6 persons per square mile. White River is the largest city in Mellette County.

2018 Population Information

Subject	Number	Percent
Total population	2,042	100.0
American Indian & Alaska Native	1,068	52.3
White	772	37.8
Hispanic	75	3.7
Black or African American	6	0.3
Asian	5	0.2
Pacific Islander	0	0.0
Multi-Racial	116	5.7
Under 5 years	210	10.3
Under 18 years	627	30.7
65 years and over	316	15.5

Source: United States Census Bureau, 2018 Population

Estimates

Health Status	Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	6.6
 Percent of Mothers Receiving 	
Care in 1st Trimester	50.8
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	19.1
Percent of Births Less Than 37 Wks. of Gestation	9.7
 Average Age of Mother 	25.6
Teenage Birth Rate ²	34.8
Percent White, Non-Hispanic Births	20.8
Percent American Indian, Non-Hispanic Births	64.5
Percent Hispanic Births	1.5
Percent Unmarried	74.6
Percent WIC births	59.0
Percent Breastfeeding at discharge	66.7
Percent Payment-Private Insurance	16.8
Percent Payment-Medicaid	65.3
Percent C-Section	39.1

Mortality ³	
o All Causes	1,301.4
Heart Disease	183.7
Malignant Neoplasms (Cancer)	214.9
Trachea, Bronchus, & Lung	39.9
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	47.6
Leukemia	LNE
 Chronic Lower Respiratory Diseases 	112.7
Alzheimer's Disease	48.4
Cerebrovascular Disease	33.1
Accidents	105.8
Motor Vehicle Accidents	51.7
Diabetes	58.4
Influenza and Pneumonia	30.6
Intentional Self-Harm (suicide)	43.0
 Chronic Liver Disease and Cirrhosis 	153.2
Infant Mortality	15.23

Leading Causes of Death	l otal Deaths
Malignant Neoplasms (Cancer)	26
2. Heart Disease	23
Chronic Lower Respiratory Diseases	14
T4. Accidents	11
T4. Chronic Liver Disease and Cirrhosis	11
T6. Alzheimer's Disease	6
T6. Diabetes	6
Percent of Deaths due to tobacco use	18.2 73
Median age at death	13

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Miner County

Demographic Information



Miner County is a located in the east central region of the state and averages 4.2 persons per square mile. Howard is the largest city in Miner County.

2018 Population Information

Subject	Number	Percent
Total population	2,213	100.0
White	2,071	93.6
Hispanic	72	3.3
Black or African American	23	1.0
Asian	10	0.5
American Indian & Alaska Native	9	0.4
Pacific Islander	0	0.0
Multi-Racial	28	1.3
Under 5 years	132	6.0
Under 18 years	524	23.7
65 years and over	464	21.0

Source: United States Census Bureau, 2018 Population

Estimates

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	7.6
Percent of Mothers Receiving	
Care in 1st Trimester	71.5
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	7.6
Percent of Births Less Than 37 Wks. of Gestation	7.6
 Average Age of Mother 	29.4
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	93.9
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	2.3
Percent Unmarried	18.3
Percent WIC births	16.0
Percent Breastfeeding at discharge	85.5
Percent Payment-Private Insurance Percent Payment Madianida	78.6
Percent Payment-Medicaid Percent C Seption	18.3
Percent C-Section	32.8

Mortality ³	
All Causes	849.3
Heart Disease	189.4
Malignant Neoplasms (Cancer)	208.9
Trachea, Bronchus, & Lung	52.3
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	13.5
Prostate	LNE
Leukemia	13.5
Chronic Lower Respiratory Diseases	28.9
Alzheimer's Disease	35.8
Cerebrovascular Disease	44.9
Accidents	69.6
Motor Vehicle Accidents	LNE
Diabetes	50.0
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
Heart Disease	40
Malignant Neoplasms (Cancer)	38
3. Accidents	11
T4. Cerebrovascular Disease	10
T4. Diabetes	10
Unspecified Dementia	9
7. Alzheimer's Disease	8
Chronic Lower Respiratory Diseases	7
Percent of Deaths due to tobacco use Median age at death	15.8 82

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

 $[\]circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Minnehaha County

Demographic Information



Minnehaha County is located in southeastern South Dakota and averages 210.0 persons per square mile. Sioux Falls is the largest city in Minnehaha County.

2018 Population Information

Number	Percent
192,876	100.0
157,051	81.4
12,494	6.5
9,719	5.0
4,665	2.4
4,544	2.4
69	0.0
4,334	2.2
14,858	7.7
49,051	25.4
25,229	13.1
	192,876 157,051 12,494 9,719 4,665 4,544 69 4,334

Natality	
Percent of Low Birth Weight Infants	6.6
 Percent of Mothers Receiving 	
Care in 1st Trimester	80.3
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	9.8
Percent of Births Less Than 37 Wks. of Gestation	8.3
 Average Age of Mother 	28.6
Teenage Birth Rate ²	9.3
Percent White, Non-Hispanic Births	73.8
Percent American Indian, Non-Hispanic Births	4.2
Percent Hispanic Births	6.5
 Percent Unmarried 	33.2
 Percent WIC births 	24.8

Health Status Indicators 2014-2018

Cigarettes While Pregnant	9.8
Percent of Births Less Than 37 Wks. of Gestation	8.3
 Average Age of Mother 	28.6
Teenage Birth Rate ²	9.3
Percent White, Non-Hispanic Births	73.8
Percent American Indian, Non-Hispanic Births	4.2
Percent Hispanic Births	6.5
 Percent Unmarried 	33.2
 Percent WIC births 	24.8
Percent Breastfeeding at discharge	81.5
 Percent Payment-Private Insurance 	66.7
 Percent Payment-Medicaid 	28.2
Percent C-Section	24.6

Mortality ³	
All Causes	728.0
Heart Disease	156.2
Malignant Neoplasms (Cancer)	165.1
Trachea, Bronchus, & Lung	40.8
Colon, Rectum, & Anus	16.2
Female Breast	20.8
Pancreas	11.4
Prostate	20.6

Pancreas	11.4
Prostate	20.6
Leukemia	5.5
Chronic Lower Respiratory Diseases	43.5
Alzheimer's Disease	45.0
Cerebrovascular Disease	36.9
Accidents	44.6
 Motor Vehicle Accidents 	8.7
Diabetes	15.4
 Influenza and Pneumonia 	14.6
Intentional Self-Harm (Suicide)	19.3
 Chronic Liver Disease and Cirrhosis 	11.2
Infant Mortality	5.70
	Total

Deaths
1,590
1,535 440
422 413
356
176 146
144 108
.00
18.8 78

•Denotes a health status indicator which is significantly lower than the state average.

•Denotes a health status indicator which is significantly lower than the state average.

See technical notes for more information.

Source: South Dakota Department of Health, Office of **Health Statistics**

Source: United States Census Bureau, 2018 Population Estimates

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.


²Teenage Birth rate is live births per 1,000 females age 15-17.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Moody County

Demographic Information



Moody County is located on the Minnesota border and averages 12.5 persons per square mile. Flandreau is the largest city in Moody County.

2018 Population Information

Subject	Number	Percent
Total population	6,579	100.0
White	4,988	75.8
American Indian & Alaska Native	807	12.3
Hispanic	307	4.7
Asian	191	2.9
Black or African American	89	1.4
Pacific Islander	0	0.0
Multi-Racial	197	3.0
Under 5 years	504	7.7
Under 18 years	1,714	26.1
65 years and over	1,234	18.8

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	4.9
Percent of Mothers Receiving	
Care in 1st Trimester	78.0
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	14.6
Percent of Births Less Than 37 Wks. of Gestation	7.9
Average Age of Mother	28.4
Teenage Birth Rate ²	7.5
Percent White, Non-Hispanic Births	65.4
Percent American Indian, Non-Hispanic Births	20.7
Percent Hispanic Births	7.6
Percent Unmarried	40.2
Percent WIC births	33.0
Percent Breastfeeding at discharge	80.6
Percent Payment-Private Insurance	60.2
Percent Payment-Medicaid	31.0
Percent C-Section	22.5

Mortality ³	
All Causes	653.1
Heart Disease	174.8
Malignant Neoplasms (Cancer)	131.8
Trachea, Bronchus, & Lung	31.6
Colon, Rectum, & Anus	10.7
Female Breast	12.8
Pancreas	13.0
Prostate	27.6
Leukemia	LNE
 Chronic Lower Respiratory Diseases 	25.2
Alzheimer's Disease	35.7
Cerebrovascular Disease	31.6
Accidents	32.5
Motor Vehicle Accidents	8.3
Diabetes	20.6
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	19.9
Chronic Liver Disease and Cirrhosis	16.3
Infant Mortality	6.74

Leading Causes of Death	Total
	Deaths
Heart Disease	81
Malignant Neoplasms (Cancer)	57
3. Alzheimer's Disease	18
Cerebrovascular Disease	15
T5. Accidents	12
T5. Chronic Lower Respiratory Diseases	12
7. Vascular Dementia	11
T8. Diabetes	9
T8. Peripheral Vascular Disease,	9
Unspecified	
T10. Intentional Self-Harm (Suicide)	6
T10. Septicemia	6
Percent of Deaths due to tobacco use	21.4
Median age at death	79

Total

- •Denotes a health status indicator which is significantly lower than the state average.
- Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.
- ³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.


See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Source: United States Census Bureau, 2018 Population

Oglala Lakota County

Demographic Information



Oglala Lakota County (formerly known as Shannon County) is located in the southwestern part of the state, along the Nebraska border and averages 6.5 persons per square mile. Pine Ridge is the largest city in Oglala Lakota County.

2018 Population Information

Subject	Number	Percent
Total population	14,309	100.0
American Indian & Alaska Native	12,811	89.5
White	664	4.6
Hispanic	562	3.9
Black or African American	42	0.3
Asian	22	0.2
Pacific Islander	8	0.1
Multi-Racial	200	1.4
Under 5 years	1,462	10.2
Under 18 years	5,324	37.2
65 years and over	1,045	7.3

Source: United States Census Bureau, 2018 Population

Estimates

Natality	
Percent of Low Birth Weight Infants	8.0
 Percent of Mothers Receiving 	
Care in 1st Trimester	60.4
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	17.7
 Percent of Births Less Than 37 Wks. of Gestation 	11.8
 Average Age of Mother 	25.6
○ Teenage Birth Rate ²	37.7
Percent White, Non-Hispanic Births	1.3
Percent American Indian, Non-Hispanic Births	94.7
Percent Hispanic Births	1.7
 Percent Unmarried 	88.3

inatality	
Percent of Low Birth Weight Infants	8.0
 Percent of Mothers Receiving 	
Care in 1st Trimester	60.4
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	17.7
 Percent of Births Less Than 37 Wks. of Gestation 	11.8
 Average Age of Mother 	25.6
 ○ Teenage Birth Rate² 	37.7
Percent White, Non-Hispanic Births	1.3
Percent American Indian, Non-Hispanic Births	94.7
Percent Hispanic Births	1.7
 Percent Unmarried 	88.3
 Percent WIC births 	70.3
 Percent Breastfeeding at discharge 	57.7
 Percent Payment-Private Insurance 	3.7
Percent Payment-Medicaid	58.3
Percent C-Section	23.0

Health Status Indicators 2014-2018

Mortality ³	
o All Causes	1,492.2
 Heart Disease 	205.4
 Malignant Neoplasms (Cancer) 	203.3
Trachea, Bronchus, & Lung	52.6
Colon, Rectum, & Anus	29.1
Female Breast	12.5
Pancreas	12.5
Prostate	37.1
Leukemia	LNE
Chronic Lower Respiratory Diseases	52.9
Alzheimer's Disease	11.2
Cerebrovascular Disease	32.9
o Accidents	189.2
 Motor Vehicle Accidents 	95.6
o Diabetes	155.5
Influenza and Pneumonia	28.2
 Intentional Self-Harm (Suicide) 	51.7

Leading Causes of Death	ı otal
Ecading Gauses of Death	Deaths
1. Accidents	118
2. Chronic Liver Disease and Cirrhosis	93
Malignant Neoplasms (Cancer)	89
4. Heart Disease	86
5. Diabetes	72
Intentional Self-Harm (Suicide)	41
7. Chronic Lower Respiratory Diseases	21
8. Septicemia	19
T9. Cerebrovascular Disease	15
T9. Assault (Homicide)	15
Percent of Deaths due to tobacco use	11.2
Median age at death	56

175.0

15.18

Tatal

o Chronic Liver Disease and Cirrhosis

o Infant Mortality

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Pennington County

Demographic Information



Pennington County is located on the Wyoming border and averages 36.4 persons per square mile. Rapid City is the largest city in Pennington County.

2018 Population Information

Subject	Number	Percent	
Total population	111,729	100.0	
White	89,406	80.0	
American Indian & Alaska Native	9,796	8.8	
Hispanic	5,759	5.2	
Black or African American	1,496	1.3	
Asian	1,397	1.3	
Pacific Islander	96	0.1	
Multi-Racial	3,779	3.4	
Under 5 years	7,209	6.5	
Under 18 years	25,603	22.9	
65 years and over	20,087	18.0	

Source: United States Census Bureau, 2018 Population

Estimates

Health	Status	Indica	tors	2014	1-201	8

Natality	
Percent of Low Birth Weight Infants	7.0
Percent of Mothers Receiving	
Care in 1st Trimester	76.5
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	15.6
Percent of Births Less Than 37 Wks. of Gestation	9.6
 Average Age of Mother 	27.5
Teenage Birth Rate ²	14.0
Percent White, Non-Hispanic Births	66.7
Percent American Indian, Non-Hispanic Births	17.2
Percent Hispanic Births	7.0
Percent Unmarried	42.2
Percent WIC births	34.4
Percent Breastfeeding at discharge	84.4
Percent Payment-Private Insurance	42.4
Percent Payment-Medicaid	36.6
Percent C-Section	20.1

NI = 4 = 124. .

Mortality ³	
All Causes	669.3
Heart Disease	153.0
Malignant Neoplasms (Cancer)	151.7
Trachea, Bronchus, & Lung	40.6
Colon, Rectum, & Anus	12.1
Female Breast	13.7
Pancreas	10.7
Prostate	18.5
Leukemia	7.8
 Chronic Lower Respiratory Diseases 	31.3
 Alzheimer's Disease 	27.4
 Cerebrovascular Disease 	28.2
Accidents	48.3
Motor Vehicle Accidents	15.1
 Diabetes 	14.8
 Influenza and Pneumonia 	11.9
Intentional Self-Harm (Suicide)	23.6
Chronic Liver Disease and Cirrhosis	17.9
Infant Mortality	5.43

Leading Causes of Death	Total
Loading Gudooc or Doutin	Deaths
1. Heart Disease	1,080
Malignant Neoplasms (Cancer)	1,048
3. Accidents	285
4. Chronic Lower Respiratory Diseases	221
5. Alzheimer's Disease	199
Cerebrovascular Disease	198
7. Intentional Self-Harm (Suicide)	125
Chronic Liver Disease and Cirrhosis	105
9. Diabetes	98
10. Unspecified Dementia	88
Percent of Deaths due to tobacco use Median age at death	16.9 77

174

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Perkins County

Demographic Information



Perkins County is located in northwestern South Dakota and averages 1.0 persons per square mile. Lemmon is the largest city in Perkins County.

2018 Population Information

Subject	Number	Percent
Total population	2,922	100.0
White	2,759	94.4
American Indian & Alaska Native	52	1.8
Hispanic	44	1.5
Black or African American	15	0.5
Asian	11	0.4
Pacific Islander	2	0.1
Multi-Racial	39	1.3
Under 5 years	175	6.0
Under 18 years	605	20.7
65 years and over	735	25.2

Source: United States Census Bureau, 2018 Population

Estimates

Health	Status	Indicators	2014-2018

Natality	
Percent of Low Birth Weight Infants	6.2
Percent of Mothers Receiving	
Care in 1st Trimester	76.6
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	12.4
Percent of Births Less Than 37 Wks. of Gestation	7.9
Average Age of Mother	28.8
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	94.4
Percent American Indian, Non-Hispanic Births	1.7
Percent Hispanic Births	LNE
 Percent Unmarried 	21.3
Percent WIC births	34.3
Percent Breastfeeding at discharge	87.1
Percent Payment-Private Insurance	60.3
Percent Payment-Medicaid	23.6
Percent C-Section	23.6

Mortality ³	
All Causes	757.7
Heart Disease	169.4
Malignant Neoplasms (Cancer)	160.6
 Trachea, Bronchus, & Lung 	20.3
Colon, Rectum, & Anus	18.6
Female Breast	34.1
Pancreas	LNE
Prostate	LNE
Leukemia	13.0
Chronic Lower Respiratory Diseases	59.7
Alzheimer's Disease	40.3
Cerebrovascular Disease	27.9
Accidents	33.6
Motor Vehicle Accidents	LNE
Diabetes	20.9
Influenza and Pneumonia	18.3
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	25.4
Infant Mortality	16.85

Leading Causes of Death	Deaths
1. Heart Disease	48
Malignant Neoplasms (Cancer)	44
Chronic Lower Respiratory Diseases	19
4. Alzheimer's Disease	16
Cerebrovascular Disease	9
6. Diabetes	7
T7. Accidents	5
T7. Chronic Liver Disease and Cirrhosis	5
T7. Aortic Aneurysm and Dissection	5
Percent of Deaths due to tobacco use Median age at death	23.0 82

See technical notes for more information.

[•] Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Potter County

Demographic Information



Potter County is located in north central South Dakota and averages 2.7 persons per square mile. Gettysburg is the largest city in Potter County.

2018 Population Information

Subject	Number	Percent
Total population	2,207	100.0
White	2,054	93.1
American Indian & Alaska Native	45	2.0
Hispanic	45	2.0
Asian	17	8.0
Black or African American	10	0.5
Pacific Islander	1	0.0
Multi-Racial	35	1.6
Under 5 years	122	5.5
Under 18 years	479	21.7
65 years and over	638	28.9

Health Status Indicat	tors 2014-2018
Natality	

natality	
Percent of Low Birth Weight Infants	7.0
 Percent of Mothers Receiving 	
Care in 1st Trimester	60.0
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	7.8
Percent of Births Less Than 37 Wks. of Gestation	7.0
Average Age of Mother	28.9
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	91.3
Percent American Indian, Non-Hispanic Births	6.1
Percent Hispanic Births	LNE
Percent Unmarried	18.3
Percent WIC births	20.0
Percent Breastfeeding at discharge	86.8
Percent Payment-Private Insurance	78.3
Percent Payment-Medicaid	20.0
Percent C-Section	23.5

Mortality ³	
All Causes	701.3
Heart Disease	118.2
Malignant Neoplasms (Cancer)	117.7
Trachea, Bronchus, & Lung	38.8
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	11.3
Prostate	36.6
Leukemia	LNE
Chronic Lower Respiratory Diseases	37.7
Alzheimer's Disease	52.8
 Cerebrovascular Disease 	18.3
Accidents	91.0
Motor Vehicle Accidents	35.1
Diabetes	34.5
Influenza and Pneumonia	33.0
Intentional Self-Harm (Suicide)	32.4
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	lotal
J	Deaths
1. Heart Disease	36
Malignant Neoplasms (Cancer)	33
3. Alzheimer's Disease	19
4. Accidents	14
5. Chronic Lower Respiratory Diseases	10
Influenza and Pneumonia	9
7. Diabetes	8
T8. Cerebrovascular Disease	6
T8. Essential (Primary) Hypertension and Hypertensive Renal Disease	6
T8. Septicemia	6
Percent of Deaths due to tobacco use Median age at death	14.1 86

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Source: United States Census Bureau, 2018 Population

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Roberts County

Demographic Information



Roberts County is located in the extreme northeastern corner of the state and averages 9.2 persons per square mile. Sisseton is the largest city in Roberts County.

2018 Population Information

Subject	Number	Percent
Total population	10,447	100.0
White	5,824	55.7
American Indian & Alaska Native	3,783	36.2
Hispanic	431	4.1
Black or African American	70	0.7
Asian	23	0.2
Pacific Islander	1	0.0
Multi-Racial	315	3.0
Under 5 years	931	8.9
Under 18 years	2,989	28.6
65 years and over	2,033	19.5

Source: United States Census Bureau, 2018 Population

Estimates

Natality

Health Status Indicators 2014-2018

Natality			
 Percent of Low Birth Weight Infants 	4.1		
 Percent of Mothers Receiving 			
Care in 1st Trimester	65.0		
 Percent of Mothers Who Smoked 			
Cigarettes While Pregnant ¹	29.4		
Percent of Births Less Than 37 Wks. of Gestation	10.8		
 Average Age of Mother 	26.6		
○ Teenage Birth Rate ²	24.7		
Percent White, Non-Hispanic Births	30.5		
Percent American Indian, Non-Hispanic Births	56.1		
Percent Hispanic Births	2.7		
 Percent Unmarried 	61.6		
Percent WIC births	57.6		
Percent Breastfeeding at discharge	68.8		
Percent Payment-Private Insurance	32.5		
Percent Payment-Medicaid	57.7		
Percent C-Section	25.1		

Mortality ³	
o All Causes	835.3
Heart Disease	162.7
Malignant Neoplasms (Cancer)	164.0
Trachea, Bronchus, & Lung	38.2
Colon, Rectum, & Anus	24.3
Female Breast	11.4
 Pancreas 	4.0
Prostate	18.4
Leukemia	12.5
Chronic Lower Respiratory Diseases	50.7
Alzheimer's Disease	25.7
Cerebrovascular Disease	41.4
 Accidents 	76.1
 Motor Vehicle Accidents 	38.6
Diabetes	39.7
Influenza and Pneumonia	19.6
Intentional Self-Harm (Suicide)	37.6
Chronic Liver Disease and Cirrhosis	33.1
Infant Mortality	4.67

Leading Causes of Death	Total Deaths
1. Heart Disease	123
Malignant Neoplasms (Cancer)	119
3. Accidents	44
4. Chronic Lower Respiratory Diseases	40
5. Cerebrovascular Disease	33
6. Diabetes	26
7. Alzheimer's Disease	22
T8. Intentional Self-Harm (Suicide)	16
T8. Chronic Liver Disease and Cirrhosis	16
10. Influenza and Pneumonia	13
Percent of Deaths due to tobacco use	15.9
Median age at death	77

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Sanborn County

Demographic Information



Sanborn County is located in east central South Dakota and averages 4.1 persons per square mile. Woonsocket is the largest city in Sanborn County.

2018 Population Information

Subject	Number	Percent
Total population	2,429	100.0
White	2,285	94.1
Hispanic	90	3.7
American Indian & Alaska Native	11	0.5
Asian	7	0.3
Black or African American	4	0.2
Pacific Islander	0	0.0
Multi-Racial	32	1.3
Under 5 years	186	7.7
Under 18 years	614	25.3
65 years and over	477	19.6

Source: United States Census Bureau, 2018 Population

Estimates

Natality	
Percent of Low Birth Weight Infants	4.4
Percent of Mothers Receiving	
Care in 1st Trimester	78.8
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	15.6
Percent of Births Less Than 37 Wks. of Gestation	7.8
Average Age of Mother	28.1
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	97.8
Percent American Indian, Non-Hispanic Births	LNE
Percent Hispanic Births	1.7
Percent Unmarried	23.3
Percent WIC births	22.3
Percent Breastfeeding at discharge	83.2
Percent Payment-Private Insurance	80.0
Percent Payment-Medicaid	19.4
Percent C-Section	34.4

lity		Mortality ³	
ints	4.4	All Causes	746.7
		Heart Disease	145.2
	78.8	Malignant Neoplasms (Cancer)	133.6
d		Trachea, Bronchus, & Lung	43.0
	15.6	Colon, Rectum, & Anus	15.2
Nks. of Gestation	7.8	Female Breast	LNE
	28.1	Pancreas	15.0
	LNE	Prostate	LNE
ths	97.8	Leukemia	LNE
lispanic Births	LNE	Chronic Lower Respiratory Diseases	33.2
	1.7	 Alzheimer's Disease 	114.9
	23.3	Cerebrovascular Disease	29.6
	22.3	Accidents	35.6
rge	83.2	Motor Vehicle Accidents	LNE
rance	80.0	Diabetes	13.7
	19.4	Influenza and Pneumonia	24.6
	34.4	Intentional Self-Harm (Suicide)	LNE
		Chronic Liver Disease and Cirrhosis	21.4

Infant Mortality

Health Status Indicators 2014-2018

Total Deaths
29
25
24
7
6
5
12.9 84

LNE

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Spink County

Demographic Information



Spink County is located in the center of eastern South Dakota and averages 4.3 persons per square mile. Redfield is the largest city in Spink County.

2018 Population Information

Subject	Number	Percent
Total population	6,495	100.0
White	6,082	93.6
Hispanic	210	3.2
American Indian & Alaska Native	95	1.5
Black or African American	40	0.6
Asian	6	0.1
Pacific Islander	1	0.0
Multi-Racial	61	0.9
Under 5 years	392	6.0
Under 18 years	1,493	23.0
65 years and over	1,348	20.8

Source: United States Census Bureau, 2018 Population

Estimates

Natality	
Percent of Low Birth Weight Infants	5.4
Percent of Mothers Receiving	
Care in 1st Trimester	68.8
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	15.3
Percent of Births Less Than 37 Wks. of Gestation	7.8
Average Age of Mother	28.6
Teenage Birth Rate ²	6.5
Percent White, Non-Hispanic Births	95.9
Percent American Indian, Non-Hispanic Births	0.8
Percent Hispanic Births	2.3
 Percent Unmarried 	27.1
 Percent WIC births 	20.1
Percent Breastfeeding at discharge	84.5
 Percent Payment-Private Insurance 	79.6
 Percent Payment-Medicaid 	17.6
Percent C-Section	30.0

Health Status Indicators 2014-2018

Mortality ³				
All Causes	728.3			
Heart Disease	176.9			
Malignant Neoplasms (Cancer)	151.7			
Trachea, Bronchus, & Lung	28.4			
Colon, Rectum, & Anus	25.0			
Female Breast	24.0			
Pancreas	11.3			
Prostate	LNE			
Leukemia	LNE			
Chronic Lower Respiratory Diseases	47.3			
Alzheimer's Disease	39.8			
Cerebrovascular Disease	26.4			
Accidents	71.0			
Motor Vehicle Accidents	21.8			
Diabetes	31.8			
Influenza and Pneumonia	28.2			
Intentional Self-Harm (Suicide)	LNE			
Chronic Liver Disease and Cirrhosis	LNE			
Infant Mortality	LNE			

Leading Causes of Death	Deaths
1. Heart Disease	98
Malignant Neoplasms (Cancer) Alzheimer's Disease	73 27
Chronic Lower Respiratory Diseases	25
5. Accidents	24
Influenza and Pneumonia	19
T7. Cerebrovascular Disease	16
T7. Diabetes	16
Pneumonitis Due to Solids and Liquids	8
10. Septicemia	7
Percent of Deaths due to tobacco use Median age at death	11.4 81

Total

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Stanley County

Demographic Information



Stanley County is located in the center of the state and averages 2.1 persons per square mile. Fort Pierre is the largest city in Stanley County.

2018 Population Information

Subject	Number	Percent
Total population	3,022	100.0
White	2,637	87.3
American Indian & Alaska Native	202	6.7
Hispanic	79	2.6
Black or African American	19	0.6
Asian	8	0.3
Pacific Islander	0	0.0
Multi-Racial	77	2.5
Under 5 years	187	6.2
Under 18 years	731	24.2
65 years and over	617	20.4

Source: United States Census Bureau, 2018 Population

Estimates

rtatanty	
Percent of Low Birth Weight Infants	7.0
Percent of Mothers Receiving	
Care in 1st Trimester	63.5
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	11.1
Percent of Births Less Than 37 Wks. of Gestation	9.0
 Average Age of Mother 	29.1
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	85.4
Percent American Indian, Non-Hispanic Births	7.5
Percent Hispanic Births	3.0
Percent Unmarried	31.7

Natality

Percent of Low Birth Weight Infants	7.0
Percent of Mothers Receiving	
Care in 1st Trimester	63.5
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	11.1
Percent of Births Less Than 37 Wks. of Gestat	tion 9.0
 Average Age of Mother 	29.1
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	85.4
Percent American Indian, Non-Hispanic Births	7.5
Percent Hispanic Births	3.0
Percent Unmarried	31.7
Percent WIC births	24.2
Percent Breastfeeding at discharge	89.9
 Percent Payment-Private Insurance 	77.3
 Percent Payment-Medicaid 	21.2
 Percent C-Section 	35.7

Mortality³

Health Status Indicators 2014-2018

All Causes	524.3
Heart Disease	68.6
Malignant Neoplasms (Cancer)	173.9
Trachea, Bronchus, & Lung	55.4
Colon, Rectum, & Anus	23.9
Female Breast	LNE
Pancreas	25.6
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	78.4
Alzheimer's Disease	LNE
 Cerebrovascular Disease 	14.1
Accidents	35.9
Motor Vehicle Accidents	LNE
Diabetes	25.4
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	37.3
Chronic Liver Disease and Cirrhosis	25.7
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
 Malignant Neoplasms (Cancer) 	36
Chronic Lower Respiratory Diseases	16
3. Heart Disease	13
T4. Accidents	6
T4. Intentional Self-Harm (Suicide)	6
T6. Diabetes	5
T6. Chronic Liver Disease and Cirrhosis	5
Percent of Deaths due to tobacco use	30.1
Median age at death	70

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Sully County

Demographic Information



Sully County is located in the central region of the state and averages 1.4 persons per square mile. Onida is the largest city in Sully County.

2018 Population Information

Subject	Number	Percent
Total population	1,392	100.0
White	1,300	93.4
Hispanic	34	2.4
American Indian & Alaska Native	31	2.2
Black or African American	6	0.4
Asian	0	0.0
Pacific Islander	0	0.0
Multi-Racial	21	1.5
Under 5 years	78	5.6
Under 18 years	292	21.0
65 years and over	348	25.0
•		

N	la	tal	lity

Health Status Indicators 2014-2018

All Causes

Percent of Low Birth Weight Infants	3.7
 Percent of Mothers Receiving 	
Care in 1st Trimester	56.1
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	12.2
Percent of Births Less Than 37 Wks. of Gestation	13.4
Average Age of Mother	27.5
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	75.6
Percent American Indian, Non-Hispanic Births	17.1
Percent Hispanic Births	4.9
Percent Unmarried	30.5
Percent WIC births	24.7
Percent Breastfeeding at discharge	75.6
Percent Payment-Private Insurance	65.4
Percent Payment-Medicaid	33.3
Percent C-Section	23.2

Mortality³

420.7

• All Causes	420.7
Heart Disease	72.1
Malignant Neoplasms (Cancer)	130.2
Trachea, Bronchus, & Lung	LNE
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	57.6
Leukemia	LNE
Chronic Lower Respiratory Diseases	49.1
Alzheimer's Disease	LNE
Cerebrovascular Disease	LNE
Accidents	LNE
Motor Vehicle Accidents	LNE
Diabetes	LNE
Influenza and Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
Malignant Neoplasms (Cancer)	16
Heart Disease Chronic Lower Respiratory Diseases	9 6
Percent of Deaths due to tobacco use Median age at death	16.0 79

See technical notes for more information.

[•]Denotes a health status indicator which is significantly lower than the state average.

Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Todd County

Demographic Information

Todd County is located in south central South Dakota, along the Nebraska border and averages 6.9 persons per square mile. Mission is the largest city in Todd County.

2018 Population Information

Subject	Number	Percent
Total population	10,283	100.0
American Indian & Alaska Native	8,497	82.6
White	818	8.0
Hispanic	430	4.2
Asian	269	2.6
Black or African American	55	0.5
Pacific Islander	0	0.0
Multi-Racial	214	2.1
Under 5 years	1,334	13.0
Under 18 years	4,318	42.0
65 years and over	761	7.4

Natality	
Percent of Low Birth Weight Infants	8.2
Percent of Mothers Receiving	
Care in 1st Trimester	41.3
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	20.5
 Percent of Births Less Than 37 Wks. of Gestation 	12.0
 Average Age of Mother 	25.2
 ○ Teenage Birth Rate² 	53.6
Percent White, Non-Hispanic Births	3.4
Percent American Indian, Non-Hispanic Births	89.8
Percent Hispanic Births	2.2
 Percent Unmarried 	85.7
 Percent WIC births 	68.0
 Percent Breastfeeding at discharge 	59.1
 Percent Payment-Private Insurance 	5.2
Percent Payment-Medicaid	67.8
Percent C-Section	36.2

Health Status Indicators 2014-2018

Mortality ³	
o All Causes	1,305.0
 Heart Disease 	212.8
 Malignant Neoplasms (Cancer) 	233.3
Trachea, Bronchus, & Lung	50.7
Colon, Rectum, & Anus	19.6
Female Breast	LNE
Pancreas	LNE
Prostate	50.5
Leukemia	22.5
Chronic Lower Respiratory Diseases	74.4
 Alzheimer's Disease 	12.1
Cerebrovascular Disease	42.0
 ○ Accidents 	141.3
 Motor Vehicle Accidents 	70.6
 Diabetes 	131.3
 Influenza and Pneumonia 	43.3
 Intentional Self-Harm (Suicide) 	64.2
 Chronic Liver Disease and Cirrhosis 	66.5
 Infant Mortality 	13.86
l	

Leading Causes of Death	i otai
Leading Causes of Death	Deaths
Malignant Neoplasms (Cancer)	76
2. Heart Disease	67
3. Accidents	63
4. Diabetes	40
Intentional Self-Harm (Suicide)	31
Chronic Liver Disease and Cirrhosis	25
Chronic Lower Respiratory Diseases	23
T8. Cerebrovascular Disease	14
T8. Influenza and Pneumonia	14
T10. Septicemia	9
T10. Mental and Behavioral Disorders	9
Due to Use of Alcohol	
T10. Certain Conditions Originating in the	9
Perinatal Period	
Percent of Deaths due to tobacco use	14.7
Median age at death	60

- lower than the state average. oDenotes a health status indicator which is significantly higher than the state average.
 - ³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year)

•Denotes a health status indicator which is significantly

deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of **Health Statistics**

Denotes	а	health	sta	ıtus	in	dicate	or	whic	h is	siç	gnific	antly	/ I	lo۱	we
than the s	tate	e avera	ge.												


oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.

Source: United States Census Bureau, 2018 Population Estimates

Tripp County

Demographic Information



Tripp County is located along the Nebraska border in south central South Dakota and averages 3.5 persons per square mile. Winner is the largest city in Tripp County.

2018 Population Information

Subject	Number	Percent
Total population	5,478	100.0
White	4,429	80.9
American Indian & Alaska Native	738	13.5
Hispanic	123	2.2
Black or African American	24	0.4
Asian	21	0.4
Pacific Islander	0	0.0
Multi-Racial	143	2.6
Under 5 years	391	7.1
Under 18 years	1,264	23.1
65 years and over	1,229	22.4

Source: United States Census Bureau, 2018 Population

Estimates

Natality	

Health Status Indicators 2014-2018

Natality	
Percent of Low Birth Weight Infants	7.1
Percent of Mothers Receiving	
Care in 1st Trimester	77.6
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	14.8
Percent of Births Less Than 37 Wks. of Gestation	11.5
Average Age of Mother	27.0
Teenage Birth Rate ²	14.8
Percent White, Non-Hispanic Births	62.8
Percent American Indian, Non-Hispanic Births	29.8
Percent Hispanic Births	1.5
Percent Unmarried	45.0
Percent WIC births	44.4
Percent Breastfeeding at discharge	76.3
Percent Payment-Private Insurance Payment Payment Medicaid	49.7
Percent Payment-Medicaid Percent C Section	46.9
Percent C-Section	36.9

Mortality ³	
All Causes	750.3
Heart Disease	185.9
Malignant Neoplasms (Cancer)	132.5
Trachea, Bronchus, & Lung	29.7
Colon, Rectum, & Anus	23.2
Female Breast	LNE
Pancreas	7.2
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	49.6
Alzheimer's Disease	55.6
Cerebrovascular Disease	28.2
Accidents	51.5
Motor Vehicle Accidents	17.0
Diabetes	18.4
Influenza and Pneumonia	17.4
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	12.3

Infant Mortality

Leading Causes of Death	ıotai
Leading Causes of Death	Deaths
1. Heart Disease	94
Malignant Neoplasms (Cancer)	67
3. Alzheimer's Disease	35
4. Chronic Lower Respiratory Diseases	26
T5. Accidents	18
T5. Cerebrovascular Disease	18
7. Diabetes	10
Influenza and Pneumonia	9
T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	6
T9. Pneumonitis Due to Solids and Liquids	6
Percent of Deaths due to tobacco use Median age at death	19.5 82

7.63

183

[•] Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information.

Turner County

Demographic Information



Turner County is located in southeastern South Dakota and averages 13.5 persons per square mile. Parker is the largest city in Turner County.

2018 Population Information

Subject	Number	Percent
Total population	8,424	100.0
White	7,980	94.7
Hispanic	234	2.8
American Indian & Alaska Native	61	0.7
Black or African American	45	0.5
Asian	18	0.2
Pacific Islander	4	0.0
Multi-Racial	82	1.0
Under 5 years	521	6.2
Under 18 years	2,054	24.4
65 years and over	1,746	20.7

Source: United States Census Bureau, 2018 Population

Estimates

 Denotes a health status 	indicator	which	is	significantly	lower
than the state average.				,	

oDenotes a health status indicator which is significantly higher than the state average.

Natality	
Percent of Low Birth Weight Infants	5.2
 Percent of Mothers Receiving 	
Care in 1st Trimester	86.3
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	8.2
Percent of Births Less Than 37 Wks. of Gestation	9.1
 Average Age of Mother 	29.2
Teenage Birth Rate ²	LNE
Percent White, Non-Hispanic Births	94.4
Percent American Indian, Non-Hispanic Births	0.9
Percent Hispanic Births	4.1
 Percent Unmarried 	21.6
 Percent WIC births 	19.4
Percent Breastfeeding at discharge	81.4
Percent Payment-Private Insurance	75.1
Percent Payment-Medicaid	18.4
Percent C-Section	23.1

Health Status Indicators 2014-2018

Mortality ³	
o All Causes	812.0
Heart Disease	185.3
Malignant Neoplasms (Cancer)	161.0
Trachea, Bronchus, & Lung	41.1
Colon, Rectum, & Anus	16.9
Female Breast	17.7
Pancreas	12.8
Prostate	15.3
Leukemia	8.6
Chronic Lower Respiratory Diseases	52.6
 Alzheimer's Disease 	57.7
Cerebrovascular Disease	34.2
Accidents	62.9
 Motor Vehicle Accidents 	38.8
Diabetes	14.5
Influenza and Pneumonia	13.9
Intentional Self-Harm (Suicide)	9.0
Chronic Liver Disease and Cirrhosis	20.5

Leading Causes of Death	Total Deaths
1. Heart Disease	133
2. Malignant Neoplasms (Cancer)	105
3. Alzheimer's Disease	48
4. Chronic Lower Respiratory Diseases	37
5. Accidents	32
Cerebrovascular Disease	28
7. Influenza and Pneumonia	13
8. Diabetes	12
Chronic Liver Disease and Cirrhosis	11
10. Parkinson's Disease	10
Percent of Deaths due to tobacco use	14.7 82
Median age at death	82

10.78

Infant Mortality

See technical notes for more information.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Union County

Health Status Indicators 2014-2018



Union County is located in the southeastern corner of the state and averages 31.3 persons per square mile. North Sioux City is the largest city in Union County.

2018 Population Information

Subject	Number	Percent
Total population	15,619	100.0
White	14,362	92.0
Hispanic	497	3.2
Asian	245	1.6
Black or African American	174	1.1
American Indian & Alaska Native	111	0.7
Pacific Islander	6	0.0
Multi-Racial	224	1.4
Under 5 years	969	6.2
Under 18 years	3,729	24.2
65 years and over	2,832	18.1

Source: United States Census Bureau, 2018 Population

Estimates

Natality	
Percent of Low Birth Weight Infants	6.3
 Percent of Mothers Receiving 	
Care in 1st Trimester	88.0
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	6.9
Percent of Births Less Than 37 Wks. of Gestation	9.2
Average Age of Mother	29.1
 Teenage Birth Rate² 	1.8
Percent White, Non-Hispanic Births	89.3
Percent American Indian, Non-Hispanic Births	1.1
Percent Hispanic Births	4.9
Percent Unmarried	20.0
Percent WIC births	12.8
Percent Breastfeeding at discharge	83.1 77.5
Percent Payment-Private Insurance Percent Payment Medicaid	77.5 18.7
 Percent Payment-Medicaid Percent C-Section 	29.3
O FEIGEIR O-SECTION	29.3

Mortality ³	
All Causes	650.6
Heart Disease	123.5
Malignant Neoplasms (Cancer)	154.4
Trachea, Bronchus, & Lung	48.5
Colon, Rectum, & Anus	8.7
Female Breast	11.5
Pancreas	9.0
Prostate	12.7
Leukemia	8.0
Chronic Lower Respiratory Diseases	55.1
Alzheimer's Disease	32.2
Cerebrovascular Disease	30.6
 Accidents 	31.3
 Motor Vehicle Accidents 	8.0
Diabetes	13.7
Influenza and Pneumonia	19.5
Intentional Self-Harm (Suicide)	13.9
Chronic Liver Disease and Cirrhosis	13.9
Infant Mortality	3.62

Leading Causes of Death	Deaths
1. Malignant Neoplasms (Cancer) 2. Heart Disease 3. Chronic Lower Respiratory Diseases 4. Alzheimer's Disease 5. Cerebrovascular Disease 6. Accidents 7. Influenza and Pneumonia 8. Essential (Primary) Hypertension and	Deaths 151 130 52 32 30 29 19 15
Hypertensive Renal Disease 9. Diabetes 10. Unspecified Dementia Percent of Deaths due to tobacco use	14 13 19.1
Median age at death	78

Total

- •Denotes a health status indicator which is significantly lower than the state average.
- oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Walworth County

Demographic Information



Walworth County is located in north central South Dakota, near the North Dakota border and averages 7.7 persons per square mile. Mobridge is the largest city in Walworth County.

2018 Population Information

Subject	Number	Percent
Total population	5,587	100.0
White	4,313	77.2
American Indian & Alaska Native	765	13.7
Asian	187	3.3
Hispanic	125	2.2
Black or African American	24	0.4
Pacific Islander	0	0.0
Multi-Racial	173	3.1
Under 5 years	396	7.1
Under 18 years	1,324	23.7
65 years and over	1,312	23.5

Health Status Indica	tors 2014-2018
Natality	

	Natality	
Percent of Low Birt	th Weight Infants	5.7
Percent of Mothers	Receiving	
Care in 1st Tri	mester	66.1
Percent of Mothers	Who Smoked	
Cigarettes Wh	ile Pregnant ¹	16.3
Percent of Births L	ess Than 37 Wks. of Gestation	9.1
 Average Age of I 		27.2
Teenage Birth Rate	e ²	6.2
Percent White, Nor		68.7
	Indian, Non-Hispanic Births	21.5
Percent Hispanic B		1.6
Percent Unmarried		40.4
 Percent WIC birt 	• • •	38.8
Percent Breastfeed	S S	74.5
Percent Payment-F		52.3
Percent Payment	t-Medicaid	37.9
Percent C-Section		26.2

Mortality ³	
o All Causes	829.0
Heart Disease	149.7
Malignant Neoplasms (Cancer)	150.1
Trachea, Bronchus, & Lung	34.4
Colon, Rectum, & Anus	16.3
Female Breast	16.1
Pancreas	13.6
Prostate	LNE
Leukemia	8.4
Chronic Lower Respiratory Diseases	64.2
 Alzheimer's Disease 	64.5
Cerebrovascular Disease	35.4
Accidents	68.6
Motor Vehicle Accidents	33.0
Diabetes	36.3
 Influenza and Pneumonia 	36.6
Intentional Self-Harm (Suicide)	36.4
Chronic Liver Disease and Cirrhosis	24.6
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Heart Disease	86
2. Malignant Neoplasms (Cancer)	74
3. Alzheimer's Disease	44
4. Chronic Lower Respiratory Diseases	33
5. Influenza and Pneumonia	23
6. Diabetes	22
7. Cerebrovascular Disease	18
8. Accidents	17
Unspecified Dementia	12
10. Intentional Self-Harm (Suicide)	8
Percent of Deaths due to tobacco use	17.2
Median age at death	83

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Source: United States Census Bureau, 2018 Population

Estimates

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.


[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Yankton County

Demographic Information



Yankton County is located in southeastern South Dakota on the Nebraska border and averages 43.1 persons per square mile. Yankton is the largest city in Yankton County.

2018 Population Information

Cubicat

Subject	Number	Percent
Total population	22,869	100.0
White	20,082	87.8
Hispanic	1,135	5.0
American Indian & Alaska Native	627	2.7
Black or African American	443	1.9
Asian	204	0.9
Pacific Islander	8	0.0
Multi-Racial	370	1.6
Under 5 years	1,380	6.0
Under 18 years	4,860	21.3
65 years and over	4,311	18.9

Source: United States Census Bureau, 2018 Population Estimates

Natality	
Percent of Low Birth Weight Infants	7.3
 Percent of Mothers Receiving 	
Care in 1st Trimester	86.0
 Percent of Mothers Who Smoked 	
Cigarettes While Pregnant ¹	18.5
Percent of Births Less Than 37 Wks. of Gestation	7.4
Average Age of Mother	27.9
Teenage Birth Rate ²	6.6
Percent White, Non-Hispanic Births	83.9
Percent American Indian, Non-Hispanic Births	4.2
Percent Hispanic Births	5.2
Percent Unmarried	40.4
Percent WIC births	32.5
Percent Breastfeeding at discharge	78.1
 Percent Payment-Private Insurance 	65.5
Percent Payment-Medicaid	32.7
 Percent C-Section 	29.1

	Mortality ³	
7.3	All Causes	718.6
	Heart Disease	160.4
86.0	 Malignant Neoplasms (Cancer) 	130.7
	Trachea, Bronchus, & Lung	41.5
18.5	Colon, Rectum, & Anus	16.0
7.4	Female Breast	13.1
27.9	 Pancreas 	5.0
6.6	Prostate	17.6
83.9	Leukemia	5.9
4.2	Chronic Lower Respiratory Diseases	53.7
5.2	Alzheimer's Disease	42.1
40.4	Cerebrovascular Disease	31.9
32.5	Accidents	66.0
78.1	Motor Vehicle Accidents	22.6
65.5	Diabetes	29.5
32.7	Influenza and Pneumonia	23.0
29.1	Intentional Self-Harm (Suicide)	16.4
	 Chronic Liver Disease and Cirrhosis 	8.6

Health Status Indicators 2014-2018

Leading Causes of Death	Total
Leading Gauses of Death	Deaths
Heart Disease	284
Malignant Neoplasms (Cancer)	217
Chronic Lower Respiratory Diseases	97
4. Accidents	90
5. Alzheimer's Disease	83
Cerebrovascular Disease	62
7. Diabetes	49
Influenza and Pneumonia	43
Essential (Primary) Hypertension and Hypertensive Renal Disease	25
10. Intentional Self-Harm (Suicide)	22
Percent of Deaths due to tobacco use Median age at death	20.1 81
ineulan age at ueath	01

9.37

•Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Infant Mortality


[•] Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.

Ziebach County

Demographic Information



Ziebach County is located in north central South Dakota and averages 1.4 persons per square mile. Dupree is the largest city in Ziebach County.

2018 Population Information

Subject	Number	Percent
Total population	2,742	100.0
American Indian & Alaska Native	1,827	66.6
White	664	24.2
Hispanic	124	4.5
Black or African American	13	0.5
Asian	11	0.4
Pacific Islander	1	0.0
Multi-Racial	102	3.7
Under 5 years	159	5.8
Under 18 years	774	28.2
65 years and over	263	9.6

Source: United States Census Bureau, 2018 Population Estimates

Natality	
Percent of Low Birth Weight Infants	9.5
Percent of Mothers Receiving	
Care in 1st Trimester	57.6
Percent of Mothers Who Smoked	
Cigarettes While Pregnant ¹	17.5
 Percent of Births Less Than 37 Wks. of Gestation 	16.9
Average Age of Mother	26.5
Teenage Birth Rate ²	10.9
Percent White, Non-Hispanic Births	12.4
Percent American Indian, Non-Hispanic Births	78.1
Percent Hispanic Births	LNE
Percent Unmarried	73.7
Percent WIC births	78.5
Percent Breastfeeding at discharge	67.9
Percent Payment-Private Insurance	19.1
Percent Payment-Medicaid	69.5
Percent C-Section	21.9

Health Status Indicators 2014-2018

Mortality ³		
All Causes	751.7	
Heart Disease	134.0	
Malignant Neoplasms (Cancer)	121.1	
Trachea, Bronchus, & Lung	30.9	
Colon, Rectum, & Anus	47.2	
Female Breast	LNE	
Pancreas	LNE	
Prostate	LNE	
Leukemia	LNE	
Chronic Lower Respiratory Diseases	59.6	
Alzheimer's Disease	LNE	
Cerebrovascular Disease	LNE	
Accidents	101.2	
Motor Vehicle Accidents	37.5	
Diabetes	39.0	
Influenza and Pneumonia	29.2	
Intentional Self-Harm (Suicide)	39.3	
Chronic Liver Disease and Cirrhosis	46.2	
Infant Mortality	LNE	

Leading Causes of Death	Total Deaths
1. Heart Disease	15
2. Accidents	13
Malignant Neoplasms (Cancer)	12
Intentional Self-Harm (Suicide)	6
T5. Chronic Lower Respiratory Diseases	5
T5. Chronic Liver Disease and Cirrhosis	5
T5. Septicemia	5
Percent of Deaths due to tobacco use Median age at death	13.4 60

See technical notes for more information.

[•] Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

[•]Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are ageadjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.