

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/06/2025  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>430015</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>12/31/2024</b>
NAME OF PROVIDER OR SUPPLIER  <b>avera st mary's hospital</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>801 E SIOUX</b> <b>PIERRE, SD 57501</b>	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
A 000	<p>INITIAL COMMENTS</p> <p>A complaint health survey for compliance with 42 CFR Part 482, Subparts A-D; and Subsection 482.66 requirements for hospitals was conducted from 12/30/24 through 12/31/24. Area surveyed included Nursing Services related to patient assessment, infection control practices, and physician notification. Avera St. Mary's Hospital was found in compliance.</p>	A 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

*Shantel Kross*

TITLE

*President + CEO*

(X6) DATE

*1-6-25*

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.