

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/13/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 435101	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 12/08/2021
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY CANTON			STREET ADDRESS, CITY, STATE, ZIP CODE 1022 NORTH DAKOTA AVENUE CANTON, SD 57013		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS Surveyor: 29354 A complaint health survey for compliance with 42 CFR Part 483, Subpart B, requirements for Long Term Care facilities, was conducted from 12/7/21 through 12/8/21. Areas surveyed included quality of care and treatment, pressure ulcers, skin and wound issues, restorative nursing services, discharge planning, pain, beneficiary notice, and professional standards. Good Samaritan Society Canton was found in compliance.	F 000		12/13/2021	
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			<i>Justin Jones, LNHA</i>		(X6) DATE 12/13/2021

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEC 13 2021