United States

Demographic Inf	ormation		Health Status Indicators					
Demographic Inf 2019 Population In Subject Total population White Hispanic Black or African American Asian American Indian & Alaska Native Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over		Percent 100.0 60.1 18.5 12.5 5.8 0.7 0.2 2.2 5.9 22.2 16.5	Natality – 2019 Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ² Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ³ Percent White, Non-Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance Percent Payment-Medicaid	8.3 77.6 6.0 10.2 29.1 6.7 51.1 0.8 23.7 40.0 33.9 83.6 50.2 42.1	ndicators ¹ Mortality - 2019 All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes	Rate ⁴ 715.2 161.5 146.2 33.4 13.1 19.4 11.0 18.3 5.8 38.2 29.8 37.0 49.3 11.5 21.6		
			Percent C-Section	31.7	Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2018) Leading Causes of Death 1. Heart Disease 2. Cancer 3. Unintentional Injuries 4. Chronic Lower Respiratory Disease 5. Stroke 6. Alzheimer's Disease 7. Diabetes 8. Influenza and Pneumonia 9. Kidney Disease 10. Suicido	12.3 13.9 11.3 5.6 Total Deaths 647,457 599,108 169,936 160,201 146,383 121,404 83,564 55,672 50,633 47,173		
 Source: United States Census Bureau, 20 Estimates	019 Population		¹ Only one year of U.S. data are given to compare with fix of state and county data because the numbers on the level are much greater and do not fluctuate as much annu ² Data for mothers who smoked cigarettes are self-reporte ³ Teenage birth rate is live births per 1,000 females age 1	national ually. d.	 4. The mortality rates, except infant morta adjusted death rates per 100,000 pop adjusting to the standard million populati differences between populations, making the compare. Infant mortality is calculated as the infant (less than one year old) deaths per 1,0. Source: National Center for Health Statistic Disease Control and Prevention, U.S. Elealth and Human Services, Hyattsville, Mathematical S	ulation. Age- on eliminates nem easier to he number of 000 live births. s, Centers for Department of		

South Dakota

Demographic Information		Health Status	Indica	Health Status Indicators 2016-2020			
			maice				
		Natality		Mortality			
		Percent of Low Birth Weight Infants Percent of Mothers Receiving	6.9	All Causes	Rate ³ 756.0		
		Care in 1st Trimester	75.3	Heart Disease	154.6		
		 Percent of Mothers Who Smoked 		Cancer	151.9		
		Cigarettes While Pregnant ¹	11.8	Trachea, Bronchus, & Lung	35.9		
		Percent of Births Less Than 37 Wks. of Gestation	9.3	Colon, Rectum, & Anus	14.3		
		Average Age of Mother	28.3	Female Breast	18.7		
		 Teenage Birth Rate² 	9.7	Pancreas	11.3		
		Percent White, Non-Hispanic Births	71.2	Prostate	18.9		
		Percent American Indian, Non-Hispanic Births	14.2	Leukemia	6.1 120 0		
- The second sec		Percent Hispanic Births	5.5	COVID-19 (2020) ○ Chronic Lower Respiratory Diseases	130.0 41.8		
South Dakota is located in the north central portion of the Unite	ad States	Percent Unmarried Percent WIC births	36.5 28.2	 Alzheimer's Disease 	38.1		
and averages 11.8 persons per square mile.		 Percent Wie births Percent Breastfeeding at discharge 	20.2 80.5	Stroke	34.6		
		 Percent Dreastreeding at discharge Percent Payment-Private Insurance 	60.9	Unintentional Injuries	53.4		
		Percent Payment-Medicaid	30.2	 Motor Vehicle Accidents 	16.7		
2020 Population Information		Percent C-Section	24.7	 Diabetes 	25.6		
Subject Number	Percent			 Influenza and Pneumonia 	16.9		
Total population 892,717	100.0			∘ Suicide	20.8		
White 724,153	81.1			 Chronic Liver Disease and Cirrhosis Infont Martality (2014) 2020) 	19.1		
American Indian & Alaska Native 72,996	8.2			○ Infant Mortality (2011-2020)	6.7		
Hispanic 39,604	4.4				Deaths		
Black or African American 20,466	2.3			Leading Causes of Death	per Year		
Asian 14,643	1.6						
Pacific Islander 552 Multi-Racial 20,303	0.1 2.3			1. Heart Disease	1,779		
	2.0			2. Cancer	1,701		
				3. COVID-19 (2020)	1,497		
Under 5 years 60,464	6.8			4. Unintentional Injuries 5. Chronic Lower Respiratory Diseases	515 476		
Under 18 years 218,479	24.5			6. Alzheimer's Disease	463		
65 years and over 157,177	17.6			7. Stroke	403		
				8. Diabetes	277		
				9. Influenza and Pneumonia	198		
				10. Suicide	178		
				Percent of Deaths due to tobacco use	19.2		
				Median age at death	79		
				•Denotes a health status indicator which is	significantly		
				lower than the national average.			
				oDenotes a health status indicator which is	s significantly		
				higher than the national average.			
				³ All mortality rates except infant mortali	ty are age-		
				adjusted death rates per 100,000 popul	ation. Infant		
		Denotes a health status indicator which is significantly lo	worthop	mortality is the number of infant (less that deaths per 1,000 live births.	an one year)		
		• Denotes a nearth status indicator which is significantly to the national average.	พยาเกลก				
		 Denotes a health status indicator which is significantly 	v higher	See technical notes for more information.			
		than the national average.	,				
Source: United States Census Bureau, 2020 Population		¹ Data for mothers who smoked cigarettes are self-reported	ed.	Source: South Dakota Department of Hea	alth, Office of		
Estimates		² Teenage birth rate is live births per 1,000 females age 1	5-17.	Health Statistics			

Aurora County

Demographic li	nformation		Health Status Indicators 2016-2020				
Demographic In Image: Construction of the second	central portion of the Plankinton is the la	e state and rgest city in Percent 100.0 87.2 7.5 2.7 0.7 0.7 0.7 0.7 0.0 1.2	Health Status Indi Natality Percent of Low Birth Weight Infants 5.9 Percent of Mothers Receiving 78.6 Care in 1st Trimester 78.6 • Percent of Mothers Who Smoked 64 Cigarettes While Pregnant ¹ 6.4 Percent of Births Less Than 37 Wks. of Gestation 9.9 Average Age of Mother 28.1 Teenage Birth Rate ² 17.7 Percent White, Non-Hispanic Births 87.2 Percent Hispanic Births 87.2 Percent Hispanic Births 11.8 • Percent Ummarried 26.6 Percent WIC births 31.0 Percent Breastfeeding at discharge 79.7 Percent Payment-Private Insurance 72.0 • Percent C-Section 31.5	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease • Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Cancer Heart Disease 4. Chronic Lower Respiratory Diseases 5. Alzheimer's Disease	Rate ³ 716.4 171.0 175.8 32.6 27.1 LNE LNE 34.4 LNE 218.0 64.6 31.7 15.8 34.1 LNE LNE LNE LNE LNE LNE LNE LNE LNE LNE		
Under 5 years Under 18 years 65 years and over Source: United States Census Bureau, Estimates	179 677 576	6.6 24.8 21.1	 Denotes a health status indicator which is significantly lower that the state average. Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 	 6. Unintentional Injuries Percent of Deaths due to tobacco use Median age at death Denotes a health status indicator which lower than the state average. Denotes a health status indicator which higher than the state average. ³All mortality rates except infant morta adjusted death rates per 100,000 popi mortality is the number of infant (less th deaths per 1,000 live births. 	1 19.7 83 is significantly is significantly ality are age- ulation. Infant han one year)		

Beadle County

Demographic Infor	mation		Health Status In	dica	tors 2016-2020	
Demographic Information			Health Status In Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother • Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births • Percent Unmarried • Percent WIC births Percent Breastfeeding at discharge • Percent Payment-Private Insurance	7.3 53.3 9.7 10.8 27.3 26.0 55.2 1.1 23.4 42.6 49.3 77.3 53.4 41.4	tors 2016-2020 Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung • Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents	Rate ³ 767.5 144.9 150.6 28.9 5.2 28.8 11.3 18.4 4.9 131.2 366 38.0 38.7 43.8 11.8
averages 14.7 persons per square mile. Hu Beadle County. 2020 Population Info		rgest city in		28.8	 ○ Diabetes ○ Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) 	38.8 43.1 30.8 16.2 8.4
Subject Total population White	Number 18,513 13,657	Percent 100.0 73.8			Leading Causes of Death	Deaths per Year
Hispanic Asian American Indian & Alaska Native Black or African American Pacific Islander Multi-Racial	2,140 1,938 202 189 52 335	11.6 10.5 1.1 1.0 0.3 1.8			 Heart Disease Cancer COVID-19 (2020) Influenza and Pneumonia Alzheimer's Disease Stroke Diabetes Stroke biabetes 	39 38 36 13 12 10 10
Under 5 years Under 18 years 65 years and over	1,568 5,100 3,321	8.5 27.5 17.9			 8. Chronic Lower Respiratory Diseases Unintentional Injuries 10. Suicide Percent of Deaths due to tobacco use 	9 9 5 18.5
Source: United States Census Bureau, 2020 Estimates	Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly h than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-1 	igher	Median age at death Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortal adjusted death rates per 100,000 popul mortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Health Statistics	s significantly ity are age- lation. Infant an one year)

Bennett County

Demographic Information			Health Status Ind	dica	tors 2016-2020	
				aica		
		1	Natality		Mortality	
			Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester 62	6.1 2.5	∽ All Causes Heart Disease	Rate ³ 1,169.7 228.7
			Percent of Births Less Than 37 Wks. of Gestation 2 • Average Age of Mother 2 Teenage Birth Rate ² 2	0.1 8.6 6.3 3.0	Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate	168.9 35.2 LNE LNE 17.1
		7	Percent American Indian, Non-Hispanic Births6Percent Hispanic Births6o Percent Unmarried6	3.7 5.6 2.9 9.9	Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases	LNE LNE 224.4 77.1
Bennett County is located on the south Dakota and averages 2.9 persons per squ city in Bennett County.			Percent Breastfeeding at discharge 6 Percent Payment-Private Insurance 2	0.5 1.7 3.2 9.6	 Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	16.2 38.4 91.2 32.3
2020 Population Ir	nformation		Percent C-Section 2-	4.4	 ○ Diabetes Influenza and Pneumonia 	127.3 22.7
Subject	Number	Percent			Suicide	31.6
Total population American Indian & Alaska Native	3,399 1,863	100.0 54.8			 Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) 	60.3 15.7
White Hispanic Asian	1,129 205 18	33.2 6.0 0.5			Leading Causes of Death	Deaths per Year
Black or African American Pacific Islander Multi-Racial	17 2 165	0.5 0.1 4.9			1. Heart Disease COVID-19 (2020) 3. Cancer 4. Diabetes	8 8 6 4
Under 5 years Under 18 years 65 years and over	296 1,135 461	8.7 33.4 13.6			 Unintentional Injuries Chronic Lower Respiratory Diseases Chronic Liver Disease and Cirrhosis Stroke Suicide Septicemia 	3 3 2 1 1 1
					Percent of Deaths due to tobacco use Median age at death	24.0 69
			•Denotes a health status indicator which is significantly lower	thop	•Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births.	s significantly ity are age- lation. Infant
	020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. 		See technical notes for more information. Source: South Dakota Department of Hea	alth Office of
Estimates	-		² Teenage Birth rate is live births per 1,000 females age 15-17	7.	Health Statistics	

Bon Homme County

Domographie k	formation		Health Status Indicators 2016-2020					
Demographic Ir	itormation		Health Status Indi	cators 2016-2020				
			Natality	Mortality				
			Percent of Low Birth Weight Infants 5.7 Percent of Mothers Receiving 77.8 Care in 1st Trimester 77.8 Percent of Mothers Who Smoked 70.2 Cigarettes While Pregnant ¹ 10.2 Percent of Births Less Than 37 Wks. of Gestation 8.6 Average Age of Mother 28.7 Teenage Birth Rate ² 5.4 Percent White, Non-Hispanic Births 93.5 Percent American Indian, Non-Hispanic Births 1.8	All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020)	Rate ³ 719.4 131.7 145.7 27.2 8.7 15.3 15.7 LNE 9.3 184.3			
Bon Homme County is located on the Ne Dakota and averages 12.2 persons per largest city in Bon Homme County.			Percent Hispanic Births 2.4 • Percent Unmarried 23.2 Percent WIC births 27.9 Percent Breastfeeding at discharge 84.4 • Percent Payment-Private Insurance 78.3 • Percent Payment-Medicaid 16.7 Percent C-Section 27.4	 Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes 	56.1 20.8 40.9 50.7 21.5 18.4			
2020 Population	Information			Influenza and Pneumonia Suicide	22.4 19.9			
Subject	Number	Percent		Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	LNE 6.0			
Total population White American Indian & Alaska Native Hispanic	6,848 5,911 533 198	100.0 86.3 7.8 2.9		Leading Causes of Death	Deaths per Year			
Black or African American Asian Pacific Islander Multi-Racial	98 19 3 86	1.4 0.3 0.0 1.3		 COVID-19 (2020) Heart Disease Cancer Chronic Lower Respiratory Diseases Unintentional Injuries 	22 18 16 7 5			
Under 5 years Under 18 years 65 years and over	379 1,341 1,421	5.5 19.6 20.8		Stroke 7. Influenza and Pneumonia Alzheimer's Disease Diabetes 10. Hypertension	5 3 3 3 2			
				Percent of Deaths due to tobacco use Median age at death	12.3 84			
			•Denotes a health status indicator which is significantly lower tha	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popul mortality is the number of infant (less the deaths per 1,000 live births. 	is significantly lity are age- ulation. Infant			
Source: United States Census Bureau, Estimates	2020 Population		the state average. • Denotes a health status indicator which is significantly higher than the state average. ¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	 See technical notes for more information. Source: South Dakota Department of He Health Statistics 	alth, Office of			

Brookings County

Demographic In	nformation		Health Status Ir	ndica	tors 2016-2020	
Brookings County is located on the ea averages 44.9 persons per square mile. Brookings County. 2020 Population I	astern border of th Brookings is the la	argest city in	Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ • Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother • Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births • Percent Unmarried • Percent WIC births • Percent Restfeeding at discharge • Percent Payment-Private Insurance	5.6 84.5 7.1 7.2 29.1 4.8 83.9 1.7 5.9 20.6 15.6 88.5 78.1 15.1 18.3	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia 	Rate ³ 639.1 143.7 130.7 30.5 13.5 21.8 10.3 20.2 4.6 90.1 28.7 35.1 39.1 42.9 10.9 26.0 9.3 14.7
Subject Total population	Number 35,603	Percent 100.0			Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	9.2 7.9
White Hispanic Asian Black or African American American Indian & Alaska Native Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	31,792 1,359 1,043 503 350 23 533 2,179 7,512 4,581	89.3 3.8 2.9 1.4 1.0 0.1 1.5 6.1 21.1 12.9			Leading Causes of Death 1. Heart Disease 2. Cancer 3. COVID-19 (2020) 4. Unintentional Injuries 5. Stroke 6. Alzheimer's Disease 7. Chronic Lower Respiratory Diseases 8. Diabetes 9. Suicide 10. Parkinson's Disease Percent of Deaths due to tobacco use Median age at death	Deaths per Year 47 42 28 14 13 12 9 8 5 3 17.4 80
 Source: United States Census Bureau, Estimates	2020 Population		 Denotes a health status indicator which is significantly lowe the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15- 	higher	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Statistics 	s significantly ity are age- lation. Infant an one year)

Brown County

Demographic Ir	nformation		Health Status	Indica	ators 2016-2020	
Brown County is located on the North D of the state and averages 22.6 persons p largest city in Brown County.	Pakota border in the e		Health Status Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ • Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother • Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births Percent Hispanic Births Percent Unmarried Percent Breastfeeding at discharge • Percent Payment-Private Insurance • Percent Payment-Medicaid	6.1 67.0 13.6 7.0 28.4 2.2 79.1 5.0 5.6 34.5 26.8 81.0 68.1 27.6	Ators 2016-2020 Mortality • All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast • Pancreas Prostate Leukemia • COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke • Unintentional Injuries • Motor Vehicle Accidents	Rate ³ 695.6 140.6 137.1 31.3 16.6 19.2 7.0 14.0 5.7 97.0 39.6 37.5 35.9 41.3 8.6
2020 Population	Information		 Percent C-Section 	29.4	Diabetes	26.9
Subject Total population White Hispanic Asian American Indian & Alaska Native Black or African American Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Number 38,738 33,158 1,449 1,365 1,254 638 94 780 2,501 9,201 7,017	Percent 100.0 85.6 3.7 3.5 3.2 1.6 0.2 2.0 6.5 23.8 18.1			Influenza and Pneumonia Suicide • Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Heart Disease 2. Cancer 3. COVID-19 (2020) 4. Alzheimer's Disease 5. Chronic Lower Respiratory Diseases 6. Stroke Unintentional Injuries 8. Diabetes 9. Influenza and Pneumonia 10. Dementia (Unspecified Type) Percent of Deaths due to tobacco use Median age at death	18.8 16.5 9.3 4.5 Deaths per Year 81 72 58 24 22 20 20 15 11 8 16.0 82
 Source: United States Census Bureau, Estimates	2020 Population		 Denotes a health status indicator which is significantly low the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reporte ²Teenage Birth rate is live births per 1,000 females age 1 	y higher :d.	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics 	s significantly ity are age- lation. Infant an one year)

Brule County

Domographic Information		Health Status Indicators 2016-2020				
Demographic Information		Health Status Indica	ators 2016-2020			
Brule County is located in the south central part of the state and averages 6.4 persons per square mile. Chamberlain is the largest city in Brule County.		Natality Percent of Low Birth Weight Infants 5.6 • Percent of Mothers Receiving 64.2 Care in 1st Trimester 64.2 Percent of Mothers Who Smoked 6 Cigarettes While Pregnant ¹ 12.2 Percent of Births Less Than 37 Wks. of Gestation 7.3 Average Age of Mother 27.8 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 19.7 Percent American Indian, Non-Hispanic Births 19.7 Percent Hispanic Births 2.8 o Percent Unmarried 40.6 Percent WIC births 33.9 Percent Breastfeeding at discharge 78.9 Percent Payment-Private Insurance 62.6	All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia • COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries	Rate ³ 698.6 196.8 129.7 34.6 17.6 19.1 LNE UNE 9.6 63.3 33.7 29.5 19.5 54.5		
		Percent Payment-Medicaid 32.3	Motor Vehicle Accidents	10.9		
2020 Population InformationSubjectNumberPTotal population5,254White4,341American Indian & Alaska Native515Hispanic157Black or African American31Asian24	Percent 100.0 82.6 9.8 3.0 0.6 0.5	○ Percent Ć-Section 31.8	Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Heart Disease	16.0 11.4 27.7 20.0 8.3 Deaths per Year 15		
Pacific Islander 2 Multi-Racial 184 Under 5 years 326 Under 18 years 1,400 65 years and over 1,003	6.2 26.6 19.1		 Cancer COVID-19 (2020) Unintentional Injuries Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Suicide Diabetes Kidney Disease Pneumonitis Due to Solids/Liquids Percent of Deaths due to tobacco use Median age at death 	11 5 3 3 2 2 1 1 1 1 1 4.9 78		
 Source: United States Census Bureau, 2020 Population Estimates		 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics 	s significantly ity are age- lation. Infant an one year)		

Buffalo County

Demographic In	formation			ndica	ators 2016-2020	
Demographic Information			Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ • Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother • Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births • Percent Unmarried • Percent WIC births • Percent Breastfeeding at discharge	9.9 29.1 22.3 15.7 26.3 38.8 12.5 76.0 2.6 75.5 63.5 41.5	• All Causes • Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia • COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke • Unintentional Injuries	Rate ³ 1,902.0 416.8 203.5 81.8 51.1 LNE LNE LNE 814.1 53.9 LNE LNE LNE 181.4
	•		 Percent Payment-Private Insurance Percent Payment-Medicaid Percent C-Section 	13.5 77.1 21.4	 Onintentional injuries Motor Vehicle Accidents Diabetes 	62.7 192.5
2020 Population In Subject Total population American Indian & Alaska Native White Hispanic Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	nformation Number 1,956 1,496 304 91 10 2 2 51 10 2 51	Percent 100.0 76.6 14.9 5.4 0.7 0.1 0.1 2.3 9.2 38.0 8.9		21.4	Influenza and Pneumonia • Suicide • Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Heart Disease 3. Cancer Unintentional Injuries Suicide Diabetes 7. Chronic Liver Disease and Cirrhosis Percent of Deaths due to tobacco use Median age at death	102.6 58.9 155.4 94.5 13.4 Deaths per Year 12 5 3 3 3 2 22.6 63
 Source: United States Census Bureau, 2 Estimates	2020 Population		 Denotes a health status indicator which is significantly low the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reported ²Teenage Birth rate is live births per 1,000 females age 15 	higher I.	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popumortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Statistics 	s significantly ity are age- lation. Infant an one year)

Butte County

Demographic Inform	mation		Health Status Ind	dica	tors 2016-2020	
			Natality		Mortality	
			Percent of Mothers Receiving Care in 1st Trimester 75 • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ 1 Percent of Births Less Than 37 Wks. of Gestation	6.9 9.9 7.5 9.6 7.6	All Causes Heart Disease ○ Cancer ○ Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast	Rate ³ 785.8 159.8 195.0 58.2 25.2 17.4
			Teenage Birth Rate ² Percent White, Non-Hispanic Births 9:	8.5 2.1 1.4	Pancreas Prostate Leukemia	9.0 20.6 4.7
	sound (Ĵ	Percent Hispanic Births	3.4 3.2	COVID-19 (2020) ○ Chronic Lower Respiratory Diseases	120.3 68.0
Butte County is located on the western border 4.7 people per square mile. Belle Fourche is County.	of the state ar s the largest o	nd averages city in Butte	 Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance 	6.2 5.8 5.2	Alzheimer's Disease Stroke Unintentional Injuries	34.2 50.2 50.0
	_		,	4.9 1.0	Motor Vehicle Accidents Diabetes	16.1 24.2
2020 Population Infor	rmation				Influenza and Pneumonia	9.2
Subject Total population White	Number 10,538 9,527	Percent 100.0 90.4			Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	13.3 11.5 6.2
Hispanic American Indian & Alaska Native Black or African American Asian	435 209 55 50	4.1 2.0 0.5 0.5			Leading Causes of Death	Deaths per Year
Pacific Islander Multi-Racial	15 247	0.1 2.3			1. Cancer 2. Heart Disease 3. COVID-19 (2020)	29 24 19
Under 5 years Under 18 years 65 years and over	705 2,630 2,181	6.7 25.0 20.7			 Chronic Lower Respiratory Diseases Stroke Unintentional Injuries Alzheimer's Disease Diabetes 	10 7 5 5 3
					9. Suicide Influenza and Pneumonia Dementia (Vascular)	1 1 1
					Percent of Deaths due to tobacco use Median age at death	18.9 78
					•Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali	significantly ty are age-
			•Denotes a health status indicator which is significantly lower the state average.	than	adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births.	
Source: United States Census Bureau, 2020	Population		 Denotes a health status indicator which is significantly high than the state average. 	gher	See technical notes for more information.	
Estimates			¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17	7.	Source: South Dakota Department of Hea Health Statistics	lth, Office of

Campbell County

Demographic In	formation			ndica	ators 2016-2020	
Demographic In Image: Composition of the provided set of the	central portion of th		Health Status I Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance • Percent C-Section	ndica LNE 83.3 LNE 9.8 29.3 LNE 86.9 LNE 13.1 19.7 90.0 71.2 13.6 19.7	Ators 2016-2020 Mortality • All Causes Heart Disease • Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) • Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes	Rate ³ 579.2 132.0 84.8 21.2 LNE LNE LNE LNE 136.3 18.0 LNE 38.3 102.6 57.5 LNE
2020 Population I	nformation		Percent C-Section	19.7	Influenza and Pneumonia Suicide	19.9 LNE
Subject	Number	Percent			Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	LNE
Total population White Hispanic American Indian & Alaska Native Black or African American Asian Pacific Islander Multi-Racial	1,380 1,301 43 17 4 4 4 0 11	100.0 94.3 3.1 1.2 0.3 0.3 0.0 0.8			Leading Causes of Death 1. COVID-19 (2020) Heart Disease 3. Cancer Unintentional Injuries 5. Stroke	Deaths per Year 4 2 2 1
Under 5 years Under 18 years 65 years and over	66 241 423	4.8 17.5 30.7			Percent of Deaths due to tobacco use Median age at death	21.4 79
 Source: United States Census Bureau, 2 Estimates	2020 Population		 Denotes a health status indicator which is significantly low the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reported ²Teenage Birth rate is live births per 1,000 females age 15- 	higher I.	 Denotes a health status indicator which lower than the state average. Denotes a health status indicator which higher than the state average. ³All mortality rates except infant morta adjusted death rates per 100,000 popumortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of He Health Statistics 	is significantly lity are age- ulation. Infant lan one year)

Charles Mix County

Demographic Information			Health Status Indicators 2016-2020				
Charles Mix County is located in the south centraverages 8.4 persons per square mile. Wagr Charles Mix County.			Natality • Percent of Low Birth Weight Infants 5. • Percent of Mothers Receiving 64. • Percent of Mothers Who Smoked 64. • Cigarettes While Pregnant ¹ 17. Percent of Births Less Than 37 Wks. of Gestation 8. • Average Age of Mother 27. • Teenage Birth Rate ² 21. Percent White, Non-Hispanic Births 48. Percent American Indian, Non-Hispanic Births 41. Percent Hispanic Births 2. • Percent Ulmarried 48. • Percent WIC births 44. Percent Breastfeeding at discharge 75. • Percent Payment-Private Insurance 46. • Percent Payment-Medicaid 41.	 All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 945.5 180.6 165.9 33.7 27.6 23.5 8.2 21.2 3.7 117.0 40.5 49.7 30.3 93.0 29.2		
2020 Population Inform	nation		 ○ Percent C-Section 31. 	 Influenza and Pneumonia 	56.0 35.8		
Subject Total population White	Number 9,262 5,787	Percent 100.0 62.5		Suicide	30.4 50.8 4.5		
American Indian & Alaska Native Hispanic Black or African American Asian Pacific Islander Multi-Racial	2,772 367 42 23 0 271	29.9 4.0 0.5 0.2 0.0 2.9		Leading Causes of Death Heart Disease Cancer 	Deaths per Year		
Under 5 years Under 18 years 65 years and over	795 2,788 1,736	8.6 30.1 18.7		 COVID-19 (2020) Unintentional Injuries Alzheimer's Disease Diabetes Chronic Lower Respiratory Diseases Influenza and Pneumonia Stroke Chronic Liver Disease and Cirrhosis 	16 9 8 6 6 5 4 4		
				Percent of Deaths due to tobacco use Median age at death	17.0 78		
			 Denotes a health status indicator which is significantly lower th the state average. 		is significantly ality are age- ulation. Infant		
Source: United States Census Bureau, 2020 P Estimates	opulation		 Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 	See technical notes for more information. Source: South Dakota Department of He Health Statistics	ealth, Office of		

Clark County

Demographic Information		Health Status Ind	cators 2016-2020
Clark County is located in east central South Dakota and av persons per square mile. Clark is the largest city in Clark Co		Natality Percent of Low Birth Weight Infants 9. Percent of Mothers Receiving 69. Care in 1st Trimester 69. Percent of Mothers Who Smoked 7. Cigarettes While Pregnant ¹ 9. Percent of Births Less Than 37 Wks. of Gestation 10. • Average Age of Mother 29. Teenage Birth Rate ² LN Percent White, Non-Hispanic Births 92. Percent American Indian, Non-Hispanic Births 2. Percent Hispanic Births 3. • Percent Unmarried 14. • Percent WIC births 18. Percent Breastfeeding at discharge 86. • Percent Payment-Private Insurance 83. • Percent C-Section 23.	Mortality All Causes 694. Heart Disease 125. Cancer 157. Trachea, Bronchus, & Lung 26. Colon, Rectum, & Anus 20. Female Breast 14. Pancreas 14. Prostate 23. Leukemia 13. COVID-19 (2020) LN Chronic Lower Respiratory Diseases 37. Alzheimer's Disease 25. Stroke 38. Unintentional Injuries 45. Motor Vehicle Accidents LN
2020 Population Information			Influenza and Pneumonia 32. Suicide LN
Subject Number	Percent		Chronic Liver Disease and Cirrhosis LN Infant Mortality (2011-2020) 6.
Total population3,802White3,540Hispanic144Black or African American57American Indian & Alaska Native16Asian10Pacific Islander0Multi-Racial35	100.0 93.1 3.8 1.5 0.4 0.3 0.0 0.9		Leading Causes of DeathDeaths per Yea1. Cancer102. Heart Disease83. Stroke34. Chronic Lower Respiratory Diseases2
Under 5 years386Under 18 years1,06965 years and over851	10.2 28.1 22.4		Unintentional Injuries2Alzheimer's Disease2Diabetes2Influenza and Pneumonia2Percent of Deaths due to tobacco use15.8
		 Denotes a health status indicator which is significantly lower th the state average. 	Median age at death 83 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. 3All mortality rates except infant mortality are age adjusted death rates per 100,000 population. Infan mortality is the number of infant (less than one year deaths per 1,000 live births.
Source: United States Census Bureau, 2020 Population Estimates		^a Denotes a health status indicator which is significantly high than the state average. ¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	er See technical notes for more information. Source: South Dakota Department of Health, Office o Health Statistics

Clay County

Domographic Inf	ormation		Ciay County	India	ators 2016 2020		
Demographic Inf	ormation		Health Status Indicators 2016-2020				
			Natality		Mortality		
Clay County is located in the southeastern 34.6 persons per square mile. Vermillio County.			Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Unmarried Percent WIC births Percent Payment-Private Insurance Percent C-Section 	5.2 83.1 11.4 7.1 28.7 8.8 76.9 9.6 4.0 33.9 29.0 80.0 63.3 31.8 29.4	All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia • Suicide	Rate ³ 803.9 186.2 173.3 38.6 9.4 24.1 13.2 37.7 4.6 99.0 57.8 38.4 38.1 40.3 16.0 20.4 23.1 8.7	
2020 Population In	formation				Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	8.7 11.5 4.2	
Subject Total population	Number 14,246	Percent 100.0			Leading Causes of Death	Deaths per Year	
White American Indian & Alaska Native Hispanic Asian Black or African American Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	12,350 482 461 362 234 12 345 699 2,510 1,781	86.7 3.4 3.2 2.5 1.6 0.1 2.4 4.9 17.6 12.5			 Heart Disease Cancer COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Influenza and Pneumonia Diabetes Hypertension Percent of Deaths due to tobacco use Median age at death 	25 23 12 8 5 5 5 3 3 2 19.4 78	
Source: United States Census Bureau, 20	020 Population		 Denotes a health status indicator which is significantly I the state average. Denotes a health status indicator which is significan than the state average. ¹Data for mothers who smoked cigarettes are self-repor ²Teenage Birth rate is live births per 1,000 females age 	tly higher ed.	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popul mortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Statistics 	s significantly lity are age- llation. Infant an one year)	

Codington County

Domographic Information			Health Status Indicators 2016-2020				
Demographic Information							
		I	Natality		Mortality		
			 Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births 	6.9 83.9 16.3 10.1 28.1 3.8 88.1 4.4	All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COUNE 10 (0000)	Rate ³ 687.5 149.1 158.4 40.0 18.5 20.6 11.6 17.3 5.5	
Codington County is located in eastern South persons per square mile. Watertown is th County. 2020 Population Inf	ne largest city in		Percent Hispanic Births Percent Unmarried Percent WIC births Percent Breastfeeding at discharge • Percent Payment-Private Insurance • Percent Payment-Medicaid	3.1 35.2 29.3 79.9 71.7 25.1	COVID-19 (2020) Chronic Lower Respiratory Diseases • Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents	161.9 36.5 29.3 30.5 42.2 14.9	
Subject	Number	Percent	Percent C-Section	22.6	 Diabetes Influenza and Pneumonia 	16.3 17.9	
Total population White Hispanic	28,186 25,758 972	100.0 91.4 3.4			Suicide • Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	13.7 10.1 5.1	
American Indian & Alaska Native Asian Black or African American	625 205 203	2.2 0.7 0.7			Leading Causes of Death	Deaths per Year	
Pacific Islander Multi-Racial Under 5 years	3 420 1,655	0.0 1.5 5.9			1. COVID-19 (2020) 2. Heart Disease 3. Cancer 4. Chronic Lower Respiratory Diseases	68 62 61 15	
Under 18 years 65 years and over	6,615 5,269	23.5 18.7			 5. Unintentional Injuries Stroke Alzheimer's Disease 8. Influenza and Pneumonia 9. Diabetes 10. Hypertension 	13 13 13 8 6 4	
					Percent of Deaths due to tobacco use Median age at death	23.8 81	
			 Denotes a health status indicator which is significantly least the state average. 		•Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births.	s significantly ty are age- ation. Infant	
Source: United States Census Bureau, 202 Estimates	20 Population		 ○Denotes a health status indicator which is significan than the state average. ¹Data for mothers who smoked cigarettes are self-report ²Teenage Birth rate is live births per 1,000 females age 	ed.	See technical notes for more information. Source: South Dakota Department of Hea Health Statistics	lth, Office of	

Corson County

Demographic Information			Health Status Indicators 2016-2020				
			Natality Percent of Low Birth Weight Infants 9 • Percent of Mothers Receiving 40 Care in 1st Trimester 40 • Percent of Mothers Who Smoked 24 Cigarettes While Pregnant ¹ 24 • Percent of Births Less Than 37 Wks. of Gestation 15	Cancer .1 Trachea, Bronchus, & Lung	Rate ³ 1,485.2 282.3 199.7 39.5 12.7		
Corson County is located in the north averages 1.6 persons per square mile. Corson County.			Average Age of Mother 26 Teenage Birth Rate ² 33 Percent White, Non-Hispanic Births 18 Percent American Indian, Non-Hispanic Births 77 Percent Hispanic Births 77 Percent Unmarried 77 Percent WIC births 52 Percent Breastfeeding at discharge 52 Percent Payment-Private Insurance 17	 Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke O Unintentional Injuries 	LNE LNE 16.6 346.8 47.9 20.3 41.2 154.1		
2020 Population	Information		 ○ Percent Payment-Medicaid 7⁴ Percent C-Section 26 		43.8 96.8		
Subject Total population American Indian & Alaska Native White Hispanic Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 5 years 65 years and over	Number 4,031 2,494 1,161 207 18 18 18 1 132 431 1,470 494	Percent 100.0 61.9 28.8 5.1 0.4 0.4 0.0 3.3 10.7 36.5 12.3	Percent C-Section 20	 Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death COVID-19 (2020) Heart Disease Cancer Unintentional Injuries Diabetes Chronic Liver Disease and Cirrhosis Suicide Influenza and Pneumonia Chronic Lower Respiratory Diseases Stroke Homicide Percent of Deaths due to tobacco use Median age at death Courte Courte Courte	56.6 48.3 101.9 9.8 Deaths per Year 14 10 7 5 4 4 2 2 2 1 1 1 9.8 65		
 Source: United States Census Bureau, Estimates	2020 Population		 Denotes a health status indicator which is significantly lower t the state average. Denotes a health status indicator which is significantly hig than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17 	her See technical notes for more information.	s significantly lity are age- llation. Infant an one year)		

Custer County

Demographic Information			Health Status Indicators 2016-2020				
	ormation						
			Natality		Mortality		
			Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation ○ Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births	6.6 75.0 14.7 8.7 29.2 7.6 30.3 6.9 5.5	 All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) 	Rate ³ 672.9 129.4 137.5 27.4 14.8 11.0 5.7 12.6 7.6 61.9	
Custer County is located in the southern persons per square mile. Custer is the large			Percent WIC births 22 Percent Breastfeeding at discharge 8	34.1 24.1 37.6 58.8	 Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries 	26.3 19.0 40.6 76.0	
2020 Population Ir	oformation		Percent Payment-Medicaid 3	32.5	Motor Vehicle Accidents	22.8	
Subject Total population White Hispanic American Indian & Alaska Native Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Number 9,017 8,054 362 296 70 70 2 163 319 1,308 2,948	Percent 100.0 89.3 4.0 3.3 0.8 0.0 1.8 3.5 14.5 32.7	Percent C-Section 2	20.2	 Diabetes Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Cancer 2. Heart Disease 3. COVID-19 (2020) 4. Unintentional Injuries 5. Stroke 6. Chronic Lower Respiratory Diseases Influenza and Pneumonia 8. Alzheimer's Disease Suicide 10. Chronic Liver Disease and Cirrhosis Percent of Deaths due to tobacco use Median age at death 	6.8 24.9 30.6 18.4 4.2 Deaths per Year 25 22 11 9 7 4 4 3 3 2 19.0 77	
 Source: United States Census Bureau, 2 Estimates	020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly h than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-1 	igher	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics 	s significantly ity are age- lation. Infant an one year)	

Davison County

Demographic Information		Health Status Indicators 2016-2020				
Demographic Information		Natality Percent of Low Birth Weight Infants 7.6 • Percent of Mothers Receiving 6 Care in 1st Trimester 85.3 • Percent of Mothers Who Smoked 15.6 Cigarettes While Pregnant ¹ 15.6 Percent of Births Less Than 37 Wks. of Gestation 9.9 • Average Age of Mother 27.8 Teenage Birth Rate ² 6.6 Percent White, Non-Hispanic Births 82.9 Percent American Indian, Non-Hispanic Births 6.7 Percent Hispanic Births 6.1 • Percent Unmarried 39.7 Percent WIC births 31.7 Percent Breastfeeding at discharge 76.7	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases • Alzheimer's Disease • Stroke	Rate ³ 766.6 164.7 147.0 42.8 13.9 19.0 11.1 17.4 6.1 157.7 48.6 25.7 47.4		
Davison County is located in eastern South Dakota and aver persons per square mile. Mitchell is the largest city in Davison 2020 Population Information		 ○ Percent Payment-Private Insurance 66.3 Percent Payment-Medicaid 28.7 ○ Percent C-Section 33.5 	Unintentional Injuries • Motor Vehicle Accidents Diabetes Influenza and Pneumonia Suicide • Chronic Liver Disease and Cirrhosis	43.9 8.7 23.7 19.1 16.8 10.6		
SubjectNumberTotal population19,812White17,756Hispanic786	Percent 100.0 89.6 4.0		Chronic Liver Disease and Cirnosis Infant Mortality (2011-2020) Leading Causes of Death	5.1 Deaths per Year		
American Indian & Alaska Native561Black or African American170Asian158Pacific Islander12Multi-Racial369	2.8 0.9 0.8 0.1 1.9		 Heart Disease COVID-19 (2020) Cancer Stroke Chronic Lower Respiratory Diseases Unintentional Injuries 	53 52 43 16 14 11		
Under 5 years 1,213 Under 18 years 4,618 65 years and over 3,975	6.1 23.3 20.1		 7. Alzheimer's Disease 8. Influenza and Pneumonia Diabetes 10. Dementia (Unspecified Type) Hypertension 	10 7 7 6 6		
			Percent of Deaths due to tobacco use Median age at death	19.2 81		
		 Denotes a health status indicator which is significantly lower than the state average. 	•Denotes a health status indicator which i lower than the state average. •Denotes a health status indicator which i higher than the state average. ³ All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less the deaths per 1,000 live births.	is significantly lity are age- llation. Infant		
Source: United States Census Bureau, 2020 Population		^o Denotes a health status indicator which is significantly higher than the state average. ¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	See technical notes for more information. Source: South Dakota Department of Hea Health Statistics	alth, Office of		

Day County

.	Day County				
Demographic Information	Health Status Indicators 2016-2020				
	NatalityPercent of Low Birth Weight Infants6.2Percent of Mothers Receiving Care in 1st Trimester71.6• Percent of Mothers Who Smoked Cigarettes While Pregnant122.6Percent of Births Less Than 37 Wks. of Gestation7.6	Mortality Rate ³ All Causes 816.3 Heart Disease 177.0 Cancer 147.1 Trachea, Bronchus, & Lung 32.2 Colon, Rectum, & Anus 16.6			
Day County is located in the northeastern part of the state and average	Average Age of Mother 28.8 Teenage Birth Rate ² 5.9 Percent White, Non-Hispanic Births 71.6 Percent American Indian, Non-Hispanic Births 18.5 Percent Hispanic Births 3.3 Percent Unmarried 36.0 Percent WIC births 37.5 Percent Breastfeeding at discharge 75.5	Female Breast9.9Pancreas14.4ProstateLNELeukemiaLNECOVID-19 (2020)195.4Chronic Lower Respiratory Diseases30.9Alzheimer's Disease40.3Stroke46.0			
5.2 persons per square mile. Webster is the largest city in Day County		Unintentional Injuries70.9Motor Vehicle Accidents27.6Diabetes21.2Influenza and Pneumonia23.6			
2020 Population Information		Suicide 22.1			
Subject Number Percent Total population 5,345 100.0 White 4,588 85.8		Chronic Liver Disease and Cirrhosis24.0Infant Mortality (2011-2020)LNE			
American Indian & Alaska Native4678.7Hispanic1292.4Asian350.7Black or African American230.4Pacific Islander00.0Multi-Racial1031.5		Leading Causes of DeathDeaths per Year1. COVID-19 (2020)252. Heart Disease193. Cancer154. Alzheimer's Disease6			
Under 5 years 281 5.3 Under 18 years 1,181 22.1 65 years and over 1,447 27.1		Stroke66. Unintentional Injuries47. Chronic Lower Respiratory Diseases3Influenza and Pneumonia39. Diabetes210. Suicide1			
		Percent of Deaths due to tobacco use 14.9 Median age at death 83 			
	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher 	lower than the state average. •Denotes a health status indicator which is significantly higher than the state average. ³ All mortality rates except infant mortality are age- adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.			
Source: United States Census Bureau, 2020 Population Estimates	¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics			

Deuel County

		Deach County				
Demographic Information		Health Status Indicators 2016-2020				
		Natality Percent of Low Birth Weight Infants 4.8 Percent of Mothers Receiving 6 Care in 1st Trimester 85.7 Percent of Mothers Who Smoked 6 Cigarettes While Pregnant ¹ 9.9 Percent of Births Less Than 37 Wks. of Gestation 7.7 Average Age of Mother 28.7 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 92.0 Percent American Indian, Non-Hispanic Births 1.5	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia 	Rate ³ 657.2 145.1 164.5 27.3 15.1 19.5 10.8 LNE 7.9		
Deuel County borders Minnesota and averages 7.0 persons pe mile. Clear Lake is the largest city in Deuel County. 2020 Population Information	er square	Percent Hispanic Births 1.3 Percent Hispanic Births 5.5 • Percent Unmarried 19.7 • Percent WIC births 15.4 Percent Breastfeeding at discharge 84.6 • Percent Payment-Private Insurance 76.8 • Percent Payment-Medicaid 15.1 Percent C-Section 19.4	COVID-19 (2020) Chronic Lower Respiratory Diseases • Alzheimer's Disease Stroke • Unintentional Injuries Motor Vehicle Accidents Diabetes	97.8 63.4 21.8 57.0 16.5 10.6 13.4		
Subject Number P	Percent		Influenza and Pneumonia Suicide	11.8 11.3		
Total population4,346White4,063Hispanic162	100.0 93.5 3.7		Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	7.9 LNE		
Black or African American34American Indian & Alaska Native31Asian7Pacific Islander0Multi-Racial49	0.8 0.7 0.2 0.0 1.1		Leading Causes of Death Cancer Heart Disease 	Deaths per Year 12 10		
Under 5 years 270 Under 18 years 1,043 65 years and over 967	6.2 24.0 22.3		 Real Disease COVID-19 (2020) Chronic Lower Respiratory Diseases Stroke Septicemia Alzheimer's Disease Influenza and Pneumonia Unintentional Injuries Pneumonitis due to Solids and Liquids Diabetes Hypertension 	8 5 4 2 2 1 1 1 1 1		
		 Denotes a health status indicator which is significantly lower tha the state average. Denotes a health status indicator which is significantly higher 		significantly y are age- ation. Infant		
Source: United States Census Bureau, 2020 Population Estimates		than the state average. ¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	Source: South Dakota Department of Heal Health Statistics	th, Office of		

Dewey County

Demographic Information			Health Status Indicators 2016-2020				
Dewey County is located in the north ce averages 2.5 persons per square mile. En Dewey County.	entral region of the la	e state and argest city in	Natality • Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ • Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother • Teenage Birth Rate ² • Percent White, Non-Hispanic Births Percent Hispanic Births • Percent Unmarried • Percent WIC births • Percent Reastfeeding at discharge • Percent Payment-Private Insurance	9.5 4.3 6.5 7.5 6.3 9.3 3.6 6.3 2.2 9.8 1.9 9.5 9.3 7.5	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 1,367.4 190.7 193.8 50.6 LNE 32.9 17.4 LNE 20.0 384.0 41.2 21.4 44.2 129.4 129.8 20.8	
2020 Population Ir	nformation		Percent C-Section 2	6.9	 Diabetes Influenza and Pneumonia 	90.8 53.5	
Subject Total population American Indian & Alaska Native White Hispanic Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Number 5,789 4,138 1,099 256 26 14 1 255 681 2,192 580	Percent 100.0 71.5 19.0 4.4 0.2 0.0 4.4 11.8 37.9 10.0			Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death COVID-19 (2020) Cancer Heart Disease Unintentional Injuries Chronic Liver Disease and Cirrhosis Diabetes Suicide Influenza and Pneumonia Chronic Lower Respiratory Diseases Stroke Percent of Deaths due to tobacco use Median age at death Denotes a health status indicator which is lower than the state average. 	46.5 105.8 7.7 Deaths per Year 17 10 8 6 5 4 3 2 2 2 2 17.0 63 s significantly	
 Source: United States Census Bureau, 2 Estimates	2020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17 	gher	 Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics 	ity are age- lation. Infant an one year)	

Douglas County

	Douglas County				
Demographic Information	Health Status Indicators 2016-2020				
Demographic Information	Health Status Indica Health Status Indica Natality • Percent of Low Birth Weight Infants 3.7 Percent of Mothers Receiving 81.7 Care in 1st Trimester 81.7 Percent of Mothers Who Smoked 6 Cigarettes While Pregnant ¹ 8.3 • Percent of Births Less Than 37 Wks. of Gestation 5.5 Average Age of Mother 28.6 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 94.5 Percent Hispanic Births 1.4 • Percent Hispanic Births 1.4 • Percent Unmarried 12.3 s • Percent WIC births 15.7	All Causes • All Causes • Heart Disease • Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases • Alzheimer's Disease Stroke	Rate ³ 652.9 106.0 109.6 21.2 13.5 32.2 12.3 LNE 142.3 36.2 65.5 30.7		
County.	 Percent Payment-Private Insurance 74.3 	 Unintentional Injuries 	32.4		
2020 Population InformationSubjectNumberPercerTotal population2,906100White2,71393American Indian & Alaska Native742	D 4	Motor Vehicle Accidents Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	LNE 31.4 16.6 37.8 LNE LNE		
Alterical Indian Calaska Native742Hispanic602Black or African American130Asian40Pacific Islander IslanderIslander00Multi-Racial421	1 4 1 D	Leading Causes of Death 1. COVID-19 (2020) 2. Heart Disease	Deaths per Year 10 8		
Under 5 years2317Under 18 years7612665 years and over70624	2	 Treat Disease Cancer Alzheimer's Disease Unintentional Injuries Chronic Lower Respiratory Diseases Diabetes Stroke Influenza and Pneumonia Kidney Disease 	6 6 2 2 2 2 1 1		
		Percent of Deaths due to tobacco use Median age at death	15.4 88		
	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher 	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortalit adjusted death rates per 100,000 popula mortality is the number of infant (less tha deaths per 1,000 live births. See technical notes for more information. 	significantly ty are age- ation. Infant		
Source: United States Census Bureau, 2020 Population Estimates	than the state average. ¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	Source: South Dakota Department of Heal Health Statistics	lth, Office of		

Edmunds County

Demographic Informati	on		Health Status I	ndica	tors 2016-2020	
		フ	Natality		Mortality	
		\leq	Percent of Low Birth Weight Infants	6.5	-	Rate ³
			 Percent of Mothers Receiving 		All Causes	642.7
			Care in 1st Trimester	60.3	Heart Disease	131.3
	┕╴╷		 Percent of Mothers Who Smoked 		Cancer	113.2
			Cigarettes While Pregnant ¹	6.1	Trachea, Bronchus, & Lung	23.6
			Percent of Births Less Than 37 Wks. of Gestation	7.8	Colon, Rectum, & Anus	9.3
			Average Age of Mother	28.9	Female Breast	LNE
		7	Teenage Birth Rate ²	8.0	Pancreas	LNE
	┯┶┙	\square	Percent White, Non-Hispanic Births	94.8	Prostate	LNE
	~ Londy	14	Percent American Indian, Non-Hispanic Births	1.3	Leukemia	LNE
		1	Percent Hispanic Births	2.2	COVID-19 (2020)	119.3
				11.7	Chronic Lower Respiratory Diseases Alzheimer's Disease	39.1
Edmunds County is located in the north central regi	on of th	a atata and	Percent WIC births	9.3	Stroke	33.1 26.1
averages 3.4 persons per square mile. Ipswich is				90.4	Unintentional Injuries	66.7
Edmunds County.		igest city in	 Percent Payment-Private Insurance Percent Payment Medicaid 	87.8 10.0	Motor Vehicle Accidents	26.6
Editional County.			Percent Payment-Medicaid Percent C-Section	27.0	Diabetes	20.0
				27.0	Influenza and Pneumonia	23.1
2020 Population Informat	ion				Suicide	LNE
•		Demonst			Chronic Liver Disease and Cirrhosis	LNE
	ımber	Percent			Infant Mortality (2011-2020)	6.4
	3,817	100.0				0.1
	3,635	95.2			Loading Courses of Death	Deaths
Hispanic	79	2.1			Leading Causes of Death	per Year
American Indian & Alaska Native Asian	40 15	1.0 0.4				
Black or African American	13	0.4			1. COVID-19 (2020)	10
Pacific Islander	0	0.0			Heart Disease	10
Multi-Racial	35	0.9			3. Cancer	7
					4. Unintentional Injuries	4
					5. Chronic Lower Respiratory Diseases Alzheimer's Disease	3 3 2 2
Under 5 years	229	6.0			7. Stroke	3
Under 18 years	863	22.6			Influenza and Pneumonia	2
65 years and over	876	22.9			Diabetes	2
					10. Septicemia	1
					Percent of Deaths due to tobacco use	16.1
					Median age at death	82
					•Denotes a health status indicator which is	significantly
					lower than the state average.	significantiy
					 Denotes a health status indicator which is 	significantly
					higher than the state average.	, significantly
					³ All mortality rates except infant mortali	tv are age-
					adjusted death rates per 100,000 popul	
					mortality is the number of infant (less that	
			•Denotes a health status indicator which is significantly lowe	er than	deaths per 1,000 live births.	···· , ··· /
			the state average.			
			oDenotes a health status indicator which is significantly	higher	See technical notes for more information.	
Source: United States Census Bureau, 2020 Popula	ation		than the state average.			
Estimates	auon		¹ Data for mothers who smoked cigarettes are self-reported.		Source: South Dakota Department of Hea	Ith, Office of
			² Teenage Birth rate is live births per 1,000 females age 15-	17.	Health Statistics	

Fall River County

Faulk County

Demographic Info	ormation		Health Status Indicators 2016-2020			
<u>Domographic inc</u>						
		7	Natality		Mortality	
		٦	Percent of Low Birth Weight Infants Descent of Mathema Description	3.5		Rate ³
		4	Percent of Mothers Receiving Care in 1st Trimester	60.5	All Causes Heart Disease	708.6 149.7
			Percent of Mothers Who Smoked	00.5	Cancer	149.7
			Cigarettes While Pregnant ¹	2.3	Trachea, Bronchus, & Lung	32.2
			Percent of Births Less Than 37 Wks. of Gestation	4.1	Colon, Rectum, & Anus	26.6
Show the second			 Average Age of Mother 	29.7	Female Breast	LNE
		Į	Teenage Birth Rate ²	LNE	Pancreas	15.3
	───╲╞┯┯┿		Percent White, Non-Hispanic Births	98.8	Prostate	27.9
	want h	ζ	Percent American Indian, Non-Hispanic Births	LNE		LNE
		~	Percent Hispanic Births	LNE	COVID-19 (2020)	205.3
			Percent Unmarried Derecent W//C bitthe	7.0	Chronic Lower Respiratory Diseases Alzheimer's Disease	31.8 46.5
Faulk County is located in north central Sou			Percent WIC births Percent Breastfeeding at discharge	10.6 93.0	Stroke	40.5
persons per square mile. Faulkton is the la	rgest city in Faulk	County.	 Percent Dreastreeding at discharge Percent Payment-Private Insurance 	93.0 91.3	Unintentional Injuries	38.3
			Percent Payment-Medicaid	8.1	Motor Vehicle Accidents	LNE
2020 Population Inf	formation		Percent C-Section	23.8	Diabetes	LNE
-		_			Influenza and Pneumonia	LNE
Subject	Number	Percent			Suicide	LNE
Total population	2,306	100.0			Chronic Liver Disease and Cirrhosis	29.6
White	2,246	97.4			Infant Mortality (2011-2020)	LNE
Hispanic Black or African American	21 10	0.9 0.4			Leading Causes of Death	Deaths
Asian	10	0.4			Louding Gudobo of Doutin	per Year
American Indian & Alaska Native	8	0.3				0
Pacific Islander	0	0.0			1. COVID-19 (2020) 2. Heart Disease	9 7
Multi-Racial	11	0.5			3. Cancer	6
					4. Alzheimer's Disease	3
Under 5 years	189	8.2			5. Chronic Lower Respiratory Diseases	2
Under 18 years	588	25.5			Unintentional Injuries	2
65 years and over	564	24.5			Stroke	2
					Percent of Deaths due to tobacco use	9.1
					Median age at death	85
					•Denotes a health status indicator which is	s significantly
					lower than the state average.	
					 Denotes a health status indicator which is 	s significantly
					higher than the state average.	
					³ All mortality rates except infant mortali	
					adjusted death rates per 100,000 popul mortality is the number of infant (less that	
			•Denotes a health status indicator which is significantly low the state average.	wer than	deaths per 1,000 live births.	an one year)
			oDenotes a health status indicator which is significantly	/ higher	See technical notes for more information.	
			than the state average.			
Source: United States Census Bureau, 202 Estimates	20 Population		¹ Data for mothers who smoked cigarettes are self-reporte ² Teenage Birth rate is live births per 1,000 females age 1		Source: South Dakota Department of Hea Health Statistics	alth, Office of

Grant County

Deres europhis luf			Grant County Health Status Indicators 2016 2020				
Demographic Infe	ormation		Health Status Indicators 2016-2020				
			Percent of Mothers Receiving 7 Care in 1st Trimester 7 Percent of Mothers Who Smoked 7 Cigarettes While Pregnant ¹ 7 Percent of Births Less Than 37 Wks. of Gestation 7 Average Age of Mother 2 Teenage Birth Rate ² L Percent White, Non-Hispanic Births 8 Percent American Indian, Non-Hispanic Births 8	Mortality 5.8 Rate ³ All Causes 809.1 3.2 Heart Disease 152.2 Cancer 141.9 3.7 Colon, Rectum, & Anus 11.1 3.3 Female Breast 23.0 Pancreas 10.0 9.9 Leukemia 4.6 2.2 COVID-19 (2020) 256.4 6.1 Chronic Lower Respiratory Diseases 52.1 2.1 State 59.8			
Grant County borders Minnesota in nort averages 10.3 persons per square mile. Grant County. 2020 Population In	Milbank is the la		Percent WIC births 1 Percent Breastfeeding at discharge 8 Percent Payment-Private Insurance 7 Percent Payment-Medicaid 2	9.1 Stroke 52.0 9.1 Unintentional Injuries 64.8 5.9 Motor Vehicle Accidents 33.7 1.0 Diabetes 20.8 0.0 Influenza and Pneumonia 16.8 9.8 Suicide 18.3 Chronic Liver Disease and Cirrhosis LNE			
Subject	Number	Percent		Infant Mortality (2011-2020) 4.9			
Total population White Hispanic American Indian & Alaska Native Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	7,000 6,448 335 66 45 21 2 83 83 414 1,536 1,562	100.0 92.1 4.8 0.9 0.6 0.3 0.0 1.2 5.9 21.9 22.3		Leading Causes of DeathDeating per Year1. COVID-19 (2020)332. Heart Disease193. Cancer174. Alzheimer's Disease95. Chronic Lower Respiratory Diseases67. Unintentional Injuries58. Diabetes39. Influenza and Pneumonia2Parkinson's Disease2Percent of Deaths due to tobacco use18.0Median age at death83			
 Source: United States Census Bureau, 2020 Population Estimates			 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly hi than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17 	gher See technical notes for more information. Source: South Dakota Department of Health, Office of			

Gregory County

Demographic Information			Health Status Indicators 2016-2020				
Demographic Inf Image: Construction of the second	ne Missouri River a	Percent 100.0 87.1 7.5 1.5 0.5 0.4 0.0 2.9	Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births Percent Payment-Private Insurance Percent Payment-Medicaid	7.2 74.0 10.4 10.4 28.5 LNE 78.8 13.2 1.6 30.8 29.4 79.9 61.0 32.5 32.4	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Heart Disease 3. Cancer 4. Stroke	Rate ³ 802.2 172.6 150.4 37.9 11.3 9.8 11.6 16.9 11.6 308.3 36.0 28.9 61.3 58.2 19.8 31.5 LNE 19.3 15.5 14.2 Deaths per Year 26 16 12 6	
Black or African American Pacific Islander	17 1	0.4 0.0			2. Heart Disease 3. Cancer	26 16 12	
 Source: United States Census Bureau, 20 Estimates	020 Population		 Denotes a health status indicator which is significantly lowe the state average. Denotes a health status indicator which is significantly h than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-1 	nigher	Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Health Statistics	s significantly ty are age- ation. Infant in one year)	

Haakon County

Demographic In	formation		Health Status Indicators 2016-2020				
Haakon County is located in the west of averages 1.0 person per square mile. Photosometry.	central region of th		Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester 88 Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Cigarettes While Pregnant ¹ 12 Percent of Births Less Than 37 Wks. of Gestation 4 Average Age of Mother 22 Teenage Birth Rate ² Li Percent White, Non-Hispanic Births 8 Percent White, Non-Hispanic Births 4 Percent Hispanic Births 24 Percent Hispanic Births 3 Percent WIC births 3 Percent Breastfeeding at discharge 8 Percent Payment-Private Insurance 74 Percent Payment-Medicaid 24	3.2 5.1 3.7 5.3 7.6 NE 4.2 4.2 1.6 3.0 0.2 4.5	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease • Stroke Unintentional Injuries Motor Vehicle Accidents	Rate ³ 703.6 107.2 158.0 33.1 19.5 46.1 17.2 LNE 214.3 46.4 LNE 13.7 38.2 LNE	
2020 Population I	nformation		Percent C-Section 2	1.1	Diabetes Influenza and Pneumonia	LNE 27.4	
Subject	Number	Percent			Suicide Chronic Liver Disease and Cirrhosis	75.3 LNE	
Total population White American Indian & Alaska Native Hispanic Asian Black or African American Pacific Islander Multi-Racial Under 5 years Under 5 years 65 years and over	1,861 1,704 47 36 8 4 2 60 104 433 470	100.0 91.6 2.5 1.9 0.4 0.2 0.1 3.2 5.6 23.3 25.3			Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Cancer 3. Heart Disease 4. Chronic Lower Respiratory Diseases 5. Influenza and Pneumonia Hypertension Unintentional Injuries Dementia (Unspecified Type) Suicide Percent of Deaths due to tobacco use Median age at death	LNE Deaths per Year 9 5 4 2 1 1 1 1 1 5.1 84	
 Source: United States Census Bureau, 2 Estimates	2020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly high that the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17 	igher	•Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics	s significantly lity are age- llation. Infant an one year)	

Hamlin County

Demographic Information		Health Status Indicators 2016-2020				
		Natality • Percent of Low Birth Weight Infants 3.8 Percent of Mothers Receiving 72.6 Care in 1st Trimester 72.6 Percent of Mothers Who Smoked 71.9 Cigarettes While Pregnant ¹ 11.9	• All Causes Heart Disease Cancer Trachea, Bronchus, & Lung	Rate³ 916.2 134.7 186.9 54.9		
Hamlin County is located in the northeastern region of the sta		Percent of Births Less Than 37 Wks. of Gestation 8.3 • Average Age of Mother 27.6 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 94.6 Percent American Indian, Non-Hispanic Births 0.8 Percent Hispanic Births 4.0 • Percent Unmarried 12.7 • Percent WIC births 22.5 • Percent Breastfeeding at discharge 90.9	Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia • COVID-19 (2020) Chronic Lower Respiratory Diseases • Alzheimer's Disease Stroke	8.5 29.2 14.9 LNE 332.8 34.6 89.6 38.5		
averages 12.3 persons per square mile. Estelline is the largest Hamlin County. 2020 Population Information Subject Number Pe	ercent	 Percent Payment-Private Insurance Percent Payment-Medicaid Percent C-Section 14.0 	Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis	34.5 9.9 39.2 20.4 27.4 22.6		
	100.0 92.5 5.0 0.7 0.5 0.3		Leading Causes of Death 1. COVID-19 (2020)	22.0 5.0 Deaths per Year 28		
Pacific Islander0Multi-Racial72Under 5 years596Under 18 years2,003	0.0 1.2 9.6 32.1		 COVID-19 (2020) Cancer Heart Disease Alzheimer's Disease Stroke Dementia (Vascular) Chronic Lower Respiratory Diseases 	20 14 12 8 3 3 3 3 2 2		
65 years and over 990	15.9		 Diabetes 9. Unintentional Injuries Influenza and Pneumonia Chronic Liver Disease and Cirrhosis Percent of Deaths due to tobacco use Median age at death 	3 2 2 2 17.2 82		
		•Denotes a health status indicator which is significantly lower than	●Denotes a health status indicator which is lower than the state average. ○Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births.	s significantly ity are age- lation. Infant		
Source: United States Census Bureau, 2020 Population Estimates		 Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 		alth, Office of		

Hand County

Demographic Information			Health Status Indicators 2016-2020				
Hand County is located in central South Dakota and averages 2.2 persons per square mile. Miller is the largest city in Hand County.			Natality Percent of Low Birth Weight Infants 5 Percent of Mothers Receiving 5 Care in 1st Trimester 64 Percent of Mothers Who Smoked 64 Cigarettes While Pregnant ¹ 9 Percent of Births Less Than 37 Wks. of Gestation 7 Average Age of Mother 28 Teenage Birth Rate ² LN Percent White, Non-Hispanic Births 96 Percent Hispanic Births 22 Percent Unmarried 14 Percent WIC births 7 Percent Breastfeeding at discharge 89 Percent Payment-Private Insurance 87	Mortality All Causes Heart Disease Cancer Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents	Rate ³ 622.5 141.9 106.2 11.7 15.8 LNE 40.1 LNE 93.6 32.0 31.1 51.4 48.2 LNE		
2020 Population I	nformation		Percent C-Section 30	5 Diabetes Influenza and Pneumonia	LNE 21.6		
Subject Total population White Hispanic American Indian & Alaska Native Asian Black or African American Pacific Islander Multi-Racial Under 5 years Under 5 years 65 years and over	Number 3,127 3,006 54 17 13 4 1 32 170 677 822	Percent 100.0 96.1 1.7 0.5 0.4 0.1 0.0 1.0 5.4 21.7 26.3		Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Heart Disease 2. Cancer 3. COVID-19 (2020) 4. Stroke 5. Alzheimer's Disease Chronic Lower Respiratory Diseases Hypertension 8. Unintentional Injuries Dementia (Unspecified Type) 10. Influenza and Pneumonia Percent of Deaths due to tobacco use Median age at death	21.6 LNE 15.4 LNE Deaths per Year 12 7 6 4 3 3 2 2 1 31.2 85		
 Source: United States Census Bureau, 2 Estimates	2020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly hig than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 		significantly / are age- tion. Infant i one year)		

Hanson County

Demographic Inform	nation		Health Status Indicators 2016-2020				
Demographic Inform Image: Construction of the second sec	uth Dakota ar le largest city		Health Status Indi Natality Percent of Low Birth Weight Infants 4.1 Percent of Mothers Receiving 76.1 Care in 1st Trimester 76.1 Percent of Mothers Who Smoked 71.1 Cigarettes While Pregnant ¹ 7.1 Percent of Births Less Than 37 Wks. of Gestation 4.1 • Average Age of Mother 30.1 Teenage Birth Rate ² LNN Percent White, Non-Hispanic Births 98.1 Percent Hispanic Births LNN Percent Hispanic Births LNN Percent Hispanic Births LNN Percent Unmarried 12. • Percent WIC births 9. Percent Payment-Private Insurance 79.1 • Percent Payment-Private Insurance 79.1 • Percent C-Section 19.1	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Cancer 2. Heart Disease 3. Unintentional Injuries Chronic Lower Respiratory Diseases 3. Unintentional Injuries	Rat 866 146 300 44 63 44 30 LN LN 38 LN 38 LN 30 LN 16 Deaths per Yea 9 4 1 1		
8.0 people per square mile. Alexandria is the County. 2020 Population Infor Subject Total population White Hispanic American Indian & Alaska Native Black or African American Asian Pacific Islander	e largest city mation Number 3,489 3,325 50 26 20 13 13 1	Percent 100.0 95.3 1.4 0.7 0.6 0.4 0.0	Percent White, Non-Hispanic Births 98.1 Percent American Indian, Non-Hispanic Births LNR Percent Hispanic Births LNR • Percent Unmarried 12. • Percent WIC births 9. Percent Breastfeeding at discharge 86. • Percent Payment-Private Insurance 79.1 • Percent Payment-Medicaid 10.1	Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Cancer 2. Heart Disease 3. Unintentional Injuries			
 Source: United States Census Bureau, 2020 F Estimates	Population		 Denotes a health status indicator which is significantly lower th the state average. Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 		is significar ality are aç ulation. Infa nan one ye		

Harding County

Demographic Information	Health Status Indicators 2016-2020				
Demographic Information Image: Colspan="2">Image: Colspan="2" Image: Colspan	Health Status Indica Natality Percent of Low Birth Weight Infants LNE Percent of Mothers Receiving 89.3 Care in 1st Trimester 89.3 Percent of Mothers Who Smoked 0 Cigarettes While Pregnant ¹ 3.9 Percent of Births Less Than 37 Wks. of Gestation 5.3 Average Age of Mother 29.8 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 93.4 Percent American Indian, Non-Hispanic Births LNE Percent Hispanic Births LNE Percent Unmarried 9.2 Percent Breastfeeding at discharge 90.4 Percent Payment-Private Insurance 80.3 Percent C-Section 28.9	MortalityMortalityRate3• All Causes491.3Heart Disease138.3Cancer135.5Trachea, Bronchus, & LungLNEColon, Rectum, & Anus27.0Female BreastLNEPancreasLNEProstateLNELeukemiaLNECOVID-19 (2020)LNEChronic Lower Respiratory DiseasesLNEAlzheimer's DiseaseLNEStrokeLNEUnintentional Injuries90.0Motor Vehicle Accidents50.4DiabetesLNEInfluenza and PneumoniaLNESuicideLNEInfant MortalityLNELeading Causes of DeathDeathsper YearDeaths			
Black or African American 17 1.3 Asian 7 0.5 Pacific Islander 0 0.0 Multi-Racial 21 1.6 Under 5 years 86 6.6 Under 18 years 298 22.7 65 years and over 270 20.6	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. Denotes a health status indicator which is significantly higher than the state average. Data for mothers who smoked cigarettes are self-reported. 	1. Cancer 3 2. Heart Disease 2 3. Unintentional Injuries 1 Percent of Deaths due to tobacco use 8.6 Median age at death 75 • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly higher than the state average. • All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health, Office of			

Hughes County

Demographic Information		Health Status Indicators 2016-2020			
	,	Natality Percent of Low Birth Weight Infants 6	Mortality	Rate ³	
		 Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births Percent Unmarried 	All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020)	761.4 129.4 155.5 40.6 16.7 26.6 11.9 11.6 5.4 123.6 57.4	
Hughes County is located in the center of the state and averages persons per square mile. Pierre is the largest city in Hughes C 2020 Population Information		Percent WIC births 29 Percent Breastfeeding at discharge 74 Percent Payment-Private Insurance 58 ○ Percent Payment-Medicaid 38 Percent C-Section 25	 Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	28.9 34.2 58.1 16.9 41.3	
-	Percent		 ○ Influenza and Pneumonia Suicide 	32.2 15.4	
Total population 17,336 White 14,078 American Indian & Alaska Native 1,984	100.0 81.2 11.4		Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	9.0 7.7	
Hispanic 589 Asian 135 Black or African American 122	3.4 0.8 0.7		Leading Causes of Death	Deaths per Year	
Pacific Islander 1 Multi-Racial 427 Under 5 years 1,129 Under 18 years 4,226	0.0 2.5 6.5 24.4		 Cancer Heart Disease COVID-19 (2020) Chronic Lower Respiratory Diseases Unintentional Injuries Diabetes 	36 31 28 14 11 9	
65 years and over 3,157	18.2		 7. Stroke Influenza and Pneumonia 9. Alzheimer's Disease 10. Suicide Hypertension 	8 8 7 3 3	
			Percent of Deaths due to tobacco use Median age at death	21.3 78	
		 Denotes a health status indicator which is significantly lower th the state average. Denotes a health status indicator which is significantly high 		significantly / are age- ition. Infant	
Source: United States Census Bureau, 2020 Population Estimates		than the state average. ¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	Source: South Dakota Department of Healt Health Statistics	th, Office of	

Hutchinson County

Demographic Information			Health Status Indicators 2016-2020				
Hutchinson County is located in the south averages 9.0 persons per square mile. Hutchinson County.	neastern region of th		Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ • Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother • Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births • Percent Hispanic Births • Percent Unmarried • Percent Breastfeeding at discharge • Percent Payment-Private Insurance	6.1 67.0 5.7 28.6 4.1 92.6 1.1 3.7 17.9 16.7 85.5 79.0	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases o Alzheimer's Disease Stroke Unintentional Injuries	Rate ³ 734.6 150.7 134.2 29.6 16.8 LNE 14.3 15.2 4.2 113.4 41.3 63.1 46.1 56.0	
	nformation		Percent Payment-Medicaid	14.7 24.6	Motor Vehicle Accidents Diabetes Influenza and Pneumonia	24.3 16.8 11.6	
2020 Population In		Deveevet			Suicide	10.3	
Subject Total population	Number 7,282	Percent 100.0			Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	16.5 7.8	
White Hispanic American Indian & Alaska Native Black or African American	6,859 168 88 60	94.2 2.3 1.2 0.8			Leading Causes of Death	Deaths per Year	
Asian Pacific Islander Multi-Racial	25 2 80	0.3 0.0 1.1			1. Heart Disease 2. Cancer 3. COVID-19 (2020) 4. Alzheimer's Disease	25 19 16 13	
Under 5 years Under 18 years 65 years and over	623 1,880 1,667	8.6 25.8 22.9			 Stroke Unintentional Injuries Chronic Lower Respiratory Diseases Influenza and Pneumonia Diabetes Dementia (Unspecified Type) 	8 6 2 2 2	
					Percent of Deaths due to tobacco use Median age at death	11.4 86	
			 Denotes a health status indicator which is significantly lower the state average. 		•Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births.	significantly ty are age- ation. Infant	
 Source: United States Census Bureau, 2 Estimates	2020 Population		 Denotes a health status indicator which is significantly h than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-1 	-	See technical notes for more information. Source: South Dakota Department of Hea Health Statistics	lth, Office of	

Hyde County

Natality Mortality Image: constraint of the state and average. Percent of Montes Receiving 5.8 Image: constraint of the state and average. Percent of Montes Receiving 5.8 Image: constraint of the state and average. Percent of Montes Receiving 5.8 Image: constraint of the state and average. Percent of Montes Receiving 5.8 Proceed to Montes Receiving 5.8 Percent of Montes Receiving I.15 people per square mice. Highmore is the largest city in Hyde Courty. Percent Mine Non-Hispanic Bitths 9.3 I.25 people per square mice. Highmore is the largest city in Hyde Courty. Percent Mine Non-Hispanic Bitths 9.3 Subject Number Percent Satistical Courtes and Respiration Provide Courty. Satistical Courtes and Respiration Provide Courty. Vinder Foreant 1.26 10.0 8.3 20.0 Multi-Recalation 1.21 10.0 8.3 20.0 Percent Respiration 20.3 Percent Respiration 20.0 Multi-Recalation 3.1 2.3 2.3 2.0 Multi-Recalation 3.1 2.3 2.3 2.0 Multi-Recalatint 3.3 2.3 <t< th=""><th>Domographic Information</th><th></th><th colspan="5">Health Status Indicators 2016-2020</th></t<>	Domographic Information		Health Status Indicators 2016-2020				
Parcent of Low Bith Weight Infinds 6.8 Heat Disease 10 Parcent of Low Bith Weight Infinds 6.8 Heat Disease 10 Care in 1st Trimsking 6.1 Parcent of Muthers Wheight Infinds 6.8 Heat Disease 10 Parcent of Muthers Wheight Infinds 6.8 Heat Disease 10 Parcent of Muthers Wheight Infinds 6.8 Parcent Of Nor Network 10 Parcent of Muthers Wheight Infinds 6.8 Heat Disease 10 Parcent Of Nor Network 10 Parcent Wing Preparati 10 Muth Preparati 10 Parcent Wing Preparati 10 <td< th=""><th>Demographic Information</th><th></th><th colspan="5"></th></td<>	Demographic Information						
Care in 1st Timester 58.1 Heart Disease 15 Percent of Mothers Who Smoked Care in 1st Timester 58.1 Heart Disease 15 Percent of Mothers Who Smoked Care in 1st Timester 58.1 Heart Disease 15 Percent of Mothers Who Smoked Care in 1st Timester 15 Percent of Mothers Who Smoked Care in 1st Timester 15 Percent of Mothers Who Smoked Care in 1st Timester 15 Percent of Mothers Who Smoked Care in 1st Timester 15 Percent of Mothers Who Smoked Care in 1st Timester 15 Percent Mothers Who Smoked Care in 1st Timester 15 Percent Mothers Who Smoked Care in 1st Timester 15 Percent Mothers Who Smoked Care in 1st Timester 15 Percent Mothers Who Smoked Care in 1st Timester 15 Percent Mothers Who Smoked Care in 1st Timester 15 Percent Mothers Who Smoked Care in 1st Timester 15 Percent Mothers 1			Percent of Low Birth Weight Infants	5.8	Mortality	Rate ³	
Procent of Births Less Than 37 Wks. of Gestation 7.0 Average Age of Mohrer 27.7 Tenage Birth Rate ² Like Proceed Withs, Non-Hispanic Births 8.3 Percent Michaganic Births 8.3 Percent Mi			Care in 1st Trimester 5	58.1	Heart Disease	809.0 182.7 141.7	
Hyde County is located in the central region of the state and average. Percent Hispanic Births 84.5 Prostate Leukemia Leukemia 1.5 people per square mile. Highmore is the largest tigh Hyde County. 1.5 people per square mile. Highmore is the largest tigh Hyde County. 2020 Population Information 23.3 Atchiemer's Disease 2.4 Subject Number Percent Percent Hygemic Births 23.9 Stroke 2.0 Owner and the state and average. Percent Hygemic Births 2.3 Atchiemer's Disease 2.4 Percent Hygemic Births 2.3 Stroke 2.0 Ontoil Lower Respiratory Diseases 2.4 Percent Hygemic Births 2.3 Stroke 2.0 Unitentional Injuries 2.6 Subject Number Percent Percent Hygemic Medical 2.9 Percent Hygemic Medical 2.9 Percent Hygemic Births 2.2 1.7 Percent Hygemic Medical 2.9 Dialetes Influenza and Pneumonia 2.2 Percent Hygemic Medical 2.2 1.7 Percent Hygemic Medical 2.0 Dialetes 1 1 Multi-Racial 3 2.4 1 1 1 1 1 1 Under 5 years 81 6.3 2 2 2 2 2 <			Percent of Births Less Than 37 Wks. of Gestation	7.0	Colon, Rectum, & Anus	21.8 25.2 42.9	
Under Percent Hispanic Biths LNE COVID-19 (2020) L Hyde County is located in the central region of the state and averages 1.5 23.3 Atcheimer's Diseases 2 1.5 people percent WIC Dithts 23.3 Atcheimer's Disease 2 Stocke Opencent Hispanic Bithts 23.3 Atcheimer's Disease 2 Stocke Opencent Payment-Private Insurance 70.9 Motor Vehicle Accidents Opencent Payment-Private Insurance Opences a Induce A Instatus Indicator Witch Is Significanty Inter Openation Opences a Instatus Indicator Witch Is significanty Inter Openation Opences a Instatus Indicator Witch Is significanty Inter Openation Opences a Instatus Indicator Witch Is significanty Inter Instease Opences a I			Percent White, Non-Hispanic Births 8	34.9	Prostate	LNE LNE LNE	
1.5 people per square mile. Highmore is the largest city in Hyde County. Percent Brastfreding at discharge 80.2 Stroke 4 Dispect Number Percent Total population 1.281 100.0 20.9 Motor Vehicle Accidents 5 White 1.097 85.6 1 1 21.7 Elsck or African American 10 0.8 2 1 Influenza and Pneumonia 2 2 1 Influenza and Pneumonia 3 2 2 1 1 Eacading Causes of Death Deata Deata 2 1 1 Heart Disease 2 2 2 Aziem Prescent 3 Stroke 2 2	ζ_{1} Hyde County is located in the central region of the state and a	averades	Percent Hispanic Births L Percent Unmarried 3	_NE 33.7	Chronic Lower Respiratory Diseases	LNE 29.0 59.3	
2U2U POpulation information Percent Percent 20.9 Diabetes	1.5 people per square mile. Highmore is the largest city in Hyde		Percent Breastfeeding at discharge 8 Percent Payment-Private Insurance 7	30.2 70.9	Stroke Unintentional Injuries	45.8 83.3 53.7	
Total population 1.281 100.0 White 1.097 85.6 American Indian & Alaska Native 11.79 Black or African American 10 Pacific Islander 1 1 0.1 Pacific Islander 1 1 0.1 Multi-Racial 31 2.4 2.4 Under 5 years 81 0.4 3.337 26.3 22.1 65 years and over 3337 26.3 22.3 • Oenotes a health status indicator which is significantly lower than the state average. • Oenotes a health status indicator which is significantly lower than the state average. • Oenotes a health status indicator which is significantly lower than the state average. • Oenotes a health status indicator which is significantly lower than the state average. • Oenotes a health status indicator which is significantly lower than the state average. • Oenotes a health status indicator which is significantly lower than the state average. • Oenotes a health status indicator which is significantly lower than the state average. • Oenotes a health status indicator which is significantly lower than the state average. • Oenotes	•	ercent	,		Diabetes	20.6 26.1	
Hispanic Adaska Haive 117 9.1 Hispanic 22 1.7 Black or African American A	Total population 1,281 White 1,097	100.0 85.6			Chronic Liver Disease and Cirrhosis	LNE LNE LNE	
Multi-Racial 31 2.4 1. Heart Disease 5 Under 5 years 81 6.3 223 22.1 05 years and over 337 26.3 26.3 26.3 4.3 Outrientional Injuries 2 2 2.5 2.5 2.5 2.5 05 years and over 337 26.3 26.3 2.5 6.4 4.5 Multi-Racial	Hispanic22Black or African American10Asian3	1.7 0.8 0.2				Deaths per Year	
Under 5 years 81 6.3 Under 18 years 283 22.1 65 years and over 337 26.3 65 years and over 337 26.3 9 Hypertension 1 Percent of Deaths due to tobacco use 14.5 Median age at death 86 9 Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is significantly lower than the state average. • Denotes a health status indicator which is sig					2. Cancer	4	
Percent of Deaths due to tobacco use 14.5 Median age at death 86 Median age at death 86 Median age at death 86 •Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health status indicator which is significantly higher than the state average. •Denotes a health state average. •Denotes a hea	Under 18 years 283	22.1			Unintentional Injuries Alzheimer's Disease	2 2	
 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly lower than the state average. Obenotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher See technical notes for more information. 						14.5 86	
 Iower than the state average. Denotes a health status indicator which is significantly lower than the state average. All mortality rates except infant mortality are agadjusted death rates per 100,000 population. Infant the state average. Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly lower than the state average. See technical notes for more information. 							
•Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly higher •Denotes a health status indicator which is significantly higher					lower than the state average. ○Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortal	s significantly ity are age-	
ODenotes a health status indicator which is significantly higher See technical notes for more information.			с ,	⁻ than	mortality is the number of infant (less the		
Source: United States Census Bureau, 2020 Population ¹ Data for mothers who smoked cigarettes are self-reported. ² Source: South Dakota Department of Health, Office	Source: United States Census Bureau, 2020 Population		 Denotes a health status indicator which is significantly h than the state average. 	igher		alth, Office of	

Jackson County

Demographic Information			Health Status Indicators 2016-2020			
Jackson County is located in western South Dakota and averages 1.8 persons per square mile. Wanblee is the largest city in Jackson County.			Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother • Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births • Percent Hispanic Births • Percent Unmarried • Percent Breastfeeding at discharge • Percent Payment-Private Insurance	6.5 60.0 18.5 11.7 26.8 32.7 17.3 74.4 3.6 75.2 61.9 64.8 15.3 63.9	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 1,013.7 210.9 196.9 43.4 21.3 LNE 39.5 LNE 369.4 92.2 LNE 30.6 89.0 65.6
2020 Population	Information		Percent Payment-Medicaid Percent C-Section	63.9 25.1	Diabetes	40.7
Subject Total population American Indian & Alaska Native White Hispanic Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Number 3,321 1,694 1,291 127 25 8 1 175 364 1,158 459	Percent 100.0 51.0 38.9 3.8 0.8 0.2 0.0 5.3 11.0 34.9 13.8			Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Heart Disease 3. Cancer 4. Unintentional Injuries Chronic Lower Respiratory Diseases 6. Diabetes Suicide Chronic Liver Disease and Cirrhosis Stroke Percent of Deaths due to tobacco use Median age at death	LNE 34.7 45.7 9.5 Deaths per Year 13 8 7 3 1 1 1 1 1 1 1 1 1 7 3
 Source: United States Census Bureau, Estimates	2020 Population		 Denotes a health status indicator which is significantly low the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reported ²Teenage Birth rate is live births per 1,000 females age 15 	higher I.	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics 	s significantly ty are age- ation. Infant an one year)

Jerauld County

	<u> </u>		Jeraulu Courily				
Demographic In	formation		Health Status Indicators 2016-2020				
Jerauld County is located in the central re 3.8 persons per square mile. Wessingto Jerauld County.	egion of the state a on Springs is the la	nd averages	Natality Percent of Low Birth Weight Infants 4.2 Percent of Mothers Receiving 2 Care in 1st Trimester 82.6 Percent of Mothers Who Smoked 2 Cigarettes While Pregnant ¹ 7.4 Percent of Births Less Than 37 Wks. of Gestation 5.3 Average Age of Mother 28.8 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 88.4 Percent American Indian, Non-Hispanic Births 8.4 Percent Hispanic Births 8.4 Percent Unmarried 29.5 Percent WIC births 26.6 Percent Breastfeeding at discharge 76.6 Percent Payment-Private Insurance 76.8 • Percent Payment-Medicaid 18.9 Percent C-Section 29.5	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes	Rate ³ 718.9 183.0 120.4 26.4 20.0 LNE 19.3 LNE 296.0 36.8 56.4 35.2 59.0 36.5 LNE		
2020 Population I	nformation			Influenza and Pneumonia Suicide	11.8 LNE		
Subject Total population	Number 1,985	Percent 100.0		Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	16.7 LNE		
White Hispanic American Indian & Alaska Native Asian Black or African American	1,963 1,847 91 14 5 3	93.0 4.6 0.7 0.3 0.2		Leading Causes of Death	Deaths per Year		
Pacific Islander Multi-Racial	3 22 123	0.2 1.1 6.2		2. Heart Disease 3. Cancer 4. Alzheimer's Disease 5. Stroke 6. Unintentional Injuries	9 5 4 2		
Under 18 years 65 years and over	464 552	23.4 27.8		Percent of Deaths due to tobacco use Median age at death	1 15.0 86		
				 Denotes a health status indicator which 	ic cignificantly		
			•Denotes a health status indicator which is significantly lower that	lower than the state average. •Denotes a health status indicator which i higher than the state average. ³ All mortality rates except infant morta adjusted death rates per 100,000 popul mortality is the number of infant (less the	is significantly lity are age- ulation. Infant		
Source: United States Census Bureau, 2 Estimates	2020 Population		the state average. • Denotes a health status indicator which is significantly high than the state average. ¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	 r See technical notes for more information. Source: South Dakota Department of He Health Statistics 	alth, Office of		

Jones County

Demographic Information	Health Status Indicators 2016-2020				
Jones County is located in western South Dakota and averages 1.0 persons per square mile. Murdo is the largest city in Jones County.	Natality Percent of Low Birth Weight Infants 7.1 • Percent of Mothers Receiving 7.1 Care in 1st Trimester 53.6 Percent of Mothers Who Smoked 14.3 Cigarettes While Pregnant ¹ 14.3 Percent of Births Less Than 37 Wks. of Gestation 12.5 Average Age of Mother 29.6 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 80.4 Percent Hispanic Births 8.9 Percent Hispanic Births 28.6 Percent Unmarried 28.6 Percent WIC births 25.0 Percent Breastfeeding at discharge 85.7 Percent Payment-Private Insurance 67.9 Percent Payment-Medicaid 30.4 Percent C-Section 21.4	MortalityAll Causes652.6Heart Disease137.0Cancer192.4Trachea, Bronchus, & Lung33.7Colon, Rectum, & Anus33.1Female BreastLNEPancreasLNEProstateLNELeukemiaLNECOVID-19 (2020)LNEChronic Lower Respiratory Diseases75.1Alzheimer's DiseaseLNEStroke32.3Unintentional InjuriesLNEMotor Vehicle AccidentsLNEDiabetes30.2			
2020 Population Information		Influenza and Pneumonia LNE			
SubjectNumberPercentTotal population938100.0White82588.0American Indian & Alaska Native495.2Hispanic252.7Black or African American30.3Pacific Islander20.2Asian00.0Multi-Racial343.6Under 5 years636.7Under 18 years21723.165 years and over24325.9		SuicideLNEChronic Liver Disease and CirrhosisLNEInfant Mortality (2011-2020)LNELeading Causes of DeathDeaths1. Cancer32. Heart Disease23. Chronic Lower Respiratory Diseases1Percent of Deaths due to tobacco use28.0Median age at death81			
Source: United States Census Bureau, 2020 Population	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics 			

Kingsbury County

Demographic Information			Health Status Indicators 2016-2020				
Kingsbury County is located in east central South Dakota and averages 6.0 persons per square mile. De Smet is the largest city in Kingsbury County.			Natality Percent of Low Birth Weight Infants 6. Percent of Mothers Receiving 85. Care in 1st Trimester 85. Percent of Mothers Who Smoked 6. Cigarettes While Pregnant ¹ 8. Percent of Births Less Than 37 Wks. of Gestation 7. Average Age of Mother 28. Teenage Birth Rate ² LN Percent White, Non-Hispanic Births 95. Percent Hispanic Births 95. Percent Hispanic Births 3. Percent Unmarried 18. Percent WIC births 15. Percent Breastfeeding at discharge 89. o Percent Payment-Private Insurance 80. Percent C-Section 20.	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents	Rate ³ 685.8 156.4 149.9 44.4 18.9 11.8 14.7 LNE 117.1 45.3 34.6 23.2 53.3 23.4 11.7		
2020 Population Inf	formation		Percent C-Section 20.	Influenza and Pneumonia	25.1		
Subject	Number	Percent		Suicide Chronic Liver Disease and Cirrhosis	23.0 17.8		
Total population White Hispanic American Indian & Alaska Native Asian Black or African American Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	4,987 4,688 152 40 32 18 0 57 345 1,171 1,170	$ \begin{array}{r} 100.0 \\ 94.0 \\ 3.0 \\ 0.8 \\ 0.6 \\ 0.4 \\ 0.0 \\ 1.1 \\ 6.9 \\ 23.5 \\ 23.5 \\ 23.5 \\ \end{array} $		Loading (Causes of Doath	4.7 Deaths per Year 15 13 12 4 4 4 4 2 2 1 1 1 5.6 82		
Source: United States Census Bureau, 20 Estimates	20 Population		 Denotes a health status indicator which is significantly lower th the state average. Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 		gnificantly are age- on. Infant one year)		

Lake County

Demographic Inform	nation		Health Status Indicators 2016-2020				
Demographic Inform			Natality Percent of Low Birth Weight Infants 6 Percent of Mothers Receiving 77 Care in 1st Trimester 77 Percent of Mothers Who Smoked 77 Cigarettes While Pregnant ¹ 10 Percent of Births Less Than 37 Wks. of Gestation 8 Average Age of Mother 28 • Teenage Birth Rate ² 3 Percent White, Non-Hispanic Births 87 Percent American Indian, Non-Hispanic Births 3 Percent Hispanic Births 6 • Percent Unmarried 25	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases	Rate ³ 633.9 137.6 117.0 24.7 9.5 14.7 12.6 18.5 7.4 71.5 43.5		
Lake County is located in the east central raverages 22.2 persons per square mile. Madi Lake County.	ison is the la		Percent WIC births 19 Percent Breastfeeding at discharge 82 Percent Payment-Private Insurance 71 Percent Payment-Medicaid 20 Percent C-Section 24	 Stroke Unintentional Injuries Motor Vehicle Accidents 	31.1 51.2 33.4 9.3 15.7 6.2		
2020 Population Inform		Demonst		Suicide	15.8		
Subject Total population	Number 12,488	Percent 100.0		Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	13.0 6.9		
White Hispanic American Indian & Alaska Native Black or African American	11,603 339 131 125	92.9 2.7 1.0 1.0		Leading Causes of Death	Deaths per Year		
Asian Pacific Islander Multi-Racial	109 9 172	0.9 0.1 1.4		1. Heart Disease 2. Cancer 3. COVID-19 (2020) 4. Stroke	26 22 14 10		
Under 5 years Under 18 years 65 years and over	652 2,470 2,986	5.2 19.8 23.9		 5. Chronic Lower Respiratory Diseases 6. Alzheimer's Disease Unintentional Injuries 8. Dementia (Unspecified Type) 9. Diabetes 10. Suicide Percent of Deaths due to tobacco use 	8 5 4 3 2 18.4		
			 Denotes a health status indicator which is significantly lower th the state average. Denotes a health status indicator which is significantly hig 	Median age at death ————————————————————————————————————	is significantly lity are age- ulation. Infant		
Source: United States Census Bureau, 2020 F Estimates	Population		¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.	er See technical notes for more information. Source: South Dakota Department of He Health Statistics	alth, Office of		

Lawrence County

Demographic In	formation		Health Status I	ndica	tors 2016-2020	
Demographic Information			Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation < Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births	7.9 81.1 14.2 9.6 28.9 5.7 87.9	• All Causes • Heart Disease • Cancer • Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia	Rate ³ 664.0 117.7 129.7 26.8 16.9 16.3 7.7 19.4 4.0
Lawrence County is located along the V 32.8 persons per square mile. Spearfish County. 2020 Population I	n is the largest city i		Percent American Indian, Non-Hispanic Births Percent Hispanic Births Percent Unmarried • Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance Percent Payment-Medicaid • Percent C-Section	3.0 4.6 35.7 24.8 85.3 62.9 29.0 21.3	 COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia 	85.9 41.5 29.6 29.5 55.0 18.5 16.5 12.4
Subject	Number	Percent			Suicide Chronic Liver Disease and Cirrhosis	18.5 17.6
Total population White Hispanic American Indian & Alaska Native Asian Black or African American Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	26,221 23,613 968 517 379 199 14 531 1,076 4,490 6,125	100.0 90.1 3.7 2.0 1.4 0.8 0.1 2.0 4.1 17.1 23.4			Infant Mortality (2011-2020) Leading Causes of Death 1. Cancer 2. Heart Disease 3. COVID-19 (2020) 4. Chronic Lower Respiratory Diseases Unintentional Injuries 6. Alzheimer's Disease 7. Stroke 8. Diabetes Chronic Liver Disease and Cirrhosis 10. Suicide Percent of Deaths due to tobacco use Median age at death	8.8 Deaths per Year 51 47 36 17 17 13 11 6 6 5 5 17.9 79
 Source: United States Census Bureau, 2 Estimates	2020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15- 	higher	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics 	s significantly ity are age- lation. Infant an one year)

Lincoln County

Demographic Information			Health Status Ind	cators 2016-2020	
Lincoln County is located in southeaste 109.2 persons per square mile. Harrisbe County. 2020 Population I Subject Total population White Hispanic Black or African American Asian American Indian & Alaska Native Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Im South Dakota an urg is the largest ci	Percent 100.0 91.7 2.6 1.8 1.5 0.6 0.0 1.7 7.1 27.2 14.1	Image: Constraint of the second state of the second sta	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 516.5 114.9 113.9 27.2 9.4 19.3 11.3 18.4 4.9 115.1 27.4 39.7 19.9 27.1 6.9 11.5 7.6 13.5 5.1 5.0 Deaths per Year 67 66 65 22 16 15 12 7 7 4 23.6 79
 Source: United States Census Bureau, Estimates	2020 Population		 Denotes a health status indicator which is significantly lower th the state average. Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 		is significantly ality are age- ulation. Infant nan one year)

Lyman County

Demographic Information		Health Status Indicators 2016-2020				
	Ì	Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving	8.4	• All Causes	Rate ³ 961.2	
		Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother 	46.0 22.4 13.9 27.0	Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast	195.3 193.1 54.5 19.1 30.7	
Lyman County is located in central South Dakota and ave	arages 2.3	 Teenage Birth Rate² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births 	35.4 36.0 56.8 0.9 64.9 54.2	Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease	20.9 LNE 186.6 32.4 37.5	
2020 Population Information		 Percent Breastfeeding at discharge Percent Payment-Private Insurance Percent Payment-Medicaid Percent C-Section 	70.6 36.6 57.1 29.7	Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes	44.5 55.1 33.1 56.2	
-	Percent			Influenza and Pneumonia ∘ Suicide	20.4 65.6	
Total population 3,797 White 2,092 American Indian & Alaska Native 1,446	100.0 55.1 38.1			Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	55.5 5.9	
Hispanic 107 Black or African American 21 Asian 15	2.8 0.6 0.4			Leading Causes of Death	Deaths per Year	
Pacific Islander 2 Multi-Racial 114	0.1 3.0			1. Cancer COVID-19 (2020) 3. Heart Disease 4. Unintentional Injuries	9 9 8 2	
Under 5 years335Under 18 years1,09065 years and over667	8.8 28.7 17.6			Suicide Diabetes Chronic Lower Respiratory Diseases Stroke	2 2 2 2	
				Alzheimer's Disease Chronic Liver Disease and Cirrhosis	2 2	
				Percent of Deaths due to tobacco use Median age at death	29.0 73	
				•Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average.	s significantly	
		Oenotes a health status indicator which is significantly low	ver than	³ All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births.	lation. Infant	
		the state average. ○Denotes a health status indicator which is significantly		See technical notes for more information.		
Source: United States Census Bureau, 2020 Population Estimates		than the state average. ¹ Data for mothers who smoked cigarettes are self-reported ² Teenage Birth rate is live births per 1,000 females age 15		Source: South Dakota Department of Hea Health Statistics	alth, Office of	

McCook County

Demographic Information			Health Status Indicators 2016-2020				
McCook County is located in eastern Se persons per square mile. Salem is the la	rgest city in McCoo		Percent of Mothers Receiving 7 Care in 1st Trimester 7 • Percent of Mothers Who Smoked 7 Cigarettes While Pregnant ¹ 7 Percent of Births Less Than 37 Wks. of Gestation 7 • Average Age of Mother 2 Teenage Birth Rate ² 1 Percent White, Non-Hispanic Births 9 Percent Hispanic Births 9 Percent Hispanic Births 1 • Percent Unmarried 1 • Percent Breastfeeding at discharge 8 • Percent Payment-Private Insurance 8 • Percent Payment-Medicaid 1	 All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 904.4 222.2 201.5 43.5 13.0 22.5 7.3 40.5 LNE 278.2 14.5 62.2 41.4 34.9 21.8		
2020 Population I		_	Percent C-Section 2	.2 Diabetes Influenza and Pneumonia	36.1 11.4		
Subject Total population White Hispanic American Indian & Alaska Native Black or African American Asian	Number 5,520 5,123 236 49 32 12	Percent 100.0 92.8 4.3 0.9 0.6 0.2		Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death Death			
Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	4 64 456 1,531 1,047	0.1 1.2 8.3 27.7 19.0		3. Cancer14. Alzheimer's Disease65. Stroke4	9 6 6		
Source: United States Census Bureau, 2	2020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly hi than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-13 	•Denotes a health status indicator which is signification lower than the state average. •Denotes a health status indicator which is significating higher than the state average. ³ All mortality rates except infant mortality are adjusted death rates per 100,000 population. In mortality is the number of infant (less than one y deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health. Office	i0 cantly cantly age- nfant year)		

McPherson County

Demographic Information			Health Status Indicators 2016-2020				
			Natality	Mortality			
			Percent of Low Birth Weight Infants 12 Percent of Mothers Receiving	2 • All Causes 649.0			
	┥╷┝		Care in 1st Trimester 6 ^o Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ 10	Cancer 144.2			
	┞┥╷╷		Percent of Births Less Than 37 Wks. of Gestation 10 Average Age of Mother 28	.4 Colon, Rectum, & Anus 12.6			
			Teenage Birth Rate ² L1 Percent White, Non-Hispanic Births 94	8 Prostate LNE			
			Percent American Indian, Non-Hispanic Births Percent Hispanic Births • Percent Unmarried	E COVID-19 (2020) 71.			
McPherson County is located in the north centra			Percent WIC births2'Percent Breastfeeding at discharge83	7• Alzheimer's Disease21.4.5Stroke38.3			
averages 2.1 persons per square mile. Eure McPherson County.	ika is the la	rgest city in	 Percent Payment-Private Insurance Percent Payment-Medicaid Percent C-Section 32 	4 Motor Vehicle Accidents LNE			
2020 Population Inform	mation			Influenza and Pneumonia LNE Suicide LNE			
Subject Total population	Number 2,363	Percent 100.0		Chronic Liver Disease and Cirrhosis19.3Infant Mortality (2011-2020)16.7			
White Hispanic Black or African American	2,261 32 15	95.7 1.4 0.6		Leading Causes of Death Deaths per Year			
American Indian & Alaska Native Asian Pacific Islander	9 8 2	0.4 0.3 0.1		1. Heart Disease92. Cancer7			
Multi-Racial	36	1.5		3. Stroke 3 COVID-19 (2020) 3 5. Alzheimer's Disease 2			
Under 5 years Under 18 years	150 575	6.3 24.3		5. Alzheimer's Disease2Chronic Lower Respiratory Diseases2Diabetes28. Unintentional Injuries1			
65 years and over	669	28.3		Hypertension 1 High Cholesterol/Triglycerides 1			
				Percent of Deaths due to tobacco use 14.8 Median age at death 84			
				•Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly biotec the state success			
				higher than the state average. ³ All mortality rates except infant mortality are age- adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year)			
			 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly high 	deaths per 1,000 live births.			
Source: United States Census Bureau, 2020 P Estimates	opulation		¹ Data for mothers who smoked cigarettes are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17	Source: South Dakota Department of Health Office of			

Marshall County

Demographic Information	Health Status Indicators 2016-2020				
Arshall County is located in the northeastern part of the state an averages 5.8 persons per square mile. Britton is the largest city i Marshall County. 2020 Population Information Subject Number Percent Total population 4,884 100.0 White 4,068 83.3 Hispanic 392 8.0 American Indian & Alaska Native 311 6.4 Black or African American 32 0.7 Asian 11 0.2 Pacific Islander 0 0.0 Multi-Racial 70 1.4	Natality • Percent of Low Birth Weight Infants 3.5 • Percent of Mothers Receiving 2 Care in 1st Trimester 59.1 Percent of Mothers Who Smoked 5 Cigarettes While Pregnant ¹ 9.1 • Percent of Births Less Than 37 Wks. of Gestation 4.7 • Average Age of Mother 29.3 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 78.1 Percent American Indian, Non-Hispanic Births 9.9 • Percent Unmarried 21.6 • Percent WIC births 20.9	MortalityRate3• All Causes582.2• Heart Disease100.8Cancer120.4Trachea, Bronchus, & Lung29.9Colon, Rectum, & Anus6.4Female BreastLNEPancreas21.6ProstateLNELeukemiaLNECOVID-19 (2020)94.8Chronic Lower Respiratory Diseases51.2Alzheimer's Disease47.3Stroke41.8Unintentional Injuries31.2Motor Vehicle Accidents10.3• Diabetes10.9Influenza and Pneumonia17.6SuicideLNEChronic Liver Disease of DeathDeathsper Year1. Cancer92. Heart Disease8COVID-19 (2020)84. Alzheimer's Disease4Covinic Lower Respiratory Diseases4			
Under 5 years 359 7.4 Under 18 years 1,144 23.4 65 years and over 1,115 22.8	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 	6. Stroke 3 7. Unintentional Injuries 2 Influenza and Pneumonia 2 Percent of Deaths due to tobacco use 19.9 Median age at death 81			

Meade County

Demographic Information			Health Status Indicators 2016-2020				
Meade County is located in west central South Dakota and averages 8.2 persons per square mile. Sturgis is the largest city in Meade County. 2020 Population Information			Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester 8 Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ 11 Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births Percent Hispanic Births Percent Unmarried • Percent WIC births • Percent Breastfeeding at discharge 8 Percent Payment-Private Insurance • Percent Payment-Medicaid	7.8 1.9 3.7 0.5 8.4 6.0 6.1 4.4 4.2 8.2 2.6 7.5 2.6 4.1	Mortality All Causes Heart Disease Cancer • Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia • COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease • Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes	Rate ³ 712.6 142.8 172.1 49.3 16.8 18.0 12.9 23.5 9.0 60.8 52.7 31.1 23.1 43.4 18.8	
-		Demonst	Percent C-Section 20	0.8	Influenza and Pneumonia	16.7	
Subject Total population White Hispanic American Indian & Alaska Native Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 5 years 65 years and over	Number 28,588 24,765 1,259 816 564 366 27 791 1,450 6,273 4,651	Percent 100.0 86.6 4.4 2.9 2.0 1.3 0.1 2.8 5.1 21.9 16.3			Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Cancer 2. Heart Disease 3. COVID-19 (2020) 4. Chronic Lower Respiratory Diseases 5. Unintentional Injuries 6. Alzheimer's Disease 7. Stroke 8. Suicide Diabetes 10. Influenza and Pneumonia Chronic Liver Disease and Cirrhosis Percent of Deaths due to tobacco use Median age at death	19.3 17.1 5.6 Deaths per Year 57 44 18 17 13 9 7 6 6 5 5 5 18.2 76	
 Source: United States Census Bureau, 2 Estimates	2020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17 	than	●Denotes a health status indicator which is lower than the state average. ○Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less tha deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Hea Health Statistics	s significantly ty are age- ation. Infant an one year)	

Mellette County

Demographic Information			Health Status	Indica	Health Status Indicators 2016-2020				
		$\overline{}$	Natality		Mortality				
		\sum	Percent of Low Birth Weight Infants	6.7		Rate ³			
			 Percent of Mothers Receiving 		 All Causes 	1,366.4			
			Care in 1st Trimester	48.0	Heart Disease	198.2			
	╎╞═┷ _{╋┹┯}		 Percent of Mothers Who Smoked 		 Cancer 	257.7			
			Cigarettes While Pregnant ¹	19.8	Trachea, Bronchus, & Lung	34.8			
	_┣ ┻╋		Percent of Births Less Than 37 Wks. of Gestation	11.2	Colon, Rectum, & Anus	LNE			
ع السبيني المسلم الم	$\{ $		• Average Age of Mother	26.1	Female Breast	64.9 LNE			
	\sum	Ę	 ○ Teenage Birth Rate² Percent White, Non-Hispanic Births 	40.2 23.3	Pancreas Prostate	48.3			
			Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births	23.3 61.7	Leukemia	LNE			
	sound a	4	Percent Hispanic Births	LNE	COVID-19 (2020)	LNE			
		4	 Percent Unmarried 	71.1	 Chronic Lower Respiratory Diseases 	132.8			
Mellette County is located in the south cer	ntral ragion of th	o state and	 Percent WIC births 	54.2	Alzheimer's Disease	55.1			
averages 1.6 persons per square mile. Wh			 Percent Breastfeeding at discharge 	62.8	Stroke	56.4			
Mellette County.		ingest city in	 Percent Payment-Private Insurance 	19.7	Unintentional Injuries	81.9			
Wellette Oounty.			 Percent Payment-Medicaid 	71.3	Motor Vehicle Accidents	59.2			
			 Percent C-Section 	33.9	○ Diabetes	103.0			
2020 Population Inf	formation				Influenza and Pneumonia	36.7			
Subject	Number	Percent			Suicide ○ Chronic Liver Disease and Cirrhosis	41.2 97.0			
Total population		100.0			Infant Mortality (2011-2020)	97.0 17.3			
American Indian & Alaska Native	2,089 1,126	53.9				17.5			
White Hispanic	743 78	35.6 3.7			Leading Causes of Death	Deaths per Year			
Black or African American	10	0.5							
Asian Pacific Islander	6 0	0.3 0.0			1. Cancer	6			
Multi-Racial	126	6.0			2. Heart Disease 3. Chronic Lower Respiratory Diseases	5 3			
	120	0.0			4. Unintentional Injuries	2			
					Chronic Liver Disease and Cirrhosis	2			
Under 5 years	202	9.7			Diabetes	2			
Under 18 years	648	31.0			7. Alzheimer's Disease	1			
65 years and over	328	15.7			Stroke	1			
					Kidney Disease	1			
					Percent of Deaths due to tobacco use Median age at death	26.7 72			
					•Denotes a health status indicator which lower than the state average.	is significantly			
					•Denotes a health status indicator which	is significantly			
					higher than the state average.	e e.grinioaritiy			
					³ All mortality rates except infant morta	lity are age-			
			•Denotes a health status indicator which is significantly lo	wer than	adjusted death rates per 100,000 popu	ulation. Infant			
			the state average.		mortality is the number of infant (less th	an one year)			
			oDenotes a health status indicator which is significantl	y higher	deaths per 1,000 live births.				
			than the state average.		One technical meters for more informedia				
Source: United States Census Bureau, 202 Estimates	20 Population		¹ Data for mothers who smoked cigarettes are self-reporte ² Teenage Birth rate is live births per 1,000 females age 1		See technical notes for more information. Source: South Dakota Department of He Health Statistics	alth, Office of			

Miner County

Demographic Information	Health Status Indica	tors 2016-2020
	Natality	Mortality
Miner County is a located in the east central region of the state and averages 3.9 persons per square mile. Howard is the largest city in Miner County.	Percent of Low Birth Weight Infants 7.9 Percent of Mothers Receiving 77.8 Care in 1st Trimester 77.8 Percent of Mothers Who Smoked 7.9 Cigarettes While Pregnant ¹ 7.9 Percent of Births Less Than 37 Wks. of Gestation 7.1 Average Age of Mother 29.0 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 95.3 Percent American Indian, Non-Hispanic Births LNE Percent Unmarried 15.7 Percent Births 14.2 Percent Breastfeeding at discharge 88.1 Percent Payment-Private Insurance 82.5 Percent Payment-Medicaid 14.3	Rate3 All Causes 851.8 Heart Disease 178.7 Cancer 207.4 Trachea, Bronchus, & Lung 32.8 Colon, Rectum, & Anus LNE Female Breast LNE Pancreas 16.7 Prostate 27.5 Leukemia 13.3 COVID-19 (2020) 95.5 Chronic Lower Respiratory Diseases 41.0 Alzheimer's Disease 38.2 Stroke 42.3 Unintentional Injuries 72.0 Motor Vehicle Accidents LNE
2020 Population Information	Percent C-Section 32.3	Diabetes 49.2 Influenza and Pneumonia LNE
SubjectNumberPercentTotal population2,202100.0White2,05693.4		SuicideLNEChronic Liver Disease and CirrhosisLNEInfant Mortality (2011-2020)LNE
Hispanic 74 3.4 Black or African American 21 1.0 Asian 12 0.5		Leading Causes of Death Deaths per Year
American Indian & Alaska Native120.5American Indian & Alaska Native110.5Pacific Islander00.0Multi-Racial281.3Under 5 years1295.9Under 18 years52323.865 years and over50723.0		1. Heart Disease7Cancer73. COVID-19 (2020)44. Unintentional Injuries2Diabetes2Chronic Lower Respiratory Diseases2Alzheimer's Disease2Stroke29. Dementia (Unspecified Type)1
		Percent of Deaths due to tobacco use12.3Median age at death82
Source: United States Census Bureau, 2020 Population	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who smoked cigarettes are self-reported. 	•Denotes a health status indicator which is significantly lower than the state average. •Denotes a health status indicator which is significantly higher than the state average. ³ All mortality rates except infant mortality are age- adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health, Office of

Minnehaha County

Demographic Informati	ion		Health Status	Indica	ators 2016-2020	
			Natality		Mortality	
Minnehaha County is located in southeastern S averages 243.7 persons per square mile. Sioux Fal in Minnehaha County.			 Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance Percent Payment-Medicaid 	7.0 80.7 8.4 8.6 28.9 7.8 72.3 4.0 6.8 32.8 23.1 81.1 68.4 26.7	 All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 795.9 165.0 171.6 43.1 14.3 20.2 12.3 21.9 7.3 132.2 42.8 47.6 37.8 51.9 10.2
2020 Population Informat	ion		Percent C-Section	24.5	 Diabetes Influenza and Pneumonia Suicide 	16.8 14.2 19.1
	umber Perce				 Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) 	14.6 6.3
White 15 Black or African American 1 Hispanic 1 American Indian & Alaska Native 1 Asian 1 Pacific Islander 1 Multi-Racial 1 Under 5 years 1 Under 18 years 4	2,677 (0,625 4,647 4,346 89 (4,701 4,492 9,550 25	0.0 1.1 5.4 5.4 2.4 2.2 0.0 2.4 7.4 5.2 3.8			Leading Causes of Death 1. Cancer 2. Heart Disease 3. COVID-19 (2020) 4. Unintentional Injuries 5. Alzheimer's Disease 6. Chronic Lower Respiratory Diseases 7. Stroke 8. Suicide 9. Diabetes 10. Chronic Liver Disease and Cirrhosis	Deaths per Year 339 328 262 100 92 83 74 36 33 29
 Source: United States Census Bureau, 2020 Popul	ation		 Denotes a health status indicator which is significantly to the state average. Denotes a health status indicator which is significant than the state average. ¹Data for mothers who smoked cigarettes are self-report ²Teenage Birth rate is live births per 1,000 females age 	tly higher ed.	Percent of Deaths due to tobacco use Median age at death •Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics	s significantly ity are age- lation. Infant an one year)

Moody County

Demographic Information			Health Status I	ndica	tors 2016-2020	
Moody County is located on the Minner persons per square mile. Flandreau is the	ne largest city in Mo		Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Unmarried Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance Percent Payment-Medicaid	6.3 79.3 14.2 8.1 29.1 LNE 69.8 17.0 5.8 36.0 27.6 81.2 64.8 26.8	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke • Unintentional Injuries Motor Vehicle Accidents	Rate ³ 704.6 177.7 129.4 41.3 LNE 28.4 7.7 27.3 LNE 147.5 28.4 29.4 37.4 31.3 LNE
2020 Population			Percent C-Section	20.2	Diabetes	29.9
Subject Total population White American Indian & Alaska Native Hispanic Asian Black or African American Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Number 6,525 5,006 810 301 121 78 0 209 494 1,721 1,290	Percent 100.0 76.7 12.4 4.6 1.9 1.2 0.0 3.2 7.6 26.4 19.8			Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Heart Disease 2. COVID-19 (2020) 3. Cancer 4. Alzheimer's Disease Stroke Chronic Lower Respiratory Diseases Unintentional Injuries Diabetes 9. Septicemia Dementia (Vascular) Chronic Liver Disease and Cirrhosis	LNE 19.3 34.6 5.6 Deaths per Year 17 15 12 3 3 3 3 3 2 2 2 2
 Source: United States Census Bureau, Estimates	2020 Population		 Denotes a health status indicator which is significantly low the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reported ²Teenage Birth rate is live births per 1,000 females age 15. 	higher	 Percent of Deaths due to tobacco use Median age at death Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics 	s significantly ity are age- lation. Infant an one year)

				Health Status Indicators 2016-2020					
	Demographic Information								
		7	Natality		Mortality				
		$\langle $	Percent of Low Birth Weight Infants	8.1		Rate			
	└──┼──┤──┤		 Percent of Mothers Receiving 		○ All Causes	1,709.			
			Care in 1st Trimester	60.9	 Heart Disease 	250.3			
	<u>↓ </u>		 Percent of Mothers Who Smoked 		○ Cancer	201.			
			Cigarettes While Pregnant ¹	16.0	Trachea, Bronchus, & Lung	39.			
	×		 Percent of Births Less Than 37 Wks. of Gestation 	12.7	Colon, Rectum, & Anus	28.			
	<i>м</i> { }	1	Average Age of Mother	26.3	Female Breast	23.			
		<u> </u>	○ Teenage Birth Rate ²	28.1	Pancreas	16.			
		L Š	Percent White, Non-Hispanic Births	1.3	Prostate	37.			
		1	Percent American Indian, Non-Hispanic Births	95.3	Leukemia ○ COVID-19 (2020)	LN 446.			
		why a	Percent Hispanic Births	1.8	Chronic Lower Respiratory Diseases	440. 55.			
			 Percent Unmarried Dercent WIC bitthe 	89.7	Alzheimer's Disease	13.			
)glala Lakota County (formerly known as	Shannon County) is	located in	 Percent WIC births Percent Proceeting of discharge 	64.7 59.3	• Alzheimer's Disease Stroke	41.			
ne southwestern part of the state, alor			 Percent Breastfeeding at discharge Percent Payment-Private Insurance 	59.3 4.6	 Unintentional Injuries 	193.			
verages 6.7 persons per square mile. P	ine Ridge is the larg	nest city in	 Percent Payment-Medicaid 	4.0 59.4	 Motor Vehicle Accidents 	86.			
Oglala Lakota County.		goot only	Percent C-Section	23.6	 Diabetes 	192.			
9			Percent C-Section	23.0	Influenza and Pneumonia	33.			
					 Suicide 	40.			
2020 Population Ir	nformation				 Chronic Liver Disease and Cirrhosis 	172.			
Subject	Number	Percent			 Infant Mortality (2011-2020) 	17.			
Total population	14,070	100.0				Deaths			
American Indian & Alaska Native	12,568	89.3			Leading Causes of Death	per Yea			
White	664	4.7				perirea			
Hispanic Black on African American	590	4.2			1. COVID-19 (2020)	38			
Black or African American Asian	44 18	0.3 0.1			2. Unintentional Injuries	24			
Pacific Islander	4	0.1			3. Heart Disease	21			
Multi-Racial	182	1.3			Chronic Liver Disease and Cirrhosis	19			
	102	1.0			5. Cancer	18			
					Diabetes	18			
Under 5 years	1,346	9.6			7. Suicide	6			
Under 18 years	5,191	36.9			8. Chronic Lower Respiratory Diseases	5			
65 years and over	1,039	7.4			9. Septicemia Stroke	4 4			
					Percent of Deaths due to tobacco use	14.2			
					Median age at death	58			
					•Denotes a health status indicator which is	significantly			
					lower than the state average.	orginitoana			
					 Denotes a health status indicator which is 	significantly			
					higher than the state average.				
					³ All mortality rates except infant mortali	ty are aαe⋅			
			 Denotes a health status indicator which is significantly log 	wer than	adjusted death rates per 100,000 popul				
			the state average.		mortality is the number of infant (less that	in one year			
			 Denotes a health status indicator which is significant 	lv hiaher	deaths per 1,000 live births.	, <u>,</u>			
			than the state average.	., ingiloi					
			¹ Data for mothers who smoked cigarettes are self-report	ed	See technical notes for more information.				
Source: United States Census Bureau, 2									

Oglala Lakota County

Pennington County

Demographic Information			Health Status	Indica	ators 2016-2020	
Pennington County is located on the Wyoming bord persons per square mile. Rapid City is the large County.	er and avst city in	/ // // // // // // // // // // // // /	Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births Percent Preastfeeding at discharge Percent Payment-Private Insurance Percent Payment-Medicaid	7.6 76.8 14.4 10.5 27.9 13.2 65.8 17.5 7.2 40.8 29.7 84.2 43.7 34.7	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes 	Rate ³ 723.4 157.8 149.1 35.1 10.4 17.7 12.0 19.5 6.2 93.3 34.0 31.9 28.4 51.3 14.5 19.3
2020 Population Informa	ation		Percent C-Section	20.0	 Influenza and Pneumonia 	11.7
-	Number 115,926 92,377 9,890 6,512 1,518 1,471 90 4,068 7,272 26,144 22,539	Percent 100.0 79.7 8.5 5.6 1.3 1.3 0.1 3.5 6.3 22.6 19.4			 Suicide Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Heart Disease 2. Cancer 3. COVID-19 (2020) 4. Unintentional Injuries 5. Chronic Lower Respiratory Diseases 6. Alzheimer's Disease 7. Stroke 8. Suicide 9. Diabetes 10. Chronic Liver Disease and Cirrhosis 	27.5 22.6 6.3 Deaths per Year 233 218 130 62 50 48 41 30 27 26
 Source: United States Census Bureau, 2020 Pop	ulation		 Denotes a health status indicator which is significantly lot the state average. Denotes a health status indicator which is significantl than the state average. ¹Data for mothers who smoked cigarettes are self-reporte ²Teenage Birth rate is live births per 1,000 females age 1 	y higher :d.	Percent of Deaths due to tobacco use Median age at death •Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Heat Health Statistics	ty are age- lation. Infant an one year)

Perkins County

Demographic Information		Health Status In	ndica	itors 2016-2020	
		Natality	6.6	Mortality	D -4-3
Perkins County is located in northwestern South Dakota and a 1.0 person per square mile. Lemmon is the largest city in Perkins	averages	Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births • Percent Unmarried Percent WIC births Percent Breastfeeding at discharge	6.6 77.2 10.4 8.2 29.0 LNE 92.9 2.2 1.6 19.7 29.3 90.3	All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke	Rate ³ 751.8 139.1 153.5 21.9 19.7 28.0 9.9 38.8 12.9 158.9 59.5 33.8 34.7
2020 Population Information	,	Percent Payment-Medicaid	65.2 20.4 15.8	Unintentional Injuries Motor Vehicle Accidents Diabetes	37.4 LNE 26.2
-	Percent 100.0 93.3 2.4 1.9 0.5 0.4 0.1 1.4 6.1 21.5 26.4			Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Cancer 3. Heart Disease 4. Chronic Lower Respiratory Diseases 5. Alzheimer's Disease 6. Diabetes Stroke 8. Chronic Liver Disease and Cirrhosis Unintentional Injuries Hypertension	9.8 LNE 30.6 11.4 Deaths per Year 11 9 8 4 3 2 2 1 1 1 1
Source: United States Census Bureau, 2020 Population Estimates		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly head the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-1 	nigher	 Percent of Deaths due to tobacco use Median age at death Denotes a health status indicator which i lower than the state average. Denotes a health status indicator which i higher than the state average. ³All mortality rates except infant morta adjusted death rates per 100,000 popu mortality is the number of infant (less th deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of He Health Statistics 	is significantly lity are age- ulation. Infant lan one year)

Potter County

Demographic In	formation		Health Status Indi	cators 2016-2020	
Potter County is located in north central South Dakota and averages 2.5 persons per square mile. Gettysburg is the largest city in Potter County.		Natality Percent of Low Birth Weight Infants 4.5 • Percent of Mothers Receiving 50.5 Care in 1st Trimester 50.5 Percent of Mothers Who Smoked 6 Cigarettes While Pregnant ¹ 8.2 Percent of Births Less Than 37 Wks. of Gestation 5.5 Average Age of Mother 28.6 Teenage Birth Rate ² LNE Percent White, Non-Hispanic Births 86.4 Percent White, Non-Hispanic Births 10.0 Percent Hispanic Births 10.0 Percent Hispanic Births 10.1 • Percent Unmarried 19.1 • Percent WIC births 19.1 • Percent Breastfeeding at discharge 79.6 Percent Payment-Private Insurance 70.5 Percent Payment-Private Insurance 20.5	All Causes • Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease • Stroke Unintentional Injuries	Rate ³ 683.7 107.4 112.9 21.8 13.9 26.5 LNE LNE 64.7 36.3 49.1 12.2 74.9 33.0	
2020 Population I	nformation		Percent Payment-Medicaid 22.7 Percent C-Section 24.5	Diabetes	22.9
Subject Total population White Hispanic American Indian & Alaska Native Asian Black or African American Pacific Islander Multi-Racial Under 5 years Under 5 years 65 years and over	Number 2,163 1,975 57 55 23 11 1 41 41 117 478 631	Percent 100.0 91.3 2.6 2.5 1.1 0.5 0.0 1.9 5.4 22.1 29.2		Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Cancer Heart Disease 3. Alzheimer's Disease COVID-19 (2020) 5. Chronic Lower Respiratory Diseases Influenza and Pneumonia Unintentional Injuries 8. Diabetes Hypertension Dementia (Unspecified Type) Percent of Deaths due to tobacco use Median age at death	34.7 31.4 LNE LNE Deaths per Year 6 6 6 3 3 2 2 2 2 1 1 1 1 1 6.4 86
 Source: United States Census Bureau, 3 Estimates	2020 Population		 Denotes a health status indicator which is significantly lower that the state average. Denotes a health status indicator which is significantly high than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 		s significantly lity are age- llation. Infant an one year)

Roberts County

Demographic Information			Health Status Ir	ndica	tors 2016-2020	
Roberts County is located in the extreme northeastern corner of the state and averages 9.4 persons per square mile. Sisseton is the largest city in Roberts County.			Natality • Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births Percent Hispanic Births • Percent Unmarried • Percent Breastfeeding at discharge • Percent Payment-Private Insurance • Percent Payment-Medicaid	4.2 63.9 27.9 8.6 26.9 17.8 32.8 52.4 3.8 61.4 54.3 71.3 32.7 60.0	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 871.3 174.5 152.6 27.8 19.9 11.1 6.5 23.9 15.2 186.2 39.6 33.8 31.7 98.1 40.2
2020 Population	Information		Percent C-Section	26.0	 ○ Diabetes Influenza and Pneumonia 	53.8 13.2
Subject Total population White American Indian & Alaska Native Hispanic Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Number 10,331 5,750 3,716 422 73 36 1 333 870 3,042 2,077	Percent 100.0 55.7 36.0 4.1 0.7 0.3 0.0 3.2 8.4 29.4 20.1			Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death COVID-19 (2020) Heart Disease Cancer Unintentional Injuries Diabetes Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Chronic Liver Disease and Cirrhosis Suicide Percent of Deaths due to tobacco use Median age at death	29.8 41.7 6.3 Deaths per Year 29 27 22 11 7 6 6 5 4 2 13.7 77
 Source: United States Census Bureau, Estimates	2020 Population		 Denotes a health status indicator which is significantly lowe the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15- 	higher	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant morta adjusted death rates per 100,000 popumortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of He Health Statistics 	is significantly lity are age- ulation. Infant an one year)

Sanborn County

Demographic Information		Health Status In	dica	tors 2016-2020	
		Natality		Mortality	
Sanborn County is located in east central South Dakota and av 4.1 persons per square mile. Woonsocket is the largest city in S	verages Sanborn	Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births Percent Breastfeeding at discharge	6.1 74.4 10.3 8.5 28.7 LNE 96.4 LNE 1.8 17.6 15.3 81.1	All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases O Alzheimer's Disease Stroke	Rate ³ 771.7 144.9 115.8 38.9 14.2 LNE LNE LNE LNE 29.8 120.1 32.8
County. 2020 Population Information		Percent Payment-Medicaid	84.2 13.9 34.5	Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia	73.7 38.9 LNE LNE
-	rcent			Suicide Chronic Liver Disease and Cirrhosis	LNE 18.3
White2,178Hispanic76American Indian & Alaska Native24Asian5	100.0 93.8 3.3 1.0 0.2			Infant Mortality (2011-2020) Leading Causes of Death	LNE Deaths per Year
Black or African American 4 Pacific Islander 0 Multi-Racial 35 Under 5 years 179	0.2 0.0 1.5 7.7			 Heart Disease Alzheimer's Disease Cancer Unintentional Injuries Chronic Lower Respiratory Diseases Stroke 	6 5 4 2 1 1
Under 18 years 572 65 years and over 474	24.6 20.4			Percent of Deaths due to tobacco use Median age at death	13.9 82
		•Denotes a health status indicator which is significantly lower	rthan	•Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortal adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births.	s significantly ity are age- lation. Infant
Source: United States Census Bureau, 2020 Population		 Denotes a health status indicator which is significantly lower the state average. Denotes a health status indicator which is significantly h than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-1 	igher	See technical notes for more information. Source: South Dakota Department of Hea Health Statistics	alth, Office of

Spink County

Demographic Inf	ormation		Health Status	s Indica	ators 2016-2020	
		$\overline{\zeta}$	Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving	5.0	Mortality All Causes	Rate ³ 759.0
			Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births • Percent Unmarried	68.3 10.9 8.2 28.4 LNE 94.3 1.2 3.0 28.0	Heart Disease Cancer • Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases	178.2 142.7 18.7 15.5 28.8 11.4 LNE LNE 179.7 55.1
Spink County is located in the center of averages 4.2 persons per square mile. If Spink County.	Redfield is the lar		 Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance Percent Payment-Medicaid Percent C-Section 	17.2 84.3 81.5 15.0 30.5	Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes	46.3 34.6 51.6 18.9 30.5
2020 Population In					Influenza and Pneumonia Suicide	20.6 15.3
Subject Total population White	Number 6,319 5,871	Percent 100.0 92.9			Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	10.1 LNE
Unite Hispanic American Indian & Alaska Native Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	40 413 1,396	92.9 3.6 1.5 0.7 0.2 0.0 1.0 6.5 23.0 22.1			Leading Causes of Death 1. Heart Disease COVID-19 (2020) 3. Cancer 4. Chronic Lower Respiratory Diseases Alzheimer's Disease 6. Unintentional Injuries Stroke 8. Influenza and Pneumonia Diabetes 10. Septicemia Percent of Deaths due to tobacco use	Deaths per Year 20 15 6 6 4 4 3 3 1
 Source: United States Census Bureau, 20 Estimates)20 Population		 Denotes a health status indicator which is significantly I the state average. Denotes a health status indicator which is significant than the state average. ¹Data for mothers who smoked cigarettes are self-repor ²Teenage Birth rate is live births per 1,000 females age 	itly higher ted.	 Percent of Deaths due to tobacco use Median age at death Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Health Statistics 	s significantly ity are age- lation. Infant an one year)

Stanley County

Demographic Information	Health Status Indica	Health Status Indicators 2016-2020					
Stanley County is located in the center of the state and averages 2.2 persons per square mile. Fort Pierre is the largest city in Stanley County.	Percent Breastfeeding at discharge89.8• Percent Payment-Private Insurance75.4	Mortality • All Causes 483.0 • Heart Disease 82.1 Cancer 145.2 Trachea, Bronchus, & Lung 53.5 Colon, Rectum, & Anus 24.0 Female Breast LNE Pancreas 16.5 Prostate LNE Leukemia LNE COVID-19 (2020) LNE Chronic Lower Respiratory Diseases 37.6 Alzheimer's Disease 14.0 Stroke LNE Unintentional Injuries 42.7					
2020 Population Information	Percent Payment-Medicaid22.8Percent C-Section29.3	Motor Vehicle AccidentsLNEDiabetes13.2					
SubjectNumberPercentTotal population3,121100.0White2,71487.0American Indian & Alaska Native2026.5Hispanic752.4Black or African American200.6Asian80.3Pacific Islander00.0Multi-Racial1023.3Under 5 years2116.8Under 18 years75424.265 years and over69822.4		Influenza and PneumoniaLNESuicide29.6Chronic Liver Disease and Cirrhosis33.7Infant Mortality (2011-2020)LNELeading Causes of DeathDeaths1. Cancer72. Heart Disease33. Chronic Lower Respiratory Diseases24. Unintentional Injuries1Chronic Liver Disease and Cirrhosis1Percent of Deaths due to tobacco use30.3Median age at death70					
Source: United States Census Bureau, 2020 Population Estimates	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. 	 Denotes a health status indicator which is significantly lower than the state average. Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics 					

Sully County

Demographic Information			Health Status Indicators 2016-2020				
Sully County is located in the central region of the spersons per square mile. Onida is the largest city 2020 Population Inform Subject Total population White American Indian & Alaska Native Hispanic Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 5 years Under 18 years 65 years and over	in Sully C		Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births Percent Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance Percent Payment-Medicaid Percent C-Section	4.4 49.5 8.8 15.4 28.6 LNE 74.7 16.5 5.5 29.7 25.6 79.1 66.7 30.0 28.6	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality Leading Causes of Death COVID-19 (2020) Cancer Heart Disease Chronic Lower Respiratory Diseases Percent of Deaths due to tobacco use Median age at death	Rate ³ 466.4 76.5 103.5 25.5 LNE LNE 166.2 74.8 LNE LNE LNE LNE LNE LNE LNE LNE Deaths per Year 3 3 2 2 24.5 80	
Source: United States Census Bureau, 2020 Po Estimates	pulation		 Denotes a health status indicator which is significantly low the state average. Denotes a health status indicator which is significantly than the state average. ¹Data for mothers who smoked cigarettes are self-reported ²Teenage Birth rate is live births per 1,000 females age 15 	[,] higher d.	 Denotes a health status indicator which i lower than the state average. Denotes a health status indicator which i higher than the state average. ³All mortality rates except infant morta adjusted death rates per 100,000 popumortality is the number of infant (less th deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Statistics 	is significantly lity are age- ulation. Infant an one year)	

Todd County

Demographic Inf	ormation		Health Status Indicators 2016-2020				
Todd County is located in south centra Nebraska border and averages 7.4 person the largest city in Todd County.			Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester • Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ • Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother • Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births • Percent Hispanic Births • Percent Unmarried • Percent WIC births • Percent Payment-Private Insurance • Percent Payment-Private Insurance	8.4 38.7 18.9 12.2 25.4 52.3 2.7 90.1 2.4 86.3 64.8 61.3 6.3 24 22	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 1,465.8 223.5 255.3 74.5 28.3 24.5 11.0 44.9 18.1 315.6 68.5 23.7 36.6 170.5 75.9	
			 ○ Percent Payment-Medicaid ○ Percent C-Section 	81.3 34.0	 ○ Diabetes 	129.6	
2020 Population In Subject Total population American Indian & Alaska Native White Hispanic Asian Black or African American Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	formation Number 10,313 8,535 780 418 341 47 0 192 1,204 4,321 773	Percent 100.0 82.8 7.6 4.1 3.3 0.5 0.0 1.9 11.7 41.9 7.5			Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Cancer 3. Unintentional Injuries 4. Heart Disease 5. Diabetes 6. Chronic Liver Disease and Cirrhosis 7. Suicide 8. Chronic Lower Respiratory Diseases 9. Stroke Homicide Percent of Deaths due to tobacco use Median age at death 	30.6 52.7 90.2 12.4 Deaths per Year 22 16 15 14 8 7 5 4 2 2 23.6 61	
Source: United States Census Bureau, 20)20 Population		 Denotes a health status indicator which is significantly lo the state average. Denotes a health status indicator which is significantl than the state average. ¹Data for mothers who smoked cigarettes are self-reporte ²Teenage Birth rate is live births per 1,000 females age 1 	y higher ed.	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popul mortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Health Statistics 	s significantly lity are age- ilation. Infant an one year)	

Tripp County

Demographic Information			Health Status Indicators 2016-2020				
			Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother Teenage Birth Rate ²	7.8 74.5 12.3 12.5 27.5 13.5	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas	Rate ³ 829.2 174.2 137.7 29.8 26.5 LNE 10.2	
Tripp County is located along the Nebraska b Dakota and averages 3.3 persons per square city in Tripp County.	e mile. Winner is		Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births • Percent Unmarried • Percent WIC births Percent Breastfeeding at discharge • Percent Payment-Private Insurance • Percent Payment-Medicaid • Percent C-Section	62.7 29.0 1.7 44.4 41.4 79.8 51.6 43.5 35.4	Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents Diabetes Influenza and Pneumonia	LNE LNE 121.1 44.8 41.9 34.2 66.0 16.9 27.7 29.0	
2020 Population Info	ormation				Suicide	14.2	
Subject Total population	Number 5,377	Percent 100.0			Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020)	LNE 8.0	
White American Indian & Alaska Native Hispanic	4,286 765 142	79.7 14.2 2.6			Leading Causes of Death	Deaths per Year	
Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	25 21 0 138 402 1,265 1,246	0.5 0.4 0.0 2.6 7.5 23.5 23.2			 Heart Disease Cancer COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Unintentional Injuries Stroke Diabetes Influenza and Pneumonia Hypertension 	18 13 5 5 5 4 3 2 2	
					Percent of Deaths due to tobacco use Median age at death	21.3 83	
			 Denotes a health status indicator which is significantly low the state average. Denotes a health status indicator which is significantly they the state suprese 		•Denotes a health status indicator which is lower than the state average. •Denotes a health status indicator which is higher than the state average. ³ All mortality rates except infant mortali adjusted death rates per 100,000 popul mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information.	s significantly ty are age- ation. Infant	
Source: United States Census Bureau, 202 Estimates	0 Population		than the state average. ¹ Data for mothers who smoked cigarettes are self-reported ² Teenage Birth rate is live births per 1,000 females age 150		Source: South Dakota Department of Hea Health Statistics	lth, Office of	

Turner County

Demographic I	nformation		Health Status Indicators 2016-2020				
Turner County is located in southeaster 13.6 persons per square mile. Parker is	the largest city in Tur		Natality Percent of Low Birth Weight Infants Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births Percent Hispanic Births Percent Unmarried Percent Breastfeeding at discharge Percent Payment-Private Insurance	6.5 86.5 6.1 9.6 29.1 LNE 95.1 LNE 3.6 22.3 15.1 83.8 79.0 15.8	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents	Rate ³ 811.2 220.6 149.6 42.0 9.0 24.6 12.9 15.2 LNE 211.9 36.9 35.6 38.9 53.5 28.8	
2020 Population	Information		Percent C-Section	22.0	Diabetes Influenza and Pneumonia	17.9 13.7	
Subject Total population White Hispanic Black or African American American Indian & Alaska Native Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Number 8,368 7,926 196 64 60 21 3 98 486 2,074 1,801	Percent 100.0 94.7 2.3 0.8 0.7 0.3 0.0 1.2 5.8 24.8 24.8 21.5			Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Heart Disease 3. Cancer 4. Stroke 5. Alzheimer's Disease 6. Chronic Lower Respiratory Diseases Unintentional Injuries 8. Diabetes 9. Influenza and Pneumonia Parkinson's Disease Hypertension Percent of Deaths due to tobacco use Median age at death	36 31 20 7 6 5 5 3 2 2 2 18.7 84	
 Source: United States Census Bureau Estimates	, 2020 Population		 Denotes a health status indicator which is significantly to the state average. Denotes a health status indicator which is significant than the state average. ¹Data for mothers who smoked cigarettes are self-report ²Teenage Birth rate is live births per 1,000 females age 	ly higher ed.	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popul mortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Health Statistics 	s significantly lity are age- lation. Infant an one year)	

Union County

Demographic Ir	nformation		Health Status Ir	ndica	tors 2016-2020	
Union County is located in the southe averages 35.1 persons per square mile. city in Union County.			 Percent of Mothers Who Smoked Cigarettes While Pregnant¹ Percent of Births Less Than 37 Wks. of Gestation Average Age of Mother Teenage Birth Rate² Percent White, Non-Hispanic Births Percent American Indian, Non-Hispanic Births Percent Hispanic Births Percent Unmarried Percent WIC births Percent Breastfeeding at discharge Percent Payment-Private Insurance 	6.8 88.6 7.4 11.1 29.5 1.8 88.4 0.9 5.7 20.5 10.5 84.8 77.5	Mortality All Causes Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents 	Rate ³ 673.5 111.2 162.6 44.8 14.4 7.9 12.4 17.0 4.3 121.5 57.1 34.6 37.6 28.2 5.9
				18.6 29.2	Diabetes	16.4
2020 Population Subject Total population White Hispanic Asian Black or African American American Indian & Alaska Native Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Information Number 16,192 14,673 659 251 234 102 18 255 1,007 3,947 3,043	Percent 100.0 90.6 4.1 1.6 1.4 0.6 0.1 1.6 6.2 24.4 18.8			Influenza and Pneumonia Suicide • Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. Cancer 2. COVID-19 (2020) 3. Heart Disease 4. Chronic Lower Respiratory Diseases 5. Stroke 6. Alzheimer's Disease 7. Unintentional Injuries 8. Hypertension Diabetes Dementia (Unspecified Type) Percent of Deaths due to tobacco use Median age at death	11.0 19.6 7.0 5.3 Deaths per Year 34 26 25 11 8 7 6 3 3 3 21.1 78
 Source: United States Census Bureau, Estimates	2020 Population		 Denotes a health status indicator which is significantly lowe the state average. Denotes a health status indicator which is significantly h than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-⁴ 	nigher	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popul mortality is the number of infant (less the deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Statistics 	s significantly lity are age- llation. Infant an one year)

Walworth County

Demographic Information		Health Status Indicators 2016-2020				
Walworth County is located in north central South Dakota, nea Dakota border and averages 7.5 persons per square mile.		Natality Percent of Low Birth Weight Infants 5 • Percent of Mothers Receiving 5 Care in 1st Trimester 64 Percent of Mothers Who Smoked 64 Cigarettes While Pregnant ¹ 13 Percent of Births Less Than 37 Wks. of Gestation 8 • Average Age of Mother 27	5 All Causes 1 Heart Disease Cancer 4 Trachea, Bronchus, & Lung 5 Colon, Rectum, & Anus 4 Female Breast 5 Pancreas 5 Prostate 5 Leukemia 2 COVID-19 (2020) 4 Chronic Lower Respiratory Diseases 4 Alzheimer's Disease 6 Stroke	Rate ³ 768.6 153.2 136.7 21.9 14.7 12.2 25.9 LNE 10.3 125.4 43.4 45.6 25.2 79.9		
the largest city in Walworth County.		 Percent Payment-Medicaid 41 	7 • Motor Vehicle Accidents	44.8		
2020 Population Information Subject Number	Percent	Percent C-Section 24	Influenza and Pneumonia Suicide Chronic Liver Disease and Cirrhosis	32.4 30.9 34.1 23.5		
Total population5,336White4,193American Indian & Alaska Native728Hispanic125Asian95	100.0 78.6 13.6 2.3 1.8		Infant Mortality (2011-2020) Leading Causes of Death	5.6 Deaths per Year		
Black or African American 23 Pacific Islander 0 Multi-Racial 172	0.4 0.0 3.2 6.6		 Heart Disease Cancer COVID-19 (2020) Alzheimer's Disease Unintentional Injuries Chronic Lower Respiratory Diseases 	16 14 14 6 5 4		
Under 18 years 1,234 65 years and over 1,355	23.1 25.4		Influenza and Pneumonia 8. Diabetes Stroke 10. Dementia (Unspecified Type)	4 3 3 2		
			Percent of Deaths due to tobacco use Median age at death	17.9 82		
		 Denotes a health status indicator which is significantly lower to the state average. 		is significantly ality are age- ulation. Infant		
Source: United States Census Bureau, 2020 Population Estimates		 Denotes a health status indicator which is significantly hig than the state average. ¹Data for mothers who smoked cigarettes are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17 	See technical notes for more information. Source: South Dakota Department of He Health Statistics	ealth, Office of		

Yankton County

Demographic Information		Health Status Inc	dica	ators 2016-2020			
		Natality		Mortality	2		
		Percent of Low Birth Weight Infants 6 ○ Percent of Mothers Receiving	6.6	All Causes	Rate ³ 737.5		
			5.2	Heart Disease	161.2		
		 Percent of Mothers Who Smoked 	0.2	Cancer	118.8		
			7.0	Trachea, Bronchus, & Lung	28.2		
		Percent of Births Less Than 37 Wks. of Gestation	8.7	Colon, Rectum, & Anus	12.6		
		5 5	8.0	Female Breast	11.2		
		0	9.7	Pancreas	6.2		
		,	3.2	● Prostate Leukemia	9.8 7.6		
			3.8 6.8	• COVID-19 (2020)	87.8		
۲۰۰ ۱			3.5	Chronic Lower Respiratory Diseases	51.7		
Yankton County is located in southeastern South Dakota c	n tha		8.0	 Alzheimer's Disease 	55.3		
Nebraska border and averages 43.6 persons per square mile. Ya			9.2	Stroke	25.1		
is the largest city in Yankton County.			4.6	Unintentional Injuries	62.9		
5 , - ,			2.2	Motor Vehicle Accidents Diabetes	19.3 32.1		
2000 Denvilation Information		• Percent C-Section 28	8.0	Influenza and Pneumonia	19.3		
2020 Population Information				Suicide	14.1		
	rcent			Chronic Liver Disease and Cirrhosis	9.2		
Total population 22,742 White 19,843	100.0 87.3			Infant Mortality (2011-2020)	7.8		
Hispanic 1,248	67.3 5.5				Deatha		
American Indian & Alaska Native 632	2.8			Leading Causes of Death	Deaths per Year		
Black or African American 460	2.0			-	per tear		
Asian 158 Desifia Jalandar 11	0.7			1. Heart Disease	58		
Pacific Islander 11 Multi-Racial 390	0.0 1.7			2. Cancer	41		
				3. COVID-19 (2020)	28		
				4. Alzheimer's Disease 5. Chronic Lower Respiratory Diseases	22 19		
Under 5 years 1,326	5.8			6. Unintentional Injuries	19		
Under 18 years 4,777 65 years and over 4.632	21.0 20.4			7. Diabetes	11		
	20.4			8. Stroke	9		
				9. Influenza and Pneumonia	8		
				10. Hypertension	6		
				Percent of Deaths due to tobacco use	19.6		
				Median age at death	80		
				•Denotes a health status indicator which i	s significantly		
				lower than the state average.	g		
				oDenotes a health status indicator which i	s significantly		
				higher than the state average.			
				³ All mortality rates except infant morta			
				adjusted death rates per 100,000 popul mortality is the number of infant (less th			
		Penotes a health status indicator which is significantly lower t	than	deaths per 1,000 live births.			
		 Denotes a health status indicator which is significantly lower t the state average. 	uiali	· · · · · · · · · · · · · · · · · ·			
l		•Denotes a health status indicator which is significantly high	gher	See technical notes for more information.			
Courses United Otates Consus Durants 2000 Denutet		than the state average.	J				
Source: United States Census Bureau, 2020 Population		¹ Data for mothers who smoked cigarettes are self-reported.		Source: South Dakota Department of He	alth, Office of		
Estimates		² Teenage Birth rate is live births per 1,000 females age 15-17	7.	Health Statistics			

Ziebach County

Demographic Info	ormation		Health Status Indicators 2016-2020				
Ziebach County is located in north central 1.4 persons per square mile. Dupree is County.			Natality Percent of Low Birth Weight Infants • Percent of Mothers Receiving Care in 1st Trimester Percent of Mothers Who Smoked Cigarettes While Pregnant ¹ • Percent of Births Less Than 37 Wks. of Gestation • Average Age of Mother Teenage Birth Rate ² Percent White, Non-Hispanic Births Percent Hispanic Births • Percent Hispanic Births • Percent Unmarried • Percent Breastfeeding at discharge • Percent Payment-Private Insurance • Percent Payment-Medicaid	8.8 45.5 19.4 18.2 26.8 6.5 8.0 75.9 2.2 81.0 67.2 60.0 17.6 68.7	Mortality All Causes • Heart Disease Cancer Trachea, Bronchus, & Lung Colon, Rectum, & Anus Female Breast Pancreas Prostate Leukemia COVID-19 (2020) Chronic Lower Respiratory Diseases Alzheimer's Disease Stroke Unintentional Injuries Motor Vehicle Accidents	Rate ³ 797.9 91.5 148.4 37.0 35.5 LNE LNE 295.4 42.9 LNE LNE 63.1 LNE	
2020 Population In	formation		Percent C-Section	23.4	Diabetes Influenza and Pneumonia	36.7 57.8	
Subject Total population American Indian & Alaska Native White Hispanic Black or African American Asian Pacific Islander Multi-Racial Under 5 years Under 18 years 65 years and over	Number 2,656 1,786 643 105 13 5 1 103 103 139 682 301	Percent 100.0 67.2 24.2 4.0 0.5 0.2 0.0 3.9 5.2 25.7 11.3			Suicide Chronic Liver Disease and Cirrhosis Infant Mortality (2011-2020) Leading Causes of Death 1. COVID-19 (2020) 2. Cancer 3. Heart Disease Unintentional Injuries 5. Chronic Liver Disease and Cirrhosis Influenza and Pneumonia Septicemia Percent of Deaths due to tobacco use Median age at death	7 3 2 2 2 1 3 2 2 1 1 1 5.4 65	
 Source: United States Census Bureau, 20 Estimates	20 Population		 Denotes a health status indicator which is significantly lo the state average. Denotes a health status indicator which is significantl than the state average. ¹Data for mothers who smoked cigarettes are self-reporte ²Teenage Birth rate is live births per 1,000 females age 1 	y higher ed.	 Denotes a health status indicator which is lower than the state average. Denotes a health status indicator which is higher than the state average. ³All mortality rates except infant mortal adjusted death rates per 100,000 popu mortality is the number of infant (less that deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health Statistics 	s significantly ity are age- lation. Infant an one year)	