



# South Dakota Regional Trauma Performance Improvement Case Review Abstract Form 1

07/2024

**INSTRUCTIONS:** Type or print clearly. To be completed by Community Trauma and Trauma Receiving Hospitals.  
**Complete and return to [Bailey Wilcox](#), Trauma Consultant or [Jamie Zilverberg](#), State Trauma Program Manager.**

Tertiary Facility: \_\_\_\_\_ Referring Facility: \_\_\_\_\_

Patient Name: \_\_\_\_\_ Patient Gender: \_\_\_\_\_ Patient Age: \_\_\_\_\_

Transfer Team Request Time: \_\_\_\_\_ Transfer Team Arrival Time: \_\_\_\_\_ Arrival to Hospital Departure Time: \_\_\_\_\_  
FORMAT - HH:MM FORMAT - HH:MM FORMAT - HH:MM

Mode of transport to your facility:    ALS Ground                  BLS Ground                  Air                  POV                  Other

Procedures completed by Ground Ambulance or Flight Team (ex. O2, Intubation, IV, etc.)

Your ED Arrival Date: \_\_\_\_\_ Your ED Arrival Time: \_\_\_\_\_ ED Length of Stay: \_\_\_\_\_  
EX: MM/DD/YYYY FORMAT - HH:MM

Did the patient meet Physiological and/or Anatomical Absolute Criteria?    Yes    No

Check all that apply:

GCS < 10      BP < 90      Pulse > 120      Respirations < 10 or > 29, Airway Obstruction or Resp. Compromise

Penetrating injury to chest, abdomen, head, neck      Limb Paralysis (Associated with Trauma)

Amputation proximal to wrist or ankle      Pediatric Assessment Triangle Finding      Flail Chest

Facility Defined Criteria

Was the Trauma Team activated?    Yes    No      Who activated the Trauma Team?    EMS      Hospital Staff

ED provider arrival time in minutes: \_\_\_\_\_      Surgeon arrival time to patients side in minutes: \_\_\_\_\_

Pre-Hospital Vital Signs	Initial ED Vital Signs	Additional Vital Signs	Vital Signs Comments:
Temp	Temp	Temp	
Pulse	Pulse	Pulse	
Resp	Resp	Resp	
BP	BP	BP	
GCS	GCS	GCS	Total Inputs: (mL)
O2 Sat	O2 Sat	O2 Sat	Total outputs: (mL)

If applicable, which warming measures were taken in the care of this patient.

Mechanical Warmer (Bair Hugger)      Warmed IV Fluids      Warm Blankets      Increasing ER Bay Temperature

Other Measures

# Trauma Assessment

Airway ET    Yes    No    N/A    ET Time:  
format - HH:MM

Breathing

Circulation

Disability

Co-Morbidities

ISS                      Identified Injuries

Abnormal Lab Findings

Was the patient on any Anti-Coagulation Meds?  
If so, please list.

Portable Chest X-Ray Time: HH:MM	Portable Pelvic X-Ray Time: HH:MM	FAST Time: HH:MM	Backboard removal time in minutes:	
CT of Head Performed With Contrast Without Contrast Time: HH:MM	CT of Neck Performed With Contrast Without Contrast Time: HH:MM	CT of Chest Performed With Contrast Without Contrast Time: HH:MM	CT of Abd. Performed With Contrast Without Contrast Time: HH:MM	
CT of Pelvis Performed With Contrast Without Contrast Time: HH:MM				

Procedures completed in the ED (ex. O2, Intubation, Chest Tube, X-Rays, etc.) \*\*With Times

Patient Emergency Room Disposition

format - m/d/yyyy h:MM:tt

Patient Died

Date/Time

Patient Discharged Home from ER

Date/Time

Patient Discharged to Tertiary Center

Date/Time

Facility:

Patient Admitted to your facility

Date/Time

LOS:

Mode of transport to your Tertiary Center:    ALS Ground    BLS Ground    Air    POV    Other

To Operating Room                      Date/Time

LOS:

Patient Admitted to your facility                      ICU LOS

Hospital LOS:

If Admission-Date of Hospital Discharge

If Admission-Time of Hospital Discharge

Rehab    Other:

# Performance Improvement Findings/Requested Action Items

---

## Section To be completed by Facility

A Primary PI review was conducted on this case  
A Secondary PI review was conducted on this case  
A Multidisciplinary review was conducted on this case

### Facility Findings

### PI Indicators

EMS Scene Time > 20 minutes  
Backboard Removal > 20 minutes  
Trauma Activation Criteria Met--Team not activated  
Provider at Patients side > 30 minutes  
CT performed after decision to transfer had been made  
CT Chest without portable X-Ray  
CT Chest/Abdomen/Pelvis without contrast  
CT scan done on pediatric case </= 16 years

Decision to Transfer > 15 minutes  
Decision to Transfer > 15 minutes and Tx protocol *NOT* followed  
GCS </= and NOT intubated  
Hypothermic (<97 degrees) without warming measures  
Hemo/pneumo diagnosed and chest tube NOT placed  
> 2 L crystalloid given before blood products started  
I and O documentation missing  
Death-Autopsy not required

Other:

---

## Regional Performance Improvement Review Findings:

No action required:

Trend:

Guideline or Protocol:

Education:

CAH-Multidisciplinary Review:

Tertiary Hospital-M&M Review:

Additional Review: