


# South Dakota Tuberculosis Control Program Annual Report




2005

**2005 YEAR END SUMMARY** 

There were 16 cases of tuberculosis reported to the South Dakota Department of Health in 2005, which is an increase of 5 cases from 2004. Cases were widely distributed throughout the state with 10 counties reporting TB cases, however all but Minnehaha County reported only 1 TB case. During 2005, there was 1 Ethambutol resistant TB case and 1 INH and PZA resistant TB case. There were no HIV co-infected TB cases and no TB cases reported in correctional facilities. There was 1 TB case reported from a long-term care facility. During 2005, there were no TB cases reported in children aged 19 years or less of age.

### STATISTICAL REVIEW OF 2005 TB CASES




# TB CASES REPORTED BY SEX AND AGE SOUTH DAKOTA 2005

AGE (years)	MALE	FEMALE	TOTAL	% OF CASES
0-4	0	0	0	0%
5-9	0	0	0	0%
10-14	0	0	0	0%
15-19	0	0	0	0%
20-29	1	2	3	19%
30-39	1	0	1	6%
40-49	3	2	5	32%
50-59	2	2	4	25%
60-69	0	0	0	0%
70-79	0	1	1	6%
80-89	0	1	1	6%
90+	0	1	1	6%
TOTAL	7	9	16	100%

# TUBERCULOSIS CASES REPORTED BY SEX AND RACE SOUTH DAKOTA 2005


RACE	MALE	FEMALE	TOTAL	% OF CASES
Native American	3	3	6	37%
White	2	2	4	25%
Black	2	1	3	19%
Hispanic	0	0	0	0%
Asian	0	3	3	19%
TOTAL	7	9	16	100%



# TUBERCULOSIS MORBIDITY INCIDENCE RATES PER 100,000 BY RACE & YEAR SOUTH DAKOTA 2000-2005


RACE	2000	2001	2002	2003	2004	2005
All Races	2.3	1.7	1.7	2.6	1.5	2.1
Native American	17.8	5.9	16.1	14.6	7.3	8.8
White	0.6	0.4	0.3	0.9	0.6	0.6
Black	Not available	48.4	0.0	0.0	0.0	48.4
Asian	Not available	17.4	0.0	69.4	0.0	52.1
All Other Races	37.9*	38.5	0.0	0.0	41.3	0.0

Specific race data not available from the census for this year other than White & Native American.



TB CASES REPORTED BY COUNTY OF RESIDENCE SOUTH DAKOTA 2005


County	# of TB cases	County	# of TB cases
Bennett	1	Meade	1
Brule	1	Mellette	1
Corson	1	Minnehaha	7
Dewey	1	Pennington	1
Jackson	1	Shannon	1



## PULMONARY AND NON-PULMONARY TUBERCULOSIS CASES BY RACE SOUTH DAKOTA 2005

Site of Disease	Native American	White	Black	Hispanic	Asian	TOTAL
Pulmonary	2	2	3	0	1	8
Non-pulmonary	2	2	0	0	2	6
Both	2	0	0	0	0	2
TOTAL	6	4	3	0	3	16


The non-pulmonary sites of disease included the following: meningeal, military, lymphatic, spinal, cyst on spine, bone, neck mass, pelvic mass



### TUBERCULOSIS MORTALITY BY RACE AND YEAR SOUTH DAKOTA 2002-2005

RACE	20	02	2003		2004		2005	
All races	4/13	31%	4/20	20%	1/11	9%	3/16	19%
Native American	4/11	36%	4/10	40%	1/5	20%	3/6	50%
White	0/2	0%	0/6	0%	0/4	0%	0/4	0%
Black							0/3	0%
Hispanic					0/2	0%		






PATIENTS STARTED ON TREATMENT FOR LATENT TB INFECTION SOUTH DAKOTA 1996-2005

1996	1997	1998	1999	2000	2001	2002	2003	2004	2005*
636	629	628	764	583	661	574	469	555	488


\*2005 data is provisional


### COMPARISON OF TB CASES, TB SUSPECTS, TB CONTACTS



### **AND LATENT TB INFECTIONS REPORTED FROM 1996-2005**

### 2004 US AND REGIONAL TB STATISTICAL INFORMATION





# TUBERCULOSIS CASES AND CASE RATES PER 100,000 UNITED STATES 1994-2005

YEAR	NUMBER OF TB CASES	TB CASE RATE	% CHANGE OF NUMBER	% CHANGE OF RATE
1994	24,361	9.4	-3.7%	-4.1%
1995	22,860	8.7	-6.2%	-7.4%
1996	21,337	8.0	-6.7%	-8.0%
1997	19,851	7.4	-7.0%	-7.5%
1998	18,361	6.8	-7.5%	-8.1%
1999	17,531	6.4	-4.5%	-5.9%
2000	16,377	5.8	-6.6%	-9.4%
2001	15,989	5.6	-2.4%	-3.4%
2002	15,078	5.2	-6.0%	-7.0%
2003	14,874	5.1	-1.3%	-1.9%
2004	14,517	4.9	-2.3%	-3.2%