

Physical Activity and Nutrition

NO LEISURE TIME PHYSICAL ACTIVITY

Definition: Respondents who report no leisure time physical activity or exercise during the past 30 days other than the respondent's regular job.


Prevalence of No Leisure Time Physical Activity

- South Dakota 27%
- Nationwide median 26%

Healthy People 2020 Objective


There was no comparable Healthy People 2020 Objective for leisure time physical activity.

Figure 9
Percent of Respondents Who Reported No Leisure Time Physical Activity, 1990-1992, 1994-1996, 1998, and 2000-2010



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 1990-1992, 1994-1996, 1998 and 2000-2010

Figure 10
Percent of Respondents Who Reported No Leisure Time Physical Activity, 2011



Note: Beginning in 2011, the CDC began using a different methodology to weight the data, therefore current data estimates cannot be compared to previous years.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

Table 10
Respondents Who Reported No Leisure Time Physical Activity, 2011


		# Resp.	% No Leisure Time Physical Activity	95% CI	
				Lower	Upper
Total		8,045	27%	25%	29%
Gender	Male	3,226	29%	26%	32%
	Female	4,819	25%	23%	27%
Age	18-44	2,141	22%	19%	25%
	45-64	3,176	28%	25%	32%
	65+	2,684	37%	33%	40%
Race	White	6,936	26%	24%	28%
	American Indian	818	27%	20%	36%
Ethnicity	Hispanic	103	41%	26%	57%
	Non-Hispanic	7,929	27%	25%	29%
Household Income	Less than \$25,000	1,943	33%	29%	37%
	\$25,000-\$49,999	2,065	31%	27%	36%
	\$50,000+	2,868	20%	17%	23%
Education	High School, G.E.D., or Less	3,126	33%	30%	36%
	Some Post-High School	2,364	26%	22%	29%
	College Graduate	2,544	18%	15%	21%
Employment Status	Employed for Wages	3,563	23%	21%	26%
	Self-employed	876	38%	32%	45%
	Unemployed	325	19%	12%	27%
	Homemaker	446	32%	24%	42%
	Student	182	11%	6%	17%
	Retired	2,254	30%	27%	34%
	Unable to Work	388	42%	34%	52%
Marital Status	Married/Unmarried Couple	4,695	27%	24%	29%
	Divorced/Separated	1,063	29%	24%	34%
	Widowed	1,216	36%	31%	41%
	Never Married	1,062	24%	20%	29%
Home Ownership Status	Own Home	6,113	27%	25%	29%
	Rent Home	1,627	30%	26%	34%
Children Status	Children in Household (Ages 18-44)	1,459	23%	19%	27%
	No Children in Household (Ages 18-44)	680	20%	16%	25%
Phone Status	Landline	7,082	27%	25%	30%
	Cell Phone	963	25%	22%	28%

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

National Statistics

The national median for respondents who reported no leisure time physical activity was 26.2 percent, as shown in Figure 11 on the next page. South Dakota had 27 percent of respondents who reported no leisure time physical activity. Colorado had the lowest percent of respondents who reported no leisure time physical activity with 16.5 percent, while Mississippi had the highest with 36 percent.

Figure 11
Nationally, Respondents Who Reported No Leisure Time Physical Activity, 2011



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

Further Analysis

Following are data illustrating the percent of those who do not engage in leisure time physical activity for various health behaviors and conditions. For example, 47 percent of respondents who stated their physical health was not good for 30 days of the past 30 have no leisure time physical activity, while 26 percent of respondents who stated their physical health was not good for 0-29 days of the past 30 have no leisure time physical activity.

Table 11
No Leisure Time Physical Activity for Selected Health Behaviors and Conditions, 2011

Health Behavior or Condition	# Respondents	% No Leisure Time Physical Activity	95% CI	
			Lower	Upper
Underweight (BMI < 18.5)	*	*	*	*
Recommended (BMI = 18.5-24.9)	2,420	49%	29%	69%
Overweight (BMI = 25.0-29.9)	2,874	20%	17%	23%
Obese - Class I (BMI = 30.0-34.9)	1,477	29%	26%	33%
Obese - Classes II & III (BMI = 35.0+)	762	29%	25%	34%
At Least Five Servings of Fruits and Vegetables	1,039	16%	13%	21%
Less Than Five Servings of Fruits and Vegetables	6,964	28%	26%	30%
Current Smoker	1,437	33%	28%	37%
Former Smoker	2,413	27%	24%	30%
Never Smoked	4,166	24%	22%	27%
Smokeless Tobacco	387	37%	28%	47%
No Smokeless Tobacco	7,658	26%	24%	28%
Diabetes	971	34%	28%	40%
No Diabetes	7,065	26%	24%	28%

Table 11 (continued)
No Leisure Time Physical Activity for Selected Health Behaviors and Conditions, 2011

Health Behavior or Condition	# Respondents	% No Leisure Time Physical Activity	95% CI	
			Lower	Upper
High Blood Pressure	3,135	33%	30%	37%
No High Blood Pressure	4,899	24%	22%	27%
High Blood Cholesterol	2,810	31%	27%	34%
No High Blood Cholesterol	3,944	24%	21%	26%
Flu Shot (65+)	1,869	34%	30%	38%
No Flu Shot (65+)	779	43%	36%	50%
Pneumonia Shot (65+)	1,746	38%	34%	42%
No Pneumonia Shot (65+)	814	35%	29%	42%
Drank Alcohol in Past 30 Days	4,240	23%	20%	25%
Did Not Drink Alcohol in Past 30 Days	3,693	33%	30%	36%
Binge Drinker	1,210	22%	18%	27%
Not a Binge Drinker	6,682	28%	26%	31%
Heavy Drinker	404	26%	19%	34%
Not a Heavy Drinker	7,462	27%	25%	29%
Always/Almost Always Wear Seat Belt	6,766	25%	23%	27%
Sometimes/Seldom/Never Wear Seat Belt	1,204	38%	32%	43%
Previously Had Heart Attack	550	39%	32%	46%
Never Had Heart Attack	7,460	26%	24%	28%
Have Angina or Coronary Heart Disease	525	40%	33%	48%
Do Not Have Angina or Coronary Heart Disease	7,455	26%	24%	28%
Previously Had a Stroke	297	40%	30%	50%
Never Had a Stroke	7,731	27%	25%	29%
Cancer	1,337	34%	30%	39%
No Cancer	6,678	26%	24%	28%
Skin Cancer	746	32%	27%	38%
No Skin Cancer	7,280	27%	25%	29%
Current Asthma	625	26%	21%	32%
Former Asthma	249	24%	15%	38%
Never Had Asthma	7,124	27%	25%	29%
Arthritis	2,523	35%	31%	39%
No Arthritis	5,483	24%	22%	26%
COPD	545	40%	32%	48%
No COPD	7,474	26%	24%	28%
Depression	1,291	32%	28%	37%
No Depression	6,728	26%	24%	28%
Kidney Disease	249	37%	28%	48%
No Kidney Disease	7,778	27%	25%	29%
Vision Impairment	1,727	36%	32%	41%
No Vision Impairment	6,280	25%	23%	27%
Good/Very Good/Excellent Health Status	6,704	24%	22%	26%
Fair/Poor Health Status	1,332	46%	41%	51%
Physical Health Not Good for 0-29 Days of the Past 30	7,367	26%	24%	28%
Physical Health Not Good for 30 Days of the Past 30	533	47%	40%	55%
Mental Health Not Good for 0-19 Days of the Past 30	7,507	26%	24%	28%
Mental Health Not Good for 20-30 Days of the Past 30	414	32%	25%	41%
Usual Activities Unattainable for 0-9 Days of the Past 30	7,400	26%	24%	28%
Usual Activities Unattainable for 10-30 Days of the Past 30	568	39%	31%	47%
Physical, Mental, or Emotional Problems	2,310	36%	32%	40%
No Physical, Mental, or Emotional Problems	5,684	24%	22%	26%
Disability with Special Equipment Needed	817	42%	35%	49%
No Disability with Special Equipment Needed	7,189	26%	24%	28%
Been Tested for HIV (18-64)	1,583	25%	21%	30%
Never Been Tested for HIV (18-64)	6,158	28%	26%	30%

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

PHYSICAL ACTIVITY RECOMMENDATIONS

Definition: Respondents who report doing less than 150 minutes or more of aerobic physical activity per week.

Prevalence of Not Meeting the Physical Activity Recommendations

- South Dakota 54%
- Nationwide median 48%

South Dakota Department of Health 2020 Initiative

Increase the percent of adults who are physically active on a regular basis to 55 percent.

		# Resp.	% Not Met Physical Activity Recommendations	95% CI	
				Lower	Upper
Total		7,839	54%	52%	56%
Gender	Male	3,149	57%	54%	60%
	Female	4,690	51%	48%	54%
Age	18-44	2,098	54%	50%	58%
	45-64	3,128	54%	51%	57%
	65+	2,599	53%	49%	57%
Race	White	6,771	54%	51%	56%
	American Indian	789	54%	46%	62%
Ethnicity	Hispanic	*	*	*	*
	Non-Hispanic	7,732	54%	51%	56%
Household Income	Less than \$25,000	1,886	58%	54%	62%
	\$25,000-\$49,999	2,027	57%	53%	62%
	\$50,000+	2,832	48%	45%	52%
Education	High School, G.E.D., or less	3,019	58%	54%	61%
	Some Post-High School	2,321	54%	50%	58%
	College Graduate	2,490	47%	43%	51%
Employment Status	Employed for Wages	3,505	54%	51%	58%
	Self-employed	858	60%	53%	66%
	Unemployed	318	54%	44%	63%
	Homemaker	422	50%	41%	60%
	Student	182	41%	31%	52%
	Retired	2,170	48%	45%	52%
	Unable to Work	376	70%	60%	78%
Marital Status	Married/Unmarried Couple	4,604	53%	50%	56%
	Divorced/Separated	1,030	56%	51%	62%
	Widowed	1,165	53%	48%	58%
	Never Married	1,032	55%	50%	60%
Home Ownership Status	Own Home	5,972	53%	51%	56%
	Rent Home	1,576	57%	53%	61%
Children Status	Children in Household (Ages 18-44)	1,427	53%	48%	58%
	No Children in Household (Ages 18-44)	669	56%	50%	62%
Phone Status	Landline	6,898	54%	52%	56%
	Cell Phone	941	53%	49%	57%


Note: *Results based on sample sizes less than 100 have been suppressed.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

National Statistics

The national median for respondents who did not meet the physical activity recommendations was 48.3 percent. South Dakota had 53.9 percent of respondents who did not meet the physical activity recommendations. Colorado had the lowest percent of respondents who did not meet the physical activity recommendations with 38.2 percent, while Tennessee had the highest with 61.1 percent.

Figure 12
Nationally, Respondents Who Did Not Meet the Physical Activity Recommendations, 2011



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

Further Analysis

Following are data illustrating the percent of those who did not meet the physical activity recommendations for various health behaviors and conditions. For example, 56 percent of respondents who stated they have less than 5 servings of fruit and vegetables per day have not met the physical activity recommendations, while 37 percent of respondents who stated they have at least 5 servings of fruit and vegetables per day have not met the physical activity recommendations.

Table 13
Physical Activity Recommendations Not Met for Selected Health Behaviors and Conditions, 2011

Health Behavior or Condition	# Respondents	% Physical Activity Recommendations Not Met	95% CI	
			Lower	Upper
Underweight (BMI < 18.5)	*	*	*	*
Recommended (BMI = 18.5-24.9)	2,350	48%	44%	53%
Overweight (BMI = 25.0-29.9)	2,821	54%	51%	58%
Obese - Class I (BMI = 30.0-34.9)	1,446	56%	52%	61%
Obese - Classes II & III (BMI = 35.0+)	749	61%	54%	68%

Table 13 (continued)
Physical Activity Recommendations Not Met for Selected Health Behaviors and Conditions, 2011

Health Behavior or Condition	# Respondents	% Physical Activity Recommendations Not Met	95% CI	
			Lower	Upper
At Least Five Servings of Fruits and Vegetables	1,019	37%	32%	43%
Less Than Five Servings of Fruits and Vegetables	6,788	56%	54%	58%
Current Smoker	1,404	59%	54%	64%
Former Smoker	2,357	49%	45%	53%
Never Smoked	4,049	54%	51%	57%
Smokeless Tobacco	375	61%	51%	70%
No Smokeless Tobacco	7,464	53%	51%	56%
Diabetes	940	60%	54%	66%
No Diabetes	6,891	53%	51%	56%
High Blood Pressure	3,036	58%	54%	61%
No High Blood Pressure	4,795	52%	50%	55%
High Blood Cholesterol	2,738	54%	51%	58%
No High Blood Cholesterol	3,848	50%	47%	53%
Flu Shot (65+)	1,822	51%	47%	55%
No Flu Shot (65+)	746	57%	51%	64%
Pneumonia Shot (65+)	1,687	53%	49%	58%
No Pneumonia Shot (65+)	796	52%	45%	59%
Drank Alcohol in Past 30 Days	4,166	51%	48%	54%
Did Not Drink Alcohol in Past 30 Days	3,575	58%	54%	61%
Binge Drinker	1,195	55%	50%	60%
Not a Binge Drinker	6,510	54%	51%	56%
Heavy Drinker	403	52%	43%	61%
Not a Heavy Drinker	7,278	54%	52%	56%
Always/Almost Always Wear Seat Belt	6,604	52%	49%	54%
Sometimes/Seldom/Never Wear Seat Belt	1,170	64%	58%	69%
Previously Had Heart Attack	534	58%	50%	66%
Never Had Heart Attack	7,275	54%	51%	56%
Have Angina or Coronary Heart Disease	510	65%	58%	72%
Do Not Have Angina or Coronary Heart Disease	7,269	53%	51%	55%
Previously Had a Stroke	293	61%	49%	71%
Never Had a Stroke	7,532	54%	52%	56%
Cancer	1,297	55%	50%	60%
No Cancer	6,515	54%	51%	56%
Skin Cancer	723	48%	42%	55%
No Skin Cancer	7,099	54%	52%	57%
Current Asthma	596	58%	50%	65%
Former Asthma	244	45%	34%	58%
Never Had Asthma	6,952	54%	52%	56%
Arthritis	2,458	60%	56%	63%
No Arthritis	5,346	52%	49%	55%
COPD	529	63%	55%	70%
No COPD	7,285	53%	51%	56%
Depression	1,254	59%	54%	64%
No Depression	6,559	53%	51%	55%
Kidney Disease	245	63%	52%	73%
No Kidney Disease	7,577	54%	52%	56%
Vision Impairment	1,664	60%	55%	64%
No Vision Impairment	6,138	53%	50%	55%
Good/Very Good/Excellent Health Status	6,535	51%	49%	54%
Fair/Poor Health Status	1,295	70%	66%	75%

Table 13 (continued)
Physical Activity Recommendations Not Met for Selected Health Behaviors and Conditions, 2011

Health Behavior or Condition	# Respondents	% Physical Activity Recommendations Not Met	95% CI	
			Lower	Upper
Physical Health Not Good for 0-29 Days of the Past 30	7,188	53%	51%	55%
Physical Health Not Good for 30 Days of the Past 30	520	66%	58%	74%
Mental Health Not Good for 0-19 Days of the Past 30	7,317	53%	51%	55%
Mental Health Not Good for 20-30 Days of the Past 30	404	66%	57%	74%
Usual Activities Unattainable for 0-9 Days of the Past 30	7,209	53%	50%	55%
Usual Activities Unattainable for 10-30 Days of the Past 30	559	67%	59%	74%
Physical, Mental, or Emotional Problems	2,246	63%	59%	67%
No Physical, Mental, or Emotional Problems	5,549	51%	48%	54%
Disability with Special Equipment Needed	799	61%	53%	68%
No Disability with Special Equipment Needed	7,007	53%	51%	56%
Been Tested for HIV (18-64)	1,551	53%	48%	58%
Never Been Tested for HIV (18-64)	6,004	55%	52%	57%

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

LESS THAN FIVE SERVINGS OF FRUITS AND VEGETABLES

Definition: Respondents who report they consume less than five servings of fruits and vegetables per day.


Prevalence of Not Consuming at Least Five Servings of Fruits and Vegetables Per Day

- South Dakota 89%
- There is no nationwide median for consuming less than five servings of fruits and vegetables per day

Healthy People 2020 Objective


There was no comparable Healthy People 2020 Objective for adults who do not consume at least five servings of fruits and vegetables per day.

Figure 13
Percent of Respondents Who Reported Not Consuming at Least 5 Servings of Fruits and Vegetables Per Day, 1994, 1996-2000, 2002-2003, 2005, 2007, and 2009



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 1994, 1996-2000, 2002-2003, 2005, 2007, and 2009

Figure 14
Percent of Respondents Who Reported Not Consuming at Least 5 Servings of Fruits and Vegetables Per Day, 2011



Note: Beginning in 2011, the CDC began using a different methodology to weight the data, therefore current data estimates cannot be compared to previous years.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

		# Resp.	% Not Consuming 5 Servings of Fruits and Vegetables Per Day	95% CI	
				Lower	Upper
Total		8,045	89%	88%	90%
Gender	Male	3,224	94%	92%	95%
	Female	4,821	84%	82%	86%
Age	18-44	2,156	90%	88%	92%
	45-64	3,174	88%	86%	90%
	65+	2,672	88%	85%	90%
Race	White	6,936	89%	87%	90%
	American Indian	820	88%	81%	93%
Ethnicity	Hispanic	104	91%	81%	96%
	Non-Hispanic	7,929	89%	88%	90%
Household Income	Less than \$25,000	1,944	89%	87%	92%
	\$25,000-\$49,999	2,072	89%	86%	91%
	\$50,000+	2,870	88%	85%	90%
Education	High School, G.E.D., or Less	3,118	92%	90%	93%
	Some Post-High School	2,366	87%	84%	89%
	College Graduate	2,550	87%	84%	89%
Employment Status	Employed for Wages	3,574	90%	88%	91%
	Self-employed	874	92%	88%	94%
	Unemployed	326	91%	84%	95%
	Homemaker	446	80%	73%	86%
	Student	183	92%	86%	95%
	Retired	2,244	88%	86%	90%
	Unable to Work	388	85%	77%	91%
Marital Status	Married/Unmarried Couple	4,700	89%	87%	90%
	Divorced/Separated	1,062	92%	89%	94%
	Widowed	1,211	87%	83%	91%
	Never Married	1,063	89%	85%	92%
Home Ownership Status	Own Home	6,110	88%	87%	90%
	Rent Home	1,629	90%	88%	92%
Children Status	Children in Household (Ages 18-44)	1,470	90%	87%	92%
	No Children in Household (Ages 18-44)	684	91%	87%	94%
Phone Status	Landline	7,081	89%	88%	90%
	Cell Phone	964	89%	86%	91%

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011

Further Analysis

Following are data illustrating the percent of those who do not consume at least five servings of fruits and vegetables per day for various health behaviors and conditions. For example, 94 percent of respondents who currently smoke did not consume at least 5 servings of fruits and vegetables per day, while 87 percent of respondents who have never smoked did not consume at least 5 servings of fruits and vegetables per day.

Health Behavior or Condition	# Respondents	% Not Consuming 5 Servings of Fruits and Vegetables Per Day	95% CI	
			Lower	Upper
Underweight (BMI < 18.5)	100	88%	77%	94%
Recommended (BMI = 18.5-24.9)	2,418	87%	84%	89%
Overweight (BMI = 25.0-29.9)	2,874	90%	89%	92%
Obese - Class I (BMI = 30.0-34.9)	1,480	91%	87%	93%
Obese - Classes II & III (BMI = 35.0+)	766	90%	86%	93%

Table 15 (continued)
Not Consuming at Least 5 Servings of Fruits and Vegetables Per Day for Selected Health Behaviors and Conditions, 2011

Health Behavior or Condition	# Respondents	% Not Consuming 5 Servings of Fruits and Vegetables Per Day	95% CI	
			Lower	Upper
Leisure Time Exercise	5,769	87%	86%	89%
No Leisure Time Exercise	2,234	93%	91%	95%
Meet Aerobic Recommendations	3,732	85%	83%	87%
Did Not Meet Aerobic Recommendations	4,075	92%	91%	94%
Current Smoker	1,438	94%	92%	96%
Former Smoker	2,404	89%	86%	91%
Never Smoked	4,174	87%	85%	89%
Smokeless Tobacco	391	97%	95%	99%
No Smokeless Tobacco	7,654	88%	87%	90%
Diabetes	966	88%	83%	91%
No Diabetes	7,070	89%	88%	90%
High Blood Pressure	3,136	90%	88%	92%
No High Blood Pressure	4,899	89%	87%	90%
High Blood Cholesterol	2,814	90%	89%	92%
No High Blood Cholesterol	3,946	86%	83%	88%
Flu Shot (65+)	1,861	87%	84%	89%
No Flu Shot (65+)	771	89%	84%	93%
Pneumonia Shot (65+)	1,741	86%	83%	89%
No Pneumonia Shot (65+)	804	91%	88%	93%
Drank Alcohol in Past 30 Days	4,223	90%	88%	92%
Did Not Drink Alcohol in Past 30 Days	3,682	87%	85%	89%
Binge Drinker	1,206	96%	94%	97%
Not a Binge Drinker	6,659	87%	85%	88%
Heavy Drinker	403	96%	92%	98%
Not a Heavy Drinker	7,436	88%	87%	90%
Always/Almost Always Wear Seat Belt	6,742	87%	86%	89%
Sometimes/Seldom/Never Wear Seat Belt	1,197	96%	94%	97%
Previously Had Heart Attack	546	90%	85%	94%
Never Had Heart Attack	7,465	89%	88%	90%
Have Angina or Coronary Heart Disease	527	89%	84%	93%
Do Not Have Angina or Coronary Heart Disease	7,455	89%	88%	90%
Previously Had a Stroke	294	85%	71%	93%
Never Had a Stroke	7,734	89%	88%	90%
Cancer	1,334	89%	85%	91%
No Cancer	6,686	89%	88%	90%
Skin Cancer	745	90%	86%	93%
No Skin Cancer	7,286	89%	88%	90%
Current Asthma	625	86%	80%	90%
Former Asthma	248	88%	78%	93%
Never Had Asthma	7,123	89%	88%	90%
Arthritis	2,524	89%	87%	91%
No Arthritis	5,482	89%	87%	90%
COPD	543	86%	80%	91%
No COPD	7,476	89%	88%	90%
Depression	1,295	90%	86%	92%
No Depression	6,724	89%	87%	90%
Kidney Disease	248	86%	77%	92%
No Kidney Disease	7,779	89%	88%	90%
Vision Impairment	1,724	87%	83%	90%
No Vision Impairment	6,282	89%	88%	91%
Good/Very Good/Excellent Health Status	6,702	89%	88%	90%
Fair/Poor Health Status	1,334	89%	86%	92%

Table 15 (continued)
Not Consuming at Least 5 Servings of Fruits and Vegetables Per Day for Selected Health Behaviors and Conditions, 2011

Health Behavior or Condition	# Respondents	% Not Consuming 5 Servings of Fruits and Vegetables Per Day	95% CI	
			Lower	Upper
Physical Health Not Good for 0-29 Days of the Past 30	7,370	89%	88%	91%
Physical Health Not Good for 30 Days of the Past 30	534	80%	72%	87%
Mental Health Not Good for 0-19 Days of the Past 30	7,504	89%	88%	90%
Mental Health Not Good for 20-30 Days of the Past 30	417	89%	83%	94%
Usual Activities Unattainable for 0-9 Days of the Past 30	7,401	89%	88%	90%
Usual Activities Unattainable for 10-30 Days of the Past 30	568	88%	83%	92%
Physical, Mental, or Emotional Problems	2,307	88%	85%	90%
No Physical, Mental, or Emotional Problems	5,653	89%	88%	91%
Disability with Special Equipment Needed	815	81%	74%	87%
No Disability with Special Equipment Needed	7,158	89%	88%	91%
Been Tested for HIV (18-64)	1,584	88%	85%	90%
Never Been Tested for HIV (18-64)	6,128	89%	88%	91%

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011