

The Health Behaviors of South Dakotans 2012

*A Report of the South Dakota
Behavioral Risk Factor Surveillance System*

South Dakota Department of Health
600 East Capitol Avenue
Pierre, South Dakota 57501

In cooperation with
the Centers for Disease Control and Prevention
Atlanta, Georgia

May 2014

Copies of this report and its distribution were paid for by a grant from
the Centers for Disease Control and Prevention.

Preface

The Health Behaviors of South Dakotans 2012 serves as a way to measure health risks of South Dakotans.

The information used to develop the report came from the Behavioral Risk Factor Surveillance System (BRFSS). The South Dakota Department of Health (DOH) initiated the BRFSS with help from the Centers for Disease Control and Prevention (CDC).

The survey consists of questions aimed at tracking and trending prevalence of health behaviors and conditions over time. The report also compares data from this survey to the **Healthy People 2020 National Health Objectives** as well as to the rest of the nation.

The BRFSS is the world's largest telephone survey. The survey is administered to households with adults age 18 years or older.

The Office of Health Statistics edited and compiled data for this publication. This report contains as much information as practical from the survey.

For questions regarding *The Health Behaviors of South Dakotans 2012*, please contact:

Office of Health Statistics
615 East 4th Street
Pierre, South Dakota 57501-2536
Phone: (605) 773-3361
Internet: <http://doh.sd.gov/Statistics/>
National web site: <http://www.cdc.gov/brfss/>

The following people were the main contributors to the development of this report:

Barb Buhler	Public Information Officer
Carrie Cushing	Policy Data Analyst
Mark Gildemaster	Coordinator of South Dakota Behavioral Risk Factor Surveillance System

Table of Contents

Preface	v
List of Tables.....	viii
List of Figures	xiii
Overview.....	3
Methodology	11
Health Behavior Topics.....	15
Overweight and Obesity.....	17
Physical Activity	31
Tobacco Use.....	36
Diabetes.....	48
Hypertension.....	58
Health Insurance.....	64
Breast and Cervical Cancer	72
Colorectal Cancer	86
Prostate Cancer.....	96
Immunization.....	101
Cardiovascular Disease	111
Cancer	127
Asthma.....	135
Arthritis.....	140
Chronic Obstructive Pulmonary Disease	145
Depression.....	150
Kidney Disease.....	155
Vision Impairment	160
Oral Health.....	165
Seat Belt Use	170
Alcohol Use.....	174
Sweetened Beverage Consumption.....	189
General Health Status.....	193
Disability.....	210
Healthy South Dakota	220
Falls	224
HIV/AIDS.....	227
Conclusion	233
Appendix A: Demographics.....	237
Appendix B: BRFSS Questionnaire	243

List of Tables

1.	Estimated Percentage and Number of Persons at Risk Due to Selected Factors (Ages 18 and Older Unless Otherwise Specified): South Dakota BRFSS, 2012	5
2.	Topics Covered on the South Dakota BRFSS, 2002-2012	6-7
3.	Disposition of All Telephone Numbers in the Sample, 2012	13
4.	Respondents Who Are Overweight or Obese, 2011-2012	18
5.	Overweight or Obese for Selected Health Behaviors and Conditions, 2011-2012	19-20
6.	Respondents Who Are Class I-III Obese, 2011-2012	23
7.	Class I-III Obese Status for Selected Health Behaviors and Conditions, 2011-2012	24-26
8.	Respondents Who Are Class II-III Obese, 2011-2012	28
9.	Class II-III Obese Status for Selected Health Behaviors and Conditions, 2011-2012	28-30
10.	Respondents Who Reported No Leisure Time Physical Activity, 2011-2012	32
11.	No Leisure Time Physical Activity for Selected Health Behaviors and Conditions, 2011-2012	33-35
12.	Respondents Who Currently Smoke Cigarettes, 2011-2012	37
13.	Currently Smoke Cigarettes for Selected Health Behaviors and Conditions, 2011-2012	38-40
14.	Percent of Current Cigarette Smoking by Type of Health Insurance, Ages 18-64, 2011-2012	41
15.	Respondents Who Use Smokeless Tobacco, 2011-2012	44
16.	Smokeless Tobacco Use for Selected Health Behaviors and Conditions, 2011-2012	44-46
17.	Respondents Who Were Told They Have Diabetes, 2011-2012	49
18.	Diagnosed with Diabetes for Selected Health Behaviors and Conditions, 2011-2012	50-52
19.	Respondents Who Were Told They Have Hypertension, 2011-2012	59
20.	Hypertension for Selected Health Behaviors and Conditions, 2011-2012	59-61
21.	Respondents, Ages 18-64, Who Do Not Have Health Insurance, 2011-2012	65

22.	No Health Insurance, Ages 18-64, for Selected Health Behaviors and Conditions, 2011-2012	65-67
23.	Type of Health Insurance, Ages 18-64, 2011-2012	67
24.	How Long Since Respondent Last Visited a Doctor for a Routine Checkup, 2011-2012	68
25.	Respondents' Children, Ages 0-17, Who Do Not Have Health Insurance, 2011-2012	71
26.	Different Types of Health Coverage for Respondents' Children, Ages 17 and Under, 2011-2012.....	71
27.	Female Respondents, Ages 40 and Older, Who Have Not Had a Mammogram in the Past 2 Years, 2012	73
28.	No Mammogram for Females, Ages 40 and Older, for Selected Health Behaviors and Conditions, 2011-2012.....	74-76
29.	Female Respondents Who Have Not Had a Clinical Breast Exam in the Past 2 Years, 2012.....	78
30.	No Clinical Breast Exam for Females in the Past Two Years for Selected Health Behaviors and Conditions, 2011-2012	78-80
31.	Female Respondents Who Had Insufficient Cervical Cancer Screening in the Past Three Years, 2012	82
32.	Insufficient Cervical Cancer Screening in the Past Three Years for Selected Health Behaviors and Conditions, 2011-2012	83-85
33.	Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 2012	87
34.	No Blood Stool Test Using a Home Kit in the Past Two Years for Selected Health Behaviors and Conditions, 2012.....	88-90
35.	Percent of Respondents, Ages 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 2012.....	92
36.	No Sigmoidoscopy or Colonoscopy, Ages 50 and Older, for Selected Health Behaviors and Conditions, 2012	93-95
37.	Male Respondents, Ages 40 and Older, Who Have Not Had a PSA Test Within The Past Two Years, 2012	97
38.	No PSA Test, Ages 40 and Older, Within the Past Two Years for Selected Health Behaviors and Conditions, 2012	98-100

39.	Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 2011-2012	102
40.	No Flu Shot, Ages 65 and Older, Within the Past 12 Months for Selected Health Behaviors and Conditions, 2011-2012	103-105
41.	Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 2011-2012.....	107
42.	No Pneumonia Shot, Ages 65 and Older, for Selected Health Behaviors and Conditions, 2011-2012	108-110
43.	Respondents Who Previously Had a Heart Attack, 2011-2012	112
44.	Previously Had a Heart Attack for Selected Health Behaviors and Conditions, 2011-2012	113-115
45.	Respondents Who Have Angina or Coronary Artery Disease, 2011-2012	117
46.	Have Angina or Coronary Heart Disease for Selected Health Behaviors and Conditions, 2011-2012	118-120
47.	Respondents Who Previously Had a Stroke, 2011-2012.....	122
48.	Previously Had a Stroke for Selected Health Behaviors and Conditions, 2011-2012	123-125
49.	Respondents' Opinions on the Signs and Symptoms of a Stroke, 2012.....	125
50.	Respondents Who Have Ever Been Diagnosed With Cancer, 2011-2012	128
51.	Cancer Diagnosis for Selected Health Behaviors and Conditions, 2011-2012	129-130
52.	Respondents Who Have Ever Been Diagnosed With Skin Cancer, 2011-2012	132
53.	Skin Cancer Diagnosis for Selected Health Behaviors and Conditions, 2011-2012	133-134
54.	Respondents Who Were Told They Have Asthma, 2011-2012	136
55.	Asthma Prevalence for Selected Health Behaviors and Conditions, 2011-2012	137-139
56.	Respondents Who Were Told They Have Arthritis, 2011-2012	141
57.	Arthritis Prevalence for Selected Health Behaviors and Conditions, 2011-2012	142-144
58.	Respondents Who Have Been Told They Have COPD, 2011-2012.....	146

59.	COPD Prevalence for Selected Health Behaviors and Conditions, 2011-2012	147-149
60.	Respondents Who Were Told They Have Depression, 2011-2012	151
61.	Depression Prevalence for Selected Health Behaviors and Conditions, 2011-2012	152-154
62.	Respondents Who Have Been Told They Have Kidney Disease, 2011-2012	156
63.	Kidney Disease Prevalence for Selected Health Behaviors and Conditions, 2011-2012	157-159
64.	Respondents Who Have Been Told They Have Vision Impairment, 2011-2012.....	161
65.	Vision Impairment Prevalence for Selected Health Behaviors and Conditions, 2011-2012	162-164
66.	Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 2012.....	166
67.	Not Visited a Dentist or Dental Clinic Within the Past Year for Any Reason for Selected Health Behaviors and Conditions, 2012.....	167-169
68.	Respondents Who Lack Seat Belt Use, 2011-2012.....	171
69.	Lack of Seat Belt Use for Selected Health Behaviors and Conditions, 2011-2012	171-173
70.	Respondents Who Drank Alcohol in Past 30 Days, 2011-2012.....	175
71.	Drank Alcohol in Past 30 Days for Selected Health Behaviors and Conditions, 2011-2012	176-178
72.	Respondents Who Engage in Binge Drinking, 2011-2012.....	180
73.	Binge Drinking for Selected Health Behaviors and Conditions, 2011-2012	181-183
74.	Respondents Who Engage in Heavy Drinking, 2011-2012.....	185
75.	Heavy Drinking for Selected Health Behaviors and Conditions, 2011-2012 ...	186-188
76.	Respondents Who Consume 3 or More Sweetened Beverages Every Day, 2011- 2012	190
77.	Consume 3 or More Sweetened Beverages Every Day for Selected Health Behaviors and Conditions, 2011-2012.....	191-192
78.	Respondents Reporting Fair or Poor Health Status, 2011-2012	194
79.	Fair or Poor Health Status for Selected Health Behaviors and Conditions, 2011-2012	195-197

80.	Respondents Who Reported Physical Health Not Good for 30 Days of the Past 30, 2011-2012	199
81.	Physical Health Not Good for 30 Days of the Past 30 for Selected Health Behaviors and Conditions, 2012	199-201
82.	Respondents Who Stated Mental Health Not Good for 20-30 Days of the Past 30, 2011-2012	203
83.	Mental Health Not Good for 20-30 Days of the Past 30 for Selected Health Behaviors and Conditions, 2011-2012	203-205
84.	Respondents Who Stated Usual Activities Unattainable for 10-30 Days of the Past 30, 2011-2012	207
85.	Usual Activities Unattainable for 10-30 Days of the Past 30 for Selected Health Behaviors and Conditions, 2011-2012	207-209
86.	Activities Limited Due to Physical, Mental, or Emotional Problems, 2011-2012	211
87.	Activities Limited Due to Physical, Mental, or Emotional Problems for Selected Health Behaviors and Conditions, 2011-2012	212-214
88.	Respondents' Disability with Special Equipment Needed, 2011-2012.....	216
89.	Disability with Special Equipment Needed for Selected Health Behaviors and Conditions, 2011-2012	217-219
90.	Respondents Who Have Heard of the <i>Healthy South Dakota</i> Program, 2012.....	221
91.	Heard of the <i>Healthy South Dakota</i> Program for Selected Health Behaviors and Conditions, 2012	221-223
92.	Respondents, Ages 45 and Older, Who Were Injured in a Fall in the Past 12 Months, 2012	224
93.	Injured in a Fall, Ages 45 and Older, in the Past 12 Months for Selected Health Behaviors and Conditions, 2012	225-226
94.	Respondents Who Have Never Been Tested for HIV, 2011-2012.....	228
95.	Never Been Tested for HIV for Selected Health Behaviors and Conditions, 2011-2012	228-230
96.	Summary of Healthy People 2020 National Health Objectives	233-234
97.	Demographics of Survey Respondents, 2012	237
98.	Surveys Completed by Resident County, 2012	238-239

List of Figures

1.	Percent of Respondents Who Are Overweight or Obese Based on Body Mass Index, 1993-2010	17
2.	Percent of Respondents Who Are Overweight or Obese Based on Body Mass Index, 2011-2012	17
3.	Nationally, Respondents Who Are Overweight or Obese, 2012	19
4.	Percent of Respondents Who Are Class I-III Obese Based on Body Mass Index, 1993-2010	22
5.	Percent of Respondents Who Are Class I-III Obese Based on Body Mass Index, 2011-2012	22
6.	Nationally, Respondents Who Are Class I-III Obese, 2012	24
7.	Percent of Respondents Who Are Class II-III Obese Based on Body Mass Index, 2002-2010	27
8.	Percent of Respondents Who Are Class II-III Obese Based on Body Mass Index, 2011-2012	27
9.	Percent of Respondents Who Reported No Leisure Time Physical Activity, 1990-1992, 1994-1996, 1998, and 2000-2010	31
10.	Percent of Respondents Who Reported No Leisure Time Physical Activity, 2011-2012	31
11.	Nationally, Respondents Who Reported No Leisure Time Physical Activity, 2012 ...	33
12.	Percent of Respondents Who Currently Smoke Cigarettes, 1987-2010.....	36
13.	Percent of Respondents Who Currently Smoke Cigarettes, 2011-2012.....	36
14.	Nationally, Respondents Who Currently Smoke Cigarettes, 2012.....	38
15.	Respondents Who Tried to Stop Smoking, Within the Past 12 Months, for One Day or Longer Because They Were Trying to Quit Smoking, 2011-2012	40
16.	Percent of Respondents Who Have Been Advised by a Doctor, Nurse, or Other Health Professional to Quit Smoking in the Past 12 Months, 2011-2012	41
17.	Respondents' Place of Work Smoking Policy, 2011-2012.....	42
18.	Respondents' Rules About Smoking Inside the Home, 2011-2012	42
19.	Percent of Respondents Who Use Smokeless Tobacco, 1990, 1993-1996, 2001, 2003, and 2005-2010	43
20.	Percent of Respondents Who Use Smokeless Tobacco, 2011-2012	43

21.	Percent of Respondents Advised to Quit Using Smokeless Tobacco by a Doctor, Nurse, or Other Health Professional, 2011-2012.....	47
22.	Percent of Respondents Who Were Told They Have Diabetes, 1990-2010.....	48
23.	Percent of Respondents Who Were Told They Have Diabetes, 2011-2012.....	48
24.	Nationally, Respondents Who Were Told They Have Diabetes, 2012.....	50
25.	Respondents Who Have Had a Test for High Blood Sugar or Diabetes Within the Past Three Years, 2011-2012.....	52
26.	Respondents' Diabetic Status, 2011-2012	53
27.	Respondents' Insulin Use for Diabetes, 2012.....	53
28.	Number of Times Respondents Check Their Blood for Glucose or Sugar, 2012.....	54
29.	Number of Times Respondents Check Their Feet for Sores or Irritations, 2012	54
30.	Number of Times in the Past 12 Months Respondents Have Seen a Doctor, Nurse, or Other Health Professional for Their Diabetes, 2012	55
31.	Number of Times in the Past 12 Months Respondents Had Hemoglobin A1c Checked by a Doctor, Nurse, or Other Health Professional, 2012.....	55
32.	Respondents Who Had a Health Professional Check Their Feet for Any Sores or Irritations at Least Once in the Past Year, 2012	56
33.	Respondents Who Had an Eye Exam in Which the Pupils Were Dilated in the Past Year, 2012.....	56
34.	Percent of Respondents Told by a Doctor That Diabetes Has Affected Their Eyes or They Have Retinopathy , 2012	57
35.	Percent of Respondents Who Have Ever Taken a Course or Class in How to Manage Diabetes, 2012	57
36.	Percent of Respondents Who Were Told They Have Hypertension, 1990-1993, 1995-1997, 1999, 2001-2003, 2005, 2007, and 2009.....	58
37.	Percent of Respondents Who Were Told They Have Hypertension, 2011-2012.....	58
38.	Respondents Who Have Changed Their Eating Habits to Help Lower or Control Their Blood Pressure, 2012.....	62
39.	Respondents Who Have Cut Down on Salt to Help Lower or Control Their Blood Pressure, 2012	62
40.	Respondents Who Have Reduced Alcohol Use to Help Lower or Control Their Blood Pressure, 2012	63

41.	Respondents Who Exercise to Help Lower or Control Their Blood Pressure, 2012	63
42.	Percent of Respondents, Ages 18-64, Who Do Not Have Health Insurance, 2000-2010	64
43.	Percent of Respondents, Ages 18-64, Who Do Not Have Health Insurance, 2011-2012	64
44.	Percent of Respondents, Ages 18-64, with Health Insurance Who Could Not See a Doctor in the Past 12 Months Because of the Cost, 2011-2012	68
45.	Percent of Respondents, Ages 18-64, with No Health Insurance Who Could Not See a Doctor in the Past 12 Months Because of the Cost, 2011-2012	69
46.	Percent of Children, Ages 0-17, Who Do Not Have Health Insurance, 2000-2010...	70
47.	Percent of Children, Ages 0-17, Who Do Not Have Health Insurance, 2011-2012...	70
48.	Percent of Female Respondents, Ages 40 and Older, Who Have Not Had a Mammogram in the Past 2 Years, 1990-2004, 2006, 2008, and 2010	72
49.	Percent of Female Respondents, Ages 40 and Older, Who Have Not Had a Mammogram in the Past 2 Years, 2012	72
50.	Nationally, Female Respondents, Ages 40 and Older, Who Have Not Had a Mammogram in the Past 2 Years, 2012	74
51.	Percent of Female Respondents Who Have Not Had a Clinical Breast Exam in the Past 2 Years, 2000-2004, 2006, 2008, and 2010	77
52.	Percent of Female Respondents Who Have Not Had a Clinical Breast Exam in the Past 2 Years, 2012	77
53.	Percent of Female Respondents Who Had Insufficient Cervical Cancer Screening in the Past Three Years, 1992-2004, 2006, 2008, and 2010	81
54.	Percent of Female Respondents Who Had Insufficient Cervical Cancer Screening in the Past Three Years, 2012.....	81
55.	Nationally, Female Respondents Who Had Insufficient Cervical Cancer Screening in the Past Three Years, 2012.....	83
56.	Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 1997, 1999, 2001-2002, 2004, 2006, 2008, and 2010.....	86
57.	Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 2012.....	86
58.	Nationally, Respondents, Age 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 2012.....	88

59.	Percent of Respondents, Age 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 1993, 1995, 1997, 1999, 2001-2002, 2004, 2006, 2008, and 2010.....	91
60.	Percent of Respondents, Age 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 2012.....	91
61.	Nationally, Respondents, Age 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 2012.....	93
62.	Percent of Respondents Who Had a Sigmoidoscopy or Colonoscopy for Their Most Recent Colorectal Exam, 2012.....	95
63.	Percent of Male Respondents, Ages 40 and Older, Who Have Not Had a PSA Test Within the Past Two Years, 2001-2002, 2004, 2006, 2008, and 2010.....	96
64.	Percent of Male Respondents, Ages 40 and Older, Who Have Not Had a PSA Test Within the Past Two Years, 2012.....	96
65.	Nationally, Male Respondents, Ages 40 and Older, Who Have Not Had a PSA Test Within the Past Two Years, 2012.....	98
66.	Percent of Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 1993-1995, 1997, and 1999-2010.....	101
67.	Percent of Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 2011-2012.....	101
68.	Nationally, Respondents Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 2012.....	103
69.	Percent of Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 1993-1995, 1997, and 1999-2010.....	106
70.	Percent of Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 2011-2012.....	106
71.	Nationally, Respondents Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 2012.....	108
72.	Percent of Respondents Who Previously Had a Heart Attack, 2002, and 2004-2010.....	111
73.	Percent of Respondents Who Previously Had a Heart Attack, 2011-2012.....	111
74.	Nationally, Respondents Who Previously Had a Heart Attack, 2012.....	113
75.	Percent of Respondents Who Have Angina or Coronary Heart Disease, 2002, and 2004-2010.....	116
76.	Percent of Respondents Who Have Angina or Coronary Heart Disease, 2011-2012.....	116

77.	Nationally, Respondents Who Have Angina or Coronary Heart Disease, 2012	118
78.	Percent of Respondents Who Have Previously Had a Stroke, 2002, and 2004-2010	121
79.	Percent of Respondents Who Have Previously Had a Stroke, 2011-2012	121
80.	Nationally, Respondents Who Previously Had a Stroke, 2012	123
81.	Respondents' Opinion on the First Thing They Would Do if They Thought Someone was Having a Stroke, 2012.....	126
82.	Percent of Respondents Who Have Ever Been Diagnosed with Cancer, 2011-2012	127
83.	Percent of Respondents Who Have Ever Been Diagnosed With Skin Cancer, 2011- 2012	131
84.	Percent of Respondents Who Were Told They Have Asthma, 2000-2010.....	135
85.	Percent of Respondents Who Were Told They Have Asthma, 2011-2012.....	135
86.	Nationally, Respondents Who Were Told They Have Asthma, 2012.....	137
87.	Percent of Respondents Who Were Told They Have Arthritis, 2001, 2003, 2005, 2007, and 2009.....	140
88.	Percent of Respondents Who Were Told They Have Arthritis, 2011-2012.....	140
89.	Nationally, Respondents Who Were Told They Have Arthritis, 2012.....	142
90.	Percent of Those With Arthritis Who Are Limited in Their Usual Activities, 2011-2012	144
91.	Percent of Respondents Who Were Told They Have COPD, 2011-2012.....	145
92.	Nationally, Respondents Who Were Told They Have COPD, 2012	147
93.	Percent of Respondents Who Were Told They Have Depression, 2011-2012.....	150
94.	Nationally, Respondents Who Were Told They Have Depression, 2012.....	152
95.	Percent of Respondents Who Have Been Told They Have Kidney Disease, 2011-2012	155
96.	Nationally, Respondents Who Were Told They Have Kidney Disease, 2012	157
97.	Percent of Respondents Who Have Been Told They Have Vision Impairment, 2011-2012	160
98.	Nationally, Respondents Who Were Told They Have Vision Impairment, 2012	162

99.	Percent of Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 1996-1997, 1999, 2002, 2004, 2006, 2008, and 2010	165
100.	Percent of Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 2012.....	165
101.	Nationally, Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 2012	167
102.	Respondents' Main Reason for Not Visiting the Dentist in the Last Year, 2012	169
103.	Percent of Respondents Who Stated Lack of Seat Belt Use, 1987-1997, 2001-2002, 2006, 2008, and 2010.....	170
104.	Percent of Respondents Who Stated Lack of Seat Belt Use, 2011-2012	170
105.	Percent of Respondents Who Drank Alcohol in the Past 30 Days, 1995, 1997, 1999, and 2001-2010	174
106.	Percent of Respondents Who Drank Alcohol in the Past 30 Days, 2011-2012	174
107.	Nationally, Respondents Who Drank Alcohol in Past 30 Days, 2012	176
108.	Percent of Respondents Who Engage in Binge Drinking, 1987-1993, 1995, 1997, 1999, and 2001-2010	179
109.	Percent of Respondents Who Engage in Binge Drinking, 2011-2012	179
110.	Nationally, Respondents Who Engage in Binge Drinking, 2012	181
111.	Percent of Respondents Who Engage in Heavy Drinking, 1987-1993, 1995, 1997, 1999, and 2001-2010	184
112.	Percent of Respondents Who Engage in Heavy Drinking, 2011-2012	184
113.	Nationally, Respondents Who Engage in Heavy Drinking, 2012	186
114.	Percent of Respondents Who Consume 3 or More Sweetened Beverages Every Day, 2011-2012	189
115.	Percent of Respondents Reporting Fair or Poor Health Status, 1993-2010	193
116.	Percent of Respondents Reporting Fair or Poor Health Status, 2011-2012	193
117.	Nationally, Respondents Who Reported Fair or Poor Health Status, 2012	195
118.	Percent of Respondents Reporting Physical Health Not Good for 30 Days of the Past 30, 2000-2001, and 2003-2010	198
119.	Percent of Respondents Reporting Physical Health Not Good for 30 Days of the Past 30, 2011-2012	198

120.	Percent of Respondents Stating Mental Health Not Good for 20-30 Days of the Past 30, 2000-2001, and 2003-2010	202
121.	Percent of Respondents Stating Mental Health Not Good for 20-30 Days of the Past 30, 2011-2012	202
122.	Percent of Respondents Reporting Usual Activities Unattainable for 10-30 Days of the Past 30, 2001, and 2003-2010	206
123.	Percent of Respondents Reporting Usual Activities Unattainable for 10-30 Days of the Past 30, 2011-2012	206
124.	Percent of Respondents Whose Activities Are Limited Due to Physical, Mental, or Emotional Problems, 2001, and 2003-2010	210
125.	Percent of Respondents Whose Activities Are Limited Due to Physical, Mental, or Emotional Problems, 2011-2012	210
126.	Nationally, Respondents' Activities Limited Due to Physical, Mental, or Emotional Problems, 2012	212
127.	Percent of Respondents Who Have a Disability With Special Equipment Needed, 2001, and 2003-2010	215
128.	Percent of Respondents Who Have a Disability With Special Equipment Needed, 2011-2012	215
129.	Nationally, Respondents' Disability with Special Equipment Needed, 2011-2012	217
130.	Percent of Respondents Who Have Heard of the <i>Healthy South Dakota</i> Program, 2005-2006, 2008, and 2010	220
131.	Percent of Respondents Who Have Heard of the <i>Healthy South Dakota</i> Program, 2011-2012	220
132.	Percent of Respondents, Ages 18-64, Who Have Never Been Tested for HIV, 1993-2010	227
133.	Percent of Respondents Who Have Never Been Tested for HIV, 2011-2012	227