

# Colorectal Cancer Screening

## NO BLOOD STOOL TEST


**Definition:** Respondents aged 50 and older that have not had a blood stool test using a home kit within the past two years.

### Prevalence of No Blood Stool Test

- South Dakota 88%

**Figure 45**


**Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 1997, 1999, 2001-2002, 2004, 2006, 2008, and 2010**



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 1997, 1999, 2001-2002, 2004, 2006, 2008, and 2010

**Figure 46**

**Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 2012 and 2014**



Note: Beginning in 2011, the CDC began using a different methodology to weight the data, therefore current data estimates cannot be compared to previous years.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2012 and 2014

<b>Table 24</b>				
<b>Percent of Respondents, Ages 50 and Older, Who Have Not Had a Blood Stool Test Using a Home Kit Within the Past Two Years, 2012 and 2014</b>				
		<b>2012-2014</b>	<b>2012</b>	<b>2014</b>
<b>Total</b>		<b>87%</b>	<b>86%</b>	<b>88%</b>
<b>Gender</b>	Male	88%	87%	89%
	Female	87%	86%	88%
<b>Age</b>	18-24	-	-	-
	25-34	-	-	-
	35-44	-	-	-
	45-54	89%	*	*
	55-64	88%	86%	*
	65-74	85%	*	*
	75+	87%	*	*
<b>Race</b>	White	88%	87%	89%
	American Indian	78%	*	*
<b>Ethnicity</b>	Hispanic	*	*	*
	Non-Hispanic	87%	87%	88%
<b>Household Income</b>	Less than \$25,000	86%	*	*
	\$25,000-\$49,999	86%	*	*
	\$50,000+	89%	87%	90%
<b>Education</b>	Less than High School, G.E.D.	90%	*	*
	High School, G.E.D.	87%	88%	*
	Some Post-High School	85%	*	*
	College Graduate	88%	*	*
<b>Employment Status</b>	Employed for Wages	89%	87%	*
	Self-employed	90%	*	*
	Unemployed	88%	*	*
	Homemaker	87%	*	*
	Student	*	*	*
	Retired	85%	84%	86%
<b>Marital Status</b>	Unable to Work	85%	*	*
	Married/Unmarried Couple	88%	86%	89%
	Divorced/Separated	84%	*	*
	Widowed	86%	*	*
	Never Married	91%	*	*
	<b>Home Ownership Status</b>	Own Home	88%	86%
Rent Home		85%	*	*
<b>Children Status</b>	Children in Household (Ages 18-44)	-	-	-
	No Children in Household (Ages 18-44)	-	-	-
<b>Phone Status</b>	Landline	87%	86%	88%
	Cell Phone	88%	*	*
<b>Pregnancy Status</b>	Pregnant (Ages 18-44)	-	-	-
	Not Pregnant (Ages 18-44)	-	-	-
<b>County</b>	Minnehaha	93%	*	*
	Pennington	80%	*	*
	Lincoln	92%	*	*
	Brown	73%	*	*
	Brookings	93%	*	*
	Codington	91%	*	*
	Meade	85%	*	*
	Lawrence	91%	*	*

Note: \*Results based on small sample sizes have been suppressed. This question was not asked in 2011 or 2013  
Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2012 and 2014


## NEVER HAD SIGMOIDOSCOPY OR COLONOSCOPY

**Definition:** Respondents aged 50 and older that have never had a sigmoidoscopy or colonoscopy.

### Prevalence of Never Had Sigmoidoscopy or Colonoscopy


- South Dakota 30%

**Figure 47**  
**Percent of Respondents, Age 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 1993, 1995, 1997, 1999, 2001-2002, 2004, 2006, 2008, and 2010**



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 1993, 1995, 1997, 1999, 2001-2002, 2004, 2006, 2008, and 2010

**Figure 48**  
**Percent of Respondents, Age 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 2012 and 2014**



Note: Beginning in 2011, the CDC began using a different methodology to weight the data, therefore current data estimates cannot be compared to previous years.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2012 and 2014


**Table 25**  
**Percent of Respondents, Ages 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 2012 and 2014**

		2012-2014	2012	2014
<b>Total</b>		<b>32%</b>	<b>34%</b>	<b>30%</b>
<b>Gender</b>	Male	35%	37%	33%
	Female	30%	32%	28%
<b>Age</b>	18-24	-	-	-
	25-34	-	-	-
	35-44	-	-	-
	45-54	52%	*	*
	55-64	31%	32%	*
	65-74	23%	*	*
	75+	24%	*	*
<b>Race</b>	White	31%	33%	29%
	American Indian	51%	*	*
<b>Ethnicity</b>	Hispanic	*	*	*
	Non-Hispanic	32%	35%	30%
<b>Household Income</b>	Less than \$25,000	41%	*	*
	\$25,000-\$49,999	32%	*	*
	\$50,000+	28%	30%	26%
<b>Education</b>	Less than High School, G.E.D.	42%	*	*
	High School, G.E.D.	34%	36%	*
	Some Post-High School	29%	*	*
	College Graduate	28%	*	*
<b>Employment Status</b>	Employed for Wages	38%	40%	*
	Self-employed	38%	*	*
	Unemployed	49%	*	*
	Homemaker	29%	*	*
	Student	*	*	*
	Retired	22%	25%	20%
<b>Marital Status</b>	Unable to Work	39%	*	*
	Married/Unmarried Couple	29%	30%	28%
	Divorced/Separated	41%	*	*
	Widowed	28%	*	*
Never Married	55%	*	*	
<b>Home Ownership Status</b>	Own Home	31%	32%	29%
	Rent Home	40%	*	*
<b>Children Status</b>	Children in Household (Ages 18-44)	-	-	-
	No Children in Household (Ages 18-44)	-	-	-
<b>Phone Status</b>	Landline	31%	33%	29%
	Cell Phone	35%	*	32%
<b>Pregnancy Status</b>	Pregnant (Ages 18-44)	-	-	-
	Not Pregnant (Ages 18-44)	-	-	-
<b>County</b>	Minnehaha	30%	*	*
	Pennington	34%	*	*
	Lincoln	34%	*	*
	Brown	*	*	*
	Brookings	*	*	*
	Codington	*	*	*
	Meade	*	*	*
	Lawrence	*	*	*

Note: \*Results based on small sample sizes have been suppressed. This question was not asked in 2011 or 2013.  
Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2012 and 2014

Figure 49, below, displays the percent of respondents who had a sigmoidoscopy or colonoscopy for their most recent colorectal exam. In both years, the majority of respondents who had a colorectal exam said that it was a colonoscopy test.

**Figure 49**  
**Percent of Respondents Who Had a Sigmoidoscopy or Colonoscopy**  
**for Their Most Recent Colorectal Exam, 2012 and 2014**



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2012 and 2014