

General Health Status


FAIR OR POOR HEALTH STATUS

Definition: Fair or Poor Health Status is defined as respondents who report having fair or poor health from possible response choices of “excellent”, “very good”, “good”, “fair”, or “poor”.

Prevalence of Fair or Poor Health Status


- South Dakota 14%

Figure 88
Percent of Respondents Reporting Fair or Poor Health Status, 1993-2010



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 1993-2010

Figure 89
Percent of Respondents Reporting Fair or Poor Health Status, 2011-2014



Note: Beginning in 2011, the CDC began using a different methodology to weight the data, therefore current data estimates cannot be compared to previous years.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014

Table 47
Respondents Reporting Fair or Poor Health Status, 2011-2014

		2011-2013	2011	2012	2013	2014
Total		14%	15%	13%	13%	14%
Gender	Male	14%	15%	14%	12%	14%
	Female	13%	14%	13%	13%	14%
Age	18-24	6%	*	*	*	*
	25-34	7%	*	*	*	*
	35-44	10%	*	*	*	*
	45-54	14%	*	*	*	*
	55-64	18%	20%	18%	*	17%
	65-74	19%	*	*	*	*
	75+	27%	*	*	*	*
Race	White	13%	14%	12%	12%	13%
	American Indian	22%	*	*	*	*
Ethnicity	Hispanic	16%	*	*	*	*
	Non-Hispanic	14%	15%	13%	13%	14%
Household Income	Less than \$25,000	27%	28%	26%	*	28%
	\$25,000-\$49,999	12%	12%	12%	11%	12%
	\$50,000+	6%	5%	6%	5%	7%
Education	Less than High School, G.E.D.	26%	*	*	*	*
	High School, G.E.D.	16%	18%	15%	14%	17%
	Some Post-High School	12%	13%	10%	11%	13%
	College Graduate	6%	6%	7%	7%	5%
Employment Status	Employed for Wages	8%	10%	7%	7%	9%
	Self-employed	9%	*	*	*	*
	Unemployed	20%	*	*	*	*
	Homemaker	12%	*	*	*	*
	Student	4%	*	*	*	*
	Retired	22%	23%	22%	22%	22%
	Unable to Work	60%	*	*	*	*
Marital Status	Married/Unmarried Couple	12%	11%	11%	11%	13%
	Divorced/Separated	21%	*	*	*	*
	Widowed	26%	*	*	*	*
	Never Married	11%	*	*	*	*
Home Ownership Status	Own Home	12%	12%	12%	11%	13%
	Rent Home	18%	23%	17%	16%	16%
Children Status	Children in Household (Ages 18-44)	8%	8%	7%	*	*
	No Children in Household (Ages 18-44)	8%	*	*	*	*
Phone Status	Landline	15%	15%	14%	15%	16%
	Cell Phone	12%	*	12%	10%	13%
Pregnancy Status	Pregnant (Ages 18-44)	7%	*	*	*	*
	Not Pregnant (Ages 18-44)	9%	*	*	*	*
County	Minnehaha	13%	*	*	*	*
	Pennington	15%	*	*	*	*
	Lincoln	10%	*	*	*	*
	Brown	16%	*	*	*	*
	Brookings	10%	*	*	*	*
	Codington	14%	*	*	*	*
	Meade	15%	*	*	*	*
	Lawrence	13%	*	*	*	*

Note: *Results based on small sample sizes have been suppressed.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014


PHYSICAL HEALTH NOT GOOD

Definition: Respondents who reported their physical health was not good for 30 days of the past 30, including physical illness and injury.

Prevalence of Physical Health Not Good for 30 Days of the Past 30


- South Dakota 6%

Figure 90
Percent of Respondents Reporting Physical Health Not Good for 30 Days of the Past 30, 2000-2001, and 2003-2010



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2000-2001, and 2003-2010

Figure 91
Percent of Respondents Reporting Physical Health Not Good for 30 Days of the Past 30, 2011-2014



Note: Beginning in 2011, the CDC began using a different methodology to weight the data, therefore current data estimates cannot be compared to previous years.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014

Table 48
Respondents Who Reported Physical Health Not Good for 30 Days of the Past 30, 2011-2014


		2011-2013	2011	2012	2013	2014
Total		6%	5%	6%	5%	6%
Gender	Male	5%	5%	6%	4%	5%
	Female	6%	6%	6%	6%	6%
Age	18-24	2%	*	*	*	*
	25-34	2%	*	*	*	*
	35-44	4%	*	*	*	*
	45-54	6%	*	*	*	*
	55-64	7%	8%	8%	*	8%
	65-74	9%	*	*	*	*
	75+	12%	*	*	*	*
Race	White	5%	5%	6%	5%	5%
	American Indian	9%	*	*	*	*
Ethnicity	Hispanic	6%	*	*	*	*
	Non-Hispanic	6%	5%	6%	5%	6%
Household Income	Less than \$25,000	11%	11%	14%	*	9%
	\$25,000-\$49,999	4%	5%	4%	3%	6%
	\$50,000+	2%	2%	3%	2%	3%
Education	Less than High School, G.E.D.	10%	*	*	*	*
	High School, G.E.D.	6%	5%	7%	5%	7%
	Some Post-High School	5%	6%	5%	5%	4%
	College Graduate	3%	3%	4%	3%	3%
Employment Status	Employed for Wages	2%	2%	3%	2%	2%
	Self-employed	3%	*	*	*	*
	Unemployed	7%	*	*	*	*
	Homemaker	6%	*	*	*	*
	Student	3%	*	*	*	*
	Retired	9%	9%	11%	8%	9%
	Unable to Work	36%	*	*	*	*
Marital Status	Married/Unmarried Couple	5%	4%	5%	4%	5%
	Divorced/Separated	10%	*	*	*	*
	Widowed	14%	*	*	*	*
	Never Married	3%	*	*	*	*
Home Ownership Status	Own Home	5%	5%	6%	5%	5%
	Rent Home	7%	8%	7%	6%	7%
Children Status	Children in Household (Ages 18-44)	3%	*	2%	*	*
	No Children in Household (Ages 18-44)	2%	*	*	*	*
Phone Status	Landline	6%	6%	7%	6%	7%
	Cell Phone	5%	*	5%	4%	5%
Pregnancy Status	Pregnant (Ages 18-44)	3%	*	*	*	*
	Not Pregnant (Ages 18-44)	3%	*	*	*	*
County	Minnehaha	4%	*	*	*	*
	Pennington	7%	*	*	*	*
	Lincoln	4%	*	*	*	*
	Brown	7%	*	*	*	*
	Brookings	3%	*	*	*	*
	Codington	6%	*	*	*	*
	Meade	8%	*	*	*	*
	Lawrence	6%	*	*	*	*

Note: *Results based on small sample sizes have been suppressed.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014

Figure 92, on the following page, shows the average number of days all respondents stated their physical health was not good for the past 30 days. For the past four years the average number of days has remained steady.

Figure 92
Average Number of Days Respondents' Physical Health Was Not Good in the Past 30 Days, 2011-2014



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014


MENTAL HEALTH NOT GOOD

Definition: Respondents who report their mental health was not good for 20 to 30 days of the past 30, including stress, depression, and problems with emotions.

Prevalence of Mental Health Not Good for 20-30 Days of the Past 30


- South Dakota 6%

Figure 93
Percent of Respondents Stating Mental Health Not Good for 20-30 Days of the Past 30, 2000-2001, and 2003-2010



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2000-2001, and 2003-2010

Figure 94
Percent of Respondents Stating Mental Health Not Good for 20-30 Days of the Past 30, 2011-2014



Note: Beginning in 2011, the CDC began using a different methodology to weight the data, therefore current data estimates cannot be compared to previous years.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014

Table 49
Respondents Who Stated Mental Health Not Good for 20-30 Days of the Past 30, 2011-2014


		2011-2014	2011	2012	2013	2014
Total		6%	6%	6%	5%	6%
Gender	Male	5%	5%	6%	4%	5%
	Female	7%	8%	6%	6%	6%
Age	18-24	6%	*	*	*	*
	25-34	7%	*	*	*	*
	35-44	6%	*	*	*	*
	45-54	7%	*	*	*	*
	55-64	5%	5%	*	*	5%
	65-74	4%	*	*	*	*
	75+	3%	*	*	*	*
Race	White	5%	6%	5%	5%	5%
	American Indian	8%	*	*	*	*
Ethnicity	Hispanic	9%	*	*	*	*
	Non-Hispanic	6%	6%	6%	5%	5%
Household Income	Less than \$25,000	10%	11%	11%	*	11%
	\$25,000-\$49,999	5%	5%	6%	4%	4%
	\$50,000+	3%	3%	4%	2%	3%
Education	Less than High School, G.E.D.	9%	*	*	*	*
	High School, G.E.D.	6%	7%	6%	4%	7%
	Some Post-High School	6%	6%	6%	5%	6%
	College Graduate	3%	3%	4%	3%	3%
Employment Status	Employed for Wages	5%	5%	5%	4%	5%
	Self-employed	4%	*	*	*	*
	Unemployed	11%	*	*	*	*
	Homemaker	6%	*	*	*	*
	Student	6%	*	*	*	*
	Retired	3%	3%	4%	2%	4%
	Unable to Work	24%	*	*	*	*
Marital Status	Married/Unmarried Couple	4%	4%	5%	4%	4%
	Divorced/Separated	11%	*	*	*	*
	Widowed	6%	*	*	*	*
	Never Married	7%	*	*	*	*
Home Ownership Status	Own Home	4%	4%	5%	4%	4%
	Rent Home	9%	12%	9%	7%	7%
Children Status	Children in Household (Ages 18-44)	6%	*	6%	*	*
	No Children in Household (Ages 18-44)	7%	*	*	*	*
Phone Status	Landline	5%	6%	5%	5%	5%
	Cell Phone	6%	*	7%	5%	6%
Pregnancy Status	Pregnant (Ages 18-44)	5%	*	*	*	*
	Not Pregnant (Ages 18-44)	8%	*	*	*	*
County	Minnehaha	6%	*	*	*	*
	Pennington	7%	*	*	*	*
	Lincoln	6%	*	*	*	*
	Brown	6%	*	*	*	*
	Brookings	8%	*	*	*	*
	Codington	5%	*	*	*	*
	Meade	7%	*	*	*	*
	Lawrence	5%	*	*	*	*

Note: *Results based on small sample sizes have been suppressed.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014

Figure 95, below, shows the average number of days all respondents stated their mental health was not good for the past 30 days. For the past four years the average number of days has been steady.

Figure 95
Average Number of Days Respondents' Mental Health Was Not Good
in the Past 30 Days, 2011-2014



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014


USUAL ACTIVITIES UNATTAINABLE

Definition: Respondents who report poor physical or mental health kept them from doing their usual activities for 10 to 30 days of the past 30 days, such as self-care, work, or recreation.

Prevalence of Usual Activities Unattainable for 10-30 Days of the Past 30


- South Dakota 7%

Figure 96
Percent of Respondents Reporting Usual Activities Unattainable for 10-30 Days of the Past 30, 2001, and 2003-2010



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2000-2001, and 2003-2010

Figure 97
Percent of Respondents Reporting Usual Activities Unattainable for 10-30 Days of the Past 30, 2011-2014



Note: Beginning in 2011, the CDC began using a different methodology to weight the data, therefore current data estimates cannot be compared to previous years.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014

Table 50
Respondents Who Stated Usual Activities Unattainable for 10-30 Days of the Past 30,
2011-2014


		2011-2013	2011	2012	2013	2014
Total		7%	7%	7%	6%	7%
Gender	Male	6%	6%	6%	5%	6%
	Female	8%	8%	7%	7%	9%
Age	18-24	5%	*	*	*	*
	25-34	5%	*	*	*	*
	35-44	6%	*	*	*	*
	45-54	8%	*	*	*	*
	55-64	9%	10%	8%	*	10%
	65-74	8%	*	*	*	*
	75+	8%	*	*	*	*
Race	White	6%	7%	6%	5%	7%
	American Indian	12%	*	*	*	*
Ethnicity	Hispanic	12%	*	*	*	*
	Non-Hispanic	7%	7%	6%	6%	7%
Household Income	Less than \$25,000	13%	14%	15%	*	13%
	\$25,000-\$49,999	5%	6%	6%	3%	7%
	\$50,000+	3%	2%	3%	3%	4%
Education	Less than High School, G.E.D.	11%	*	*	*	*
	High School, G.E.D.	8%	8%	7%	5%	10%
	Some Post-High School	6%	8%	6%	6%	6%
	College Graduate	4%	3%	4%	4%	4%
Employment Status	Employed for Wages	3%	3%	3%	3%	4%
	Self-employed	4%	*	*	*	*
	Unemployed	14%	*	*	*	*
	Homemaker	6%	*	*	*	*
	Student	6%	*	*	*	*
	Retired	7%	7%	6%	6%	8%
Unable to Work	48%	*	*	*	*	
Marital Status	Married/Unmarried Couple	6%	5%	5%	5%	7%
	Divorced/Separated	12%	*	*	*	*
	Widowed	10%	*	*	*	*
	Never Married	6%	*	*	*	*
Home Ownership Status	Own Home	6%	5%	6%	5%	7%
	Rent Home	9%	12%	9%	7%	8%
Children Status	Children in Household (Ages 18-44)	6%	7%	5%	*	*
	No Children in Household (Ages 18-44)	5%	*	*	*	*
Phone Status	Landline	7%	7%	7%	7%	8%
	Cell Phone	6%	*	7%	5%	7%
Pregnancy Status	Pregnant (Ages 18-44)	3%	*	*	*	*
	Not Pregnant (Ages 18-44)	6%	*	*	*	*
County	Minnehaha	7%	*	*	*	*
	Pennington	9%	*	*	*	*
	Lincoln	4%	*	*	*	*
	Brown	7%	*	*	*	*
	Brookings	5%	*	*	*	*
	Codington	4%	*	*	*	*
	Meade	7%	*	*	*	*
	Lawrence	6%	*	*	*	*

Note: *Results based on small sample sizes have been suppressed.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014

Figure 98, below, shows the average number of days all respondents stated poor physical or mental health kept them from doing their usual activities in the past 30 days. In 2014, the average number of days was two.

Figure 98
Average Number of Days Where Poor Physical or Mental Health Kept Respondents From Usual Activities in the Past 30 Days, 2011-2014



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2011-2014