

The following table shows the percent of those who drank alcohol in the past 30 days for various health behaviors and conditions. For example, 69 percent of respondents who use smokeless tobacco drank alcohol in the past 30 days, while 57 percent of respondents who do not use smokeless tobacco drank alcohol in the past 30 days.

Drank Alcohol in Past 30 Days for Selected Health Behaviors and Conditions, 2011-2014

	Drank Alcohol in Past 30 Days
Underweight (BMI < 18.5)	44%
Recommended Weight (BMI = 18.5-24.9)	60%
Overweight (BMI = 25.0-29.9)	60%
Obese - Class I (BMI = 30.0-34.9)	59%
Obese - Classes II & III (BMI = 35.0+)	55%
Watching Salt Intake	52%
Not Watching Salt Intake	59%
Participates in Leisure Time Exercise	60%
Does Not Participate in Leisure Time Exercise	48%
Current Smoker	62%
Former Smoker	59%
Never Smoked	55%
Uses Smokeless Tobacco	69%
Does Not Use Smokeless Tobacco	57%
Heard of "South Dakota Quitline"	60%
Not Heard of "South Dakota Quitline"	47%
Ever Diagnosed with Diabetes	38%
Never Diagnosed with Diabetes	60%
Has High Blood Pressure	52%
Does Not Have High Blood Pressure	60%
Has Health Insurance (18-64)	63%
Does Not Have Health Insurance (18-64)	57%
Employer Based Coverage (18-64)	69%
Private Health Plan (18-64)	64%
Medicare (18-64)	29%
Medicaid or Medical Assistance (18-64)	30%
The military, CHAMPUS, TriCare, or the VA (18-64)	64%
The Indian Health Service (18-64)	45%
Breast Exam Within Past Two Years	56%
No Breast Exam Within Past Two Years	41%
Mammogram Within Past Two Years (40+)	54%
No Mammogram Within Past Two Years (40+)	42%
Pap Smear Within Past Three Years	58%
No Pap Smear Within Past Three Years	42%
Blood Stool Test Within Past Two Years (50+)	48%
No Blood Stool Test Within Past Two Years (50+)	52%
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	54%
Never Had a Sigmoidoscopy or Colonoscopy (50+)	48%
PSA Test Within Past Two Years (40+)	60%
No PSA Test Within Past Two Years (40+)	60%
Had a Flu Shot in Past 12 Months (65+)	40%
Did Not Have a Flu Shot in Past 12 Months (65+)	38%
Ever Had a Pneumonia Shot (65+)	38%
Never Had a Pneumonia Shot (65+)	42%
Ever Had a Shingles Shot (50+)	47%
Never Had a Shingles Shot (50+)	53%
Previously Had Heart Attack	40%
Never Had Heart Attack	59%

Drank Alcohol in Past 30 Days for Selected Health Behaviors and Conditions, 2011-2014

	Drank Alcohol in Past 30 Days
Have Angina or Coronary Heart Disease	42%
Does Not Have Angina or Coronary Heart Disease	59%
Previously Had a Stroke	39%
Never Had a Stroke	58%
Ever Diagnosed with Cancer (Excluding Skin Cancer)	45%
Never Diagnosed with Cancer	59%
Ever Diagnosed with Skin Cancer	50%
Never Diagnosed with Skin Cancer	58%
Uses Sun Block Most of the Time	61%
Does Not Use Sun Block Most of the Time	58%
Current Asthma	50%
Former Asthma	57%
Never Had Asthma	58%
Ever Diagnosed with Arthritis	47%
Never Diagnosed with Arthritis	61%
Ever Diagnosed with COPD	41%
Never Diagnosed with COPD	59%
Ever Diagnosed with Depression	50%
Never Diagnosed with Depression	59%
Ever Diagnosed with Kidney Disease	36%
Never Diagnosed with Kidney Disease	58%
Has Severe Vision Impairment	42%
Does Not Have Severe Vision Impairment	57%
Recent Increased Confusion/Memory Loss	53%
No Recent Increased Confusion/Memory Loss	57%
< 6 hours of sleep	50%
6+ hours of sleep	57%
Been to the Dentist in the Past Year	59%
Hasn't Been to the Dentist in the Past Year	52%
Always/Almost Always Wears Seat Belt	57%
Sometimes/Seldom/Never Wears Seat Belt	61%
Binge Drinker	100%
Not a Binge Drinker	47%
Heavy Drinker	100%
Not a Heavy Drinker	55%
Good/Very Good/Excellent Health Status	61%
Fair/Poor Health Status	37%
Physical Health Not Good for 0-29 Days of the Past 30	59%
Physical Health Not Good for 30 Days of the Past 30	33%
Mental Health Not Good for 0-19 Days of the Past 30	58%
Mental Health Not Good for 20-30 Days of the Past 30	49%
Usual Activities Unattainable for 0-9 Days of the Past 30	59%
Usual Activities Unattainable for 10-30 Days of the Past 30	39%
Has Physical, Mental, or Emotional Problems	43%
Does Not Have Physical, Mental, or Emotional Problems	62%
Has a Disability with Special Equipment Needed	33%
Does Not Have a Disability with Special Equipment Needed	60%
Injured in a Fall in Past 12 Months (45+)	49%
Not Injured in a Fall in Past 12 Months (45+)	54%
Ever Been Tested for HIV	60%
Never Been Tested for HIV	57%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014