

The following table shows the percent of those, ages 50 or older, who have not had a blood stool test using a home kit within the past two years for various health behaviors and conditions. For example, 71 percent of respondents who have kidney disease have not had a blood stool test using a home kit within the past two years, while 88 percent of respondents who do not have kidney disease have not had a blood stool test using a home kit within the past two years.

**Prevalence of No Blood Stool Test Using a Home Kit Within Past Two Years for Selected Health Behaviors and Conditions, 2011-2014**

	<b>No Blood Stool Test Using a Home Kit Within Past Two Years (50+)</b>
Underweight (BMI < 18.5)	87%
Recommended Weight (BMI = 18.5-24.9)	88%
Overweight (BMI = 25.0-29.9)	86%
Obese - Class I (BMI = 30.0-34.9)	88%
Obese - Classes II & III (BMI = 35.0+)	88%
Participates in Leisure Time Exercise	87%
Does Not Participate in Leisure Time Exercise	87%
Watching Salt Intake	87%
Not Watching Salt Intake	90%
Current Smoker	87%
Former Smoker	87%
Never Smoked	88%
Uses Smokeless Tobacco	90%
Does Not Use Smokeless Tobacco	87%
Heard of "South Dakota Quitline"	88%
Not Heard of "South Dakota Quitline"	90%
Ever Diagnosed with Diabetes	82%
Never Diagnosed with Diabetes	88%
Has High Blood Pressure	85%
Does Not Have High Blood Pressure	89%
Has Health Insurance (18-64)	88%
Does Not Have Health Insurance (18-64)	96%
Breast Exam Within Past Two Years	84%
No Breast Exam Within Past Two Years	94%
Mammogram Within Past Two Years (40+)	84%
No Mammogram Within Past Two Years (40+)	96%
Pap Smear Within Past Three Years	84%
No Pap Smear Within Past Three Years	91%
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	86%
Never Had a Sigmoidoscopy or Colonoscopy (50+)	91%
PSA Test Within Past Two Years (40+)	83%
No PSA Test Within Past Two Years (40+)	92%
Had a Flu Shot in Past 12 Months (65+)	84%
Did Not Have a Flu Shot in Past 12 Months (65+)	91%
Ever Had a Pneumonia Shot (65+)	83%
Never Had a Pneumonia Shot (65+)	91%
Ever Had a Shingles Shot (50+)	84%
Never Had a Shingles Shot (50+)	90%
Previously Had Heart Attack	86%
Never Had Heart Attack	88%
Have Angina or Coronary Heart Disease	83%
Does Not Have Angina or Coronary Heart Disease	88%
Previously Had a Stroke	87%
Never Had a Stroke	87%
Ever Diagnosed with Cancer (Excluding Skin Cancer)	85%
Never Diagnosed with Cancer	88%

**Prevalence of No Blood Stool Test Using a Home Kit Within Past Two Years for Selected Health Behaviors and Conditions, 2011-2014**

	<b>No Blood Stool Test Using a Home Kit Within Past Two Years (50+)</b>
Ever Diagnosed with Skin Cancer	83%
Never Diagnosed with Skin Cancer	88%
Uses Sun Block Most of the Time	87%
Does Not Use Sun Block Most of the Time	89%
Current Asthma	84%
Former Asthma	93%
Never Had Asthma	87%
Ever Diagnosed with Arthritis	86%
Never Diagnosed with Arthritis	88%
Ever Diagnosed with COPD	85%
Never Diagnosed with COPD	88%
Ever Diagnosed with Depression	84%
Never Diagnosed with Depression	88%
Ever Diagnosed with Kidney Disease	71%
Never Diagnosed with Kidney Disease	88%
Has Severe Vision Impairment	89%
Does Not Have Severe Vision Impairment	88%
Recent Increased Confusion/Memory Loss	79%
No Recent Increased Confusion/Memory Loss	89%
< 6 hours of sleep	83%
6+ hours of sleep	89%
Been to the Dentist in the Past Year	87%
Has't Been to the Dentist in the Past Year	88%
Always/Almost Always Wears Seat Belt	87%
Sometimes/Seldom/Never Wears Seat Belt	91%
Drank Alcohol in Past 30 Days	88%
Did Not Drink Alcohol in Past 30 Days	86%
Binge Drinker	90%
Not a Binge Drinker	87%
Heavy Drinker	88%
Not a Heavy Drinker	87%
Good/Very Good/Excellent Health Status	88%
Fair/Poor Health Status	84%
Physical Health Not Good for 0-29 Days of the Past 30	88%
Physical Health Not Good for 30 Days of the Past 30	84%
Mental Health Not Good for 0-19 Days of the Past 30	87%
Mental Health Not Good for 20-30 Days of the Past 30	88%
Usual Activities Unattainable for 0-9 Days of the Past 30	88%
Usual Activities Unattainable for 10-30 Days of the Past 30	82%
Has Physical, Mental, or Emotional Problems	86%
Does Not Have Physical, Mental, or Emotional Problems	88%
Has a Disability with Special Equipment Needed	85%
Does Not Have a Disability with Special Equipment Needed	88%
Injured in a Fall in Past 12 Months (45+)	84%
Not Injured in a Fall in Past 12 Months (45+)	88%
Ever Been Tested for HIV	83%
Never Been Tested for HIV	88%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014