

The following table shows the percent of those who currently smoke for various health behaviors and conditions. For example, 41 percent of respondents who get less than six hours of sleep currently smoke, while 17 percent of respondents who sleep six or more hours currently smoke.

Currently Smoke Cigarettes for Selected Health Behaviors and Conditions, 2011-2014

	Current Smoker
Underweight (BMI < 18.5)	32%
Recommended Weight (BMI = 18.5-24.9)	25%
Overweight (BMI = 25.0-29.9)	19%
Obese - Class I (BMI = 30.0-34.9)	18%
Obese - Classes II & III (BMI = 35.0+)	22%
Participates in Leisure Time Exercise	19%
Does Not Participate in Leisure Time Exercise	27%
Watching Salt Intake	17%
Not Watching Salt Intake	21%
Uses Smokeless Tobacco	30%
Does Not Use Smokeless Tobacco	20%
Heard of "South Dakota Quitline"	21%
Not Heard of "South Dakota Quitline"	10%
Ever Diagnosed with Diabetes	19%
Never Diagnosed with Diabetes	21%
Has High Blood Pressure	18%
Does Not Have High Blood Pressure	22%
Has Health Insurance (18-64)	21%
Does Not Have Health Insurance (18-64)	44%
Employer Based Coverage (18-64)	17%
Private Health Plan (18-64)	12%
Medicare (18-64)	37%
Medicaid or Medical Assistance (18-64)	48%
The military, CHAMPUS, TriCare, or the VA (18-64)	28%
The Indian Health Service (18-64)	50%
Breast Exam Within Past Two Years	17%
No Breast Exam Within Past Two Years	23%
Mammogram Within Past Two Years (40+)	13%
No Mammogram Within Past Two Years (40+)	25%
Pap Smear Within Past Three Years	19%
No Pap Smear Within Past Three Years	19%
Blood Stool Test Within Past Two Years (50+)	17%
No Blood Stool Test Within Past Two Years (50+)	16%
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	12%
Never Had a Sigmoidoscopy or Colonoscopy (50+)	24%
PSA Test Within Past Two Years (40+)	13%
No PSA Test Within Past Two Years (40+)	23%
Had a Flu Shot in Past 12 Months (65+)	7%
Did Not Have a Flu Shot in Past 12 Months (65+)	12%
Ever Had a Pneumonia Shot (65+)	8%
Never Had a Pneumonia Shot (65+)	11%
Ever Had a Shingles Shot (50+)	8%
Never Had a Shingles Shot (50+)	17%
Previously Had Heart Attack	20%
Never Had Heart Attack	21%
Have Angina or Coronary Heart Disease	18%
Does Not Have Angina or Coronary Heart Disease	21%
Previously Had a Stroke	24%
Never Had a Stroke	21%

Currently Smoke Cigarettes for Selected Health Behaviors and Conditions, 2011-2014

	Current Smoker
Ever Diagnosed with Cancer (Excluding Skin Cancer)	18%
Never Diagnosed with Cancer	21%
Ever Diagnosed with Skin Cancer	11%
Never Diagnosed with Skin Cancer	21%
Uses Sun Block Most of the Time	12%
Does Not Use Sun Block Most of the Time	23%
Current Asthma	26%
Former Asthma	23%
Never Had Asthma	20%
Ever Diagnosed with Arthritis	21%
Never Diagnosed with Arthritis	21%
Ever Diagnosed with COPD	39%
Never Diagnosed with COPD	20%
Ever Diagnosed with Depression	33%
Never Diagnosed with Depression	18%
Ever Diagnosed with Kidney Disease	20%
Never Diagnosed with Kidney Disease	21%
Has Severe Vision Impairment	29%
Does Not Have Severe Vision Impairment	19%
Recent Increased Confusion/Memory Loss	36%
No Recent Increased Confusion/Memory Loss	18%
< 6 hours of sleep	41%
6+ hours of sleep	17%
Been to the Dentist in the Past Year	16%
Hasn't Been to the Dentist in the Past Year	30%
Always/Almost Always Wears Seat Belt	18%
Sometimes/Seldom/Never Wears Seat Belt	34%
Drank Alcohol in Past 30 Days	22%
Did Not Drink Alcohol in Past 30 Days	19%
Binge Drinker	36%
Not a Binge Drinker	17%
Heavy Drinker	43%
Not a Heavy Drinker	19%
Good/Very Good/Excellent Health Status	19%
Fair/Poor Health Status	31%
Physical Health Not Good for 0-29 Days of the Past 30	20%
Physical Health Not Good for 30 Days of the Past 30	29%
Mental Health Not Good for 0-19 Days of the Past 30	19%
Mental Health Not Good for 20-30 Days of the Past 30	44%
Usual Activities Unattainable for 0-9 Days of the Past 30	20%
Usual Activities Unattainable for 10-30 Days of the Past 30	34%
Has Physical, Mental, or Emotional Problems	26%
Does Not Have Physical, Mental, or Emotional Problems	19%
Has a Disability with Special Equipment Needed	21%
Does Not Have a Disability with Special Equipment Needed	21%
Injured in a Fall in Past 12 Months (45+)	25%
Not Injured in a Fall in Past 12 Months (45+)	16%
Ever Been Tested for HIV	33%
Never Been Tested for HIV	16%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014