

The following table shows the percent of those who have high blood pressure for various health behaviors and conditions. For example, 69 percent of respondents who have had a stroke have high blood pressure, while 29 percent of respondents who have not had a stroke have high blood pressure.

**Prevalence of High Blood Pressure for Selected Health Behaviors and Conditions, 2011-2014**

	<b>Has High Blood Pressure</b>
Underweight (BMI < 18.5)	18%
Recommended Weight (BMI = 18.5-24.9)	17%
Overweight (BMI = 25.0-29.9)	32%
Obese - Class I (BMI = 30.0-34.9)	42%
Obese - Classes II & III (BMI = 35.0+)	49%
Participates in Leisure Time Exercise	28%
Does Not Participate in Leisure Time Exercise	38%
Watching Salt Intake	40%
Not Watching Salt Intake	19%
Current Smoker	26%
Former Smoker	40%
Never Smoked	27%
Uses Smokeless Tobacco	26%
Does Not Use Smokeless Tobacco	30%
Heard of "South Dakota Quitline"	28%
Not Heard of "South Dakota Quitline"	39%
Ever Diagnosed with Diabetes	70%
Never Diagnosed with Diabetes	26%
Has Health Insurance (18-64)	24%
Does Not Have Health Insurance (18-64)	22%
Employer Based Coverage (18-64)	23%
Private Health Plan (18-64)	21%
Medicare (18-64)	45%
Medicaid or Medical Assistance (18-64)	20%
The military, CHAMPUS, TriCare, or the VA (18-64)	26%
The Indian Health Service (18-64)	32%
Breast Exam Within Past Two Years	29%
No Breast Exam Within Past Two Years	26%
Mammogram Within Past Two Years (40+)	42%
No Mammogram Within Past Two Years (40+)	33%
Pap Smear Within Past Three Years	21%
No Pap Smear Within Past Three Years	26%
Blood Stool Test Within Past Two Years (50+)	53%
No Blood Stool Test Within Past Two Years (50+)	45%
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	49%
Never Had a Sigmoidoscopy or Colonoscopy (50+)	38%
PSA Test Within Past Two Years (40+)	49%
No PSA Test Within Past Two Years (40+)	36%
Had a Flu Shot in Past 12 Months (65+)	62%
Did Not Have a Flu Shot in Past 12 Months (65+)	51%
Ever Had a Pneumonia Shot (65+)	64%
Never Had a Pneumonia Shot (65+)	50%
Ever Had a Shingles Shot (50+)	55%
Never Had a Shingles Shot (50+)	41%
Previously Had Heart Attack	67%
Never Had Heart Attack	28%
Have Angina or Coronary Heart Disease	74%
Does Not Have Angina or Coronary Heart Disease	28%

**Prevalence of High Blood Pressure for Selected Health Behaviors and Conditions, 2011-2014**

	<b>Has High Blood Pressure</b>
Previously Had a Stroke	69%
Never Had a Stroke	29%
Ever Diagnosed with Cancer (Excluding Skin Cancer)	50%
Never Diagnosed with Cancer	29%
Ever Diagnosed with Skin Cancer	54%
Never Diagnosed with Skin Cancer	29%
Uses Sun Block Most of the Time	29%
Does Not Use Sun Block Most of the Time	30%
Current Asthma	37%
Former Asthma	23%
Never Had Asthma	30%
Ever Diagnosed with Arthritis	49%
Never Diagnosed with Arthritis	24%
Ever Diagnosed with COPD	55%
Never Diagnosed with COPD	29%
Ever Diagnosed with Depression	34%
Never Diagnosed with Depression	29%
Ever Diagnosed with Kidney Disease	68%
Never Diagnosed with Kidney Disease	29%
Has Severe Vision Impairment	55%
Does Not Have Severe Vision Impairment	29%
Recent Increased Confusion/Memory Loss	42%
No Recent Increased Confusion/Memory Loss	30%
< 6 hours of sleep	38%
6+ hours of sleep	29%
Been to the Dentist in the Past Year	28%
Hasn't Been to the Dentist in the Past Year	34%
Always/Almost Always Wears Seat Belt	30%
Sometimes/Seldom/Never Wears Seat Belt	31%
Drank Alcohol in Past 30 Days	27%
Did Not Drink Alcohol in Past 30 Days	34%
Binge Drinker	22%
Not a Binge Drinker	32%
Heavy Drinker	31%
Not a Heavy Drinker	30%
Good/Very Good/Excellent Health Status	27%
Fair/Poor Health Status	54%
Physical Health Not Good for 0-29 Days of the Past 30	29%
Physical Health Not Good for 30 Days of the Past 30	53%
Mental Health Not Good for 0-19 Days of the Past 30	30%
Mental Health Not Good for 20-30 Days of the Past 30	33%
Usual Activities Unattainable for 0-9 Days of the Past 30	29%
Usual Activities Unattainable for 10-30 Days of the Past 30	43%
Has Physical, Mental, or Emotional Problems	46%
Does Not Have Physical, Mental, or Emotional Problems	26%
Has a Disability with Special Equipment Needed	57%
Does Not Have a Disability with Special Equipment Needed	28%
Injured in a Fall in Past 12 Months (45+)	46%
Not Injured in a Fall in Past 12 Months (45+)	43%
Ever Been Tested for HIV	22%
Never Been Tested for HIV	33%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014