

The following table shows the percent of female respondents who have not had a clinical breast exam within the past two years for various health behaviors and conditions. For example, 14 percent of female respondents who have had a Pap smear within the past three years have not had a clinical breast exam within the past two years, while 74 percent of female respondents who have not had a Pap smear within the past three years have not had a clinical breast exam within the past two years.

Prevalence of No Clinical Breast Exam Within Past Two Years for Selected Health Behaviors and Conditions, 2011-2014

	No Breast Exam Within Past Two Years
Underweight (BMI < 18.5)	30%
Recommended Weight (BMI = 18.5-24.9)	29%
Overweight (BMI = 25.0-29.9)	25%
Obese - Class I (BMI = 30.0-34.9)	27%
Obese - Classes II & III (BMI = 35.0+)	27%
Participates in Leisure Time Exercise	24%
Does Not Participate in Leisure Time Exercise	36%
Watching Salt Intake	25%
Not Watching Salt Intake	28%
Current Smoker	33%
Former Smoker	23%
Never Smoked	26%
Heard of "South Dakota Quitline"	24%
Not Heard of "South Dakota Quitline"	43%
Ever Diagnosed with Diabetes	34%
Never Diagnosed with Diabetes	26%
Has High Blood Pressure	24%
Does Not Have High Blood Pressure	27%
Employer Based Coverage (18-64)	16%
Private Health Plan (18-64)	25%
Medicare (18-64)	29%
Medicaid or Medical Assistance (18-64)	34%
The military, CHAMPUS, TriCare, or the VA (18-64)	18%
The Indian Health Service (18-64)	40%
Has Health Insurance (18-64)	21%
Does Not Have Health Insurance (18-64)	62%
Mammogram Within Past Two Years (40+)	11%
No Mammogram Within Past Two Years (40+)	63%
Pap Smear Within Past Three Years	14%
No Pap Smear Within Past Three Years	74%
Blood Stool Test Within Past Two Years (50+)	11%
No Blood Stool Test Within Past Two Years (50+)	27%
Ever Had a Sigmoidoscopy or Colonoscopy (50+)	18%
Never Had a Sigmoidoscopy or Colonoscopy (50+)	41%
Had a Flu Shot in Past 12 Months (65+)	30%
Did Not Have a Flu Shot in Past 12 Months (65+)	38%
Ever Had a Pneumonia Shot (65+)	29%
Never Had a Pneumonia Shot (65+)	41%
Ever Had a Shingles Shot (50+)	22%
Never Had a Shingles Shot (50+)	26%
Previously Had Heart Attack	43%
Never Had Heart Attack	26%
Have Angina or Coronary Heart Disease	38%
Does Not Have Angina or Coronary Heart Disease	26%
Previously Had a Stroke	37%
Never Had a Stroke	27%

Prevalence of No Clinical Breast Exam Within Past Two Years for Selected Health Behaviors and Conditions, 2011-2014

	No Breast Exam Within Past Two Years
Ever Diagnosed with Cancer (Excluding Skin Cancer)	21%
Never Diagnosed with Cancer	27%
Ever Diagnosed with Skin Cancer	22%
Never Diagnosed with Skin Cancer	27%
Uses Sun Block Most of the Time	18%
Does Not Use Sun Block Most of the Time	30%
Current Asthma	29%
Former Asthma	31%
Never Had Asthma	26%
Ever Diagnosed with Arthritis	27%
Never Diagnosed with Arthritis	27%
Ever Diagnosed with COPD	38%
Never Diagnosed with COPD	26%
Ever Diagnosed with Depression	29%
Never Diagnosed with Depression	26%
Ever Diagnosed with Kidney Disease	33%
Never Diagnosed with Kidney Disease	27%
Has Severe Vision Impairment	41%
Does Not Have Severe Vision Impairment	27%
Recent Increased Confusion/Memory Loss	24%
No Recent Increased Confusion/Memory Loss	27%
< 6 hours of sleep	31%
6+ hours of sleep	27%
Been to the Dentist in the Past Year	23%
Hasn't Been to the Dentist in the Past Year	39%
Always/Almost Always Wears Seat Belt	25%
Sometimes/Seldom/Never Wears Seat Belt	39%
Drank Alcohol in Past 30 Days	21%
Did Not Drink Alcohol in Past 30 Days	33%
Binge Drinker	23%
Not a Binge Drinker	27%
Heavy Drinker	29%
Not a Heavy Drinker	27%
Good/Very Good/Excellent Health Status	26%
Fair/Poor Health Status	34%
Physical Health Not Good for 0-29 Days of the Past 30	26%
Physical Health Not Good for 30 Days of the Past 30	34%
Mental Health Not Good for 0-19 Days of the Past 30	26%
Mental Health Not Good for 20-30 Days of the Past 30	39%
Usual Activities Unattainable for 0-9 Days of the Past 30	26%
Usual Activities Unattainable for 10-30 Days of the Past 30	34%
Has Physical, Mental, or Emotional Problems	34%
Does Not Have Physical, Mental, or Emotional Problems	25%
Has a Disability with Special Equipment Needed	39%
Does Not Have a Disability with Special Equipment Needed	26%
Injured in a Fall in Past 12 Months (45+)	31%
Not Injured in a Fall in Past 12 Months (45+)	24%
Ever Been Tested for HIV	24%
Never Been Tested for HIV	28%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014