

The following table shows the percent of those, ages 50 or older, who have never had a sigmoidoscopy or colonoscopy for various health behaviors and conditions. For example, 50 percent of respondents who currently smoke have never had a sigmoidoscopy or colonoscopy, while 30 percent of respondents who have never smoked have never had a sigmoidoscopy or colonoscopy.

Never Had a Sigmoidoscopy or Colonoscopy (50+) for Selected Health Behaviors and Conditions, 2011-2014

	Never Had a Sigmoidoscopy or Colonoscopy (50+)
Underweight (BMI < 18.5)	51%
Recommended Weight (BMI = 18.5-24.9)	32%
Overweight (BMI = 25.0-29.9)	31%
Obese - Class I (BMI = 30.0-34.9)	30%
Obese - Classes II & III (BMI = 35.0+)	36%
Participates in Leisure Time Exercise	30%
Does Not Participate in Leisure Time Exercise	39%
Watching Salt Intake	29%
Not Watching Salt Intake	33%
Current Smoker	50%
Former Smoker	28%
Never Smoked	30%
Uses Smokeless Tobacco	41%
Does Not Use Smokeless Tobacco	32%
Heard of "South Dakota Quitline"	31%
Not Heard of "South Dakota Quitline"	28%
Ever Diagnosed with Diabetes	32%
Never Diagnosed with Diabetes	32%
Has High Blood Pressure	27%
Does Not Have High Blood Pressure	37%
Has Health Insurance (18-64)	37%
Does Not Have Health Insurance (18-64)	68%
Breast Exam Within Past Two Years	23%
No Breast Exam Within Past Two Years	49%
Mammogram Within Past Two Years (40+)	22%
No Mammogram Within Past Two Years (40+)	57%
Pap Smear Within Past Three Years	27%
No Pap Smear Within Past Three Years	52%
Blood Stool Test Within Past Two Years (50+)	23%
No Blood Stool Test Within Past Two Years (50+)	34%
PSA Test Within Past Two Years (40+)	20%
No PSA Test Within Past Two Years (40+)	52%
Had a Flu Shot in Past 12 Months (65+)	19%
Did Not Have a Flu Shot in Past 12 Months (65+)	34%
Ever Had a Pneumonia Shot (65+)	17%
Never Had a Pneumonia Shot (65+)	37%
Ever Had a Shingles Shot (50+)	13%
Never Had a Shingles Shot (50+)	37%
Previously Had Heart Attack	26%
Never Had Heart Attack	33%
Have Angina or Coronary Heart Disease	17%
Does Not Have Angina or Coronary Heart Disease	34%
Previously Had a Stroke	22%
Never Had a Stroke	33%

Never Had a Sigmoidoscopy or Colonoscopy (50+) for Selected Health Behaviors and Conditions, 2011-2014

	Never Had a Sigmoidoscopy or Colonoscopy (50+)
Ever Diagnosed with Cancer (Excluding Skin Cancer)	18%
Never Diagnosed with Cancer	34%
Ever Diagnosed with Skin Cancer	19%
Never Diagnosed with Skin Cancer	34%
Uses Sun Block Most of the Time	22%
Does Not Use Sun Block Most of the Time	33%
Current Asthma	26%
Former Asthma	30%
Never Had Asthma	33%
Ever Diagnosed with Arthritis	25%
Never Diagnosed with Arthritis	38%
Ever Diagnosed with COPD	33%
Never Diagnosed with COPD	32%
Ever Diagnosed with Depression	30%
Never Diagnosed with Depression	33%
Ever Diagnosed with Kidney Disease	24%
Never Diagnosed with Kidney Disease	33%
Has Severe Vision Impairment	31%
Does Not Have Severe Vision Impairment	30%
Recent Increased Confusion/Memory Loss	14%
No Recent Increased Confusion/Memory Loss	31%
< 6 hours of sleep	32%
6+ hours of sleep	30%
Been to the Dentist in the Past Year	27%
Hasn't Been to the Dentist in the Past Year	43%
Always/Almost Always Wears Seat Belt	30%
Sometimes/Seldom/Never Wears Seat Belt	43%
Drank Alcohol in Past 30 Days	30%
Did Not Drink Alcohol in Past 30 Days	35%
Binge Drinker	43%
Not a Binge Drinker	31%
Heavy Drinker	40%
Not a Heavy Drinker	32%
Good/Very Good/Excellent Health Status	32%
Fair/Poor Health Status	33%
Physical Health Not Good for 0-29 Days of the Past 30	33%
Physical Health Not Good for 30 Days of the Past 30	29%
Mental Health Not Good for 0-19 Days of the Past 30	32%
Mental Health Not Good for 20-30 Days of the Past 30	37%
Usual Activities Unattainable for 0-9 Days of the Past 30	32%
Usual Activities Unattainable for 10-30 Days of the Past 30	34%
Has Physical, Mental, or Emotional Problems	33%
Does Not Have Physical, Mental, or Emotional Problems	32%
Has a Disability with Special Equipment Needed	26%
Does Not Have a Disability with Special Equipment Needed	33%
Injured in a Fall in Past 12 Months (45+)	32%
Not Injured in a Fall in Past 12 Months (45+)	32%
Ever Been Tested for HIV	35%
Never Been Tested for HIV	32%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2014