


South Dakota

Demographic Information



South Dakota is located in the north central portion of the United States and averages 10.7 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	853,175	100.0
White	731,359	85.7
Black or African American	15,971	1.9
American Indian & Alaska Native	75,879	8.9
Asian	10,739	1.3
Native Hawaiian & Other Pacific Islander	625	0.1
Two or More Races	18,602	2.2
Under 5 years	60,610	7.1
Under 18 years	210,407	24.7
65 years and over	130,223	15.3

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

● Percent of Low Birth Weight Infants	6.4
○ Percent of Mothers Receiving Care in 1st Trimester	71.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	16.1
● Percent of Births Less Than 37 Wks. of Gestation	8.2
Average Age of Mother	27.4
○ Teenage Birth Rate ²	14.8
Percent White Births	76.8
Percent American Indian Births	16.1
● Percent Unmarried	38.2
● Percent WIC births	37.6
Percent Breastfeeding at discharge	75.9
○ Percent Payment-Private Insurance	56.2
● Percent Payment-Medicaid	34.2
● Percent C-Section	25.5

●Denotes a health status indicator which is significantly lower than the national average.
○Denotes a health status indicator which is significantly higher than the national average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	704.1
● Heart Disease	152.7
Malignant Neoplasms (Cancer)	163.2
Trachea, Bronchus, & Lung	43.7
○ Colon, Rectum, & Anus	16.3
Female Breast	20.0
Pancreas	10.4
Prostate	19.2
○ Leukemia	8.3
Chronic Lower Respiratory Diseases	43.6
○ Alzheimer's Disease	36.7
○ Cerebrovascular Disease	39.0
○ Accidents	46.3
○ Motor Vehicle Accidents	16.2
○ Diabetes Mellitus	23.4
Influenza & Pneumonia	16.2
○ Intentional Self-Harm (Suicide)	16.7
○ Chronic Liver Disease and Cirrhosis	12.7
○ Infant Mortality	6.89

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	8,190
2. Malignant Neoplasms (Cancer)	8,183
3. Chronic Lower Respiratory Diseases	2,268
4. Alzheimer's Disease	2,139
5. Cerebrovascular Diseases	2,116
6. Accidents	2,100
7. Diabetes	1,189
8. Influenza and Pneumonia	898
9. Suicide	687
10. Chronic Liver Disease and Cirrhosis	543
Percent of Deaths due to tobacco use	17.3
Median age at death	80

●Denotes a health status indicator which is significantly lower than the national average.

○Denotes a health status indicator which is significantly higher than the national average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Aurora County

Demographic Information



Aurora County is located in the south central portion of the state and averages 3.8 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,745	100.0
White	2,635	96.0
Black or African American	13	0.5
American Indian & Alaska Native	54	2.0
Asian	17	0.6
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	26	0.9
Under 5 years	178	6.5
Under 18 years	722	26.3
65 years and over	541	19.7

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.6
Percent of Mothers Receiving Care in 1st Trimester	68.0
Percent of Mothers Who Used Tobacco While Pregnant ¹	13.3
Percent of Births Less Than 37 Wks. of Gestation	8.9
Average Age of Mother	28.1
Teenage Birth Rate ²	LNE
Percent White Births	98.3
Percent American Indian Births	LNE
● Percent Unmarried	25.6
Percent WIC births	39.1
Percent Breastfeeding at discharge	74.4
○ Percent Payment-Private Insurance	70.9
● Percent Payment-Medicaid	22.3
Percent C-Section	32.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	648.1
Heart Disease	163.5
Malignant Neoplasms (Cancer)	162.7
Trachea, Bronchus, & Lung	64.9
Colon, Rectum, & Anus	11.8
Female Breast	40.8
Pancreas	LNE
Prostate	31.3
Leukemia	LNE
● Chronic Lower Respiratory Diseases	21.5
Alzheimer's Disease	26.0
Cerebrovascular Disease	61.4
Accidents	49.5
Motor Vehicle Accidents	LNE
Diabetes Mellitus	31.9
Influenza & Pneumonia	21.3
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	38
2. Malignant Neoplasms (Cancer)	34
3. Cerebrovascular Diseases	14
4. Accidents	8
T5. Alzheimer's Disease	7
T5. Diabetes	7
7. Influenza and pneumonia	6
8. Chronic Lower Respiratory Diseases	5

Percent of Deaths due to tobacco use	16.7
Median age at death	82


●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.
Source: South Dakota Department of Health, Office of Health Statistics

Beadle County

Demographic Information



Beadle County is located in the center of eastern South Dakota and averages 13.8 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	18,169	100.0
White	16,107	88.7
Black or African American	315	1.7
American Indian & Alaska Native	231	1.3
Asian	1,153	6.3
Native Hawaiian & Other Pacific Islander	34	0.2
Two or More Races	329	1.8
Under 5 years	1,521	8.4
Under 18 years	4,690	25.8
65 years and over	3,034	16.7

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	7.5
● Percent of Mothers Receiving Care in 1st Trimester	55.0
Percent of Mothers Who Used Tobacco While Pregnant ¹	15.5
Percent of Births Less Than 37 Wks. of Gestation	8.3
● Average Age of Mother	26.6
Teenage Birth Rate ²	20.9
Percent White Births	80.9
Percent American Indian Births	1.0
Percent Unmarried	38.5
○ Percent WIC births	51.1
Percent Breastfeeding at discharge	73.9
● Percent Payment-Private Insurance	48.7
○ Percent Payment-Medicaid	38.2
○ Percent C-Section	32.7

●Denotes a health status indicator which is significantly lower than the state average.
 ○Denotes a health status indicator which is significantly higher than the state average.
¹Data for mothers who used tobacco are self-reported.
²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	716.4
Heart Disease	154.4
Malignant Neoplasms (Cancer)	164.9
Trachea, Bronchus, & Lung	36.5
Colon, Rectum, & Anus	14.4
Female Breast	22.6
Pancreas	6.7
Prostate	15.2
Leukemia	9.3
Chronic Lower Respiratory Diseases	37.3
Alzheimer's Disease	39.9
Cerebrovascular Disease	43.5
Accidents	42.1
Motor Vehicle Accidents	9.2
○ Diabetes Mellitus	37.4
Influenza & Pneumonia	23.8
● Intentional Self-Harm (Suicide)	7.9
Chronic Liver Disease and Cirrhosis	10.0
Infant Mortality	11.89

Leading Causes of Death


	Total Deaths
1. Heart Disease	214
2. Malignant Neoplasms (Cancer)	207
3. Alzheimer's Disease	66
4. Cerebrovascular Diseases	62
5. Diabetes	51
6. Chronic Lower Respiratory Diseases	50
7. Accidents	44
8. Influenza and Pneumonia	33
9. Essential (Primary) Hypertension and Hypertensive Renal Disease	15
10. Certain Conditions Originating in the Perinatal Period	13

Percent of Deaths due to tobacco use	18.3
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.
 ○Denotes a health status indicator which is significantly higher than the state average.
³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.
 See technical notes for more information.
 Source: South Dakota Department of Health, Office of Health Statistics

Bennett County

Demographic Information



Bennett County is located on the southern border in western South Dakota and averages 2.9 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	3,430	100.0
White	1,192	34.8
Black or African American	15	0.4
American Indian & Alaska Native	2,016	58.8
Asian	22	0.6
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	184	5.4
Under 5 years	328	9.6
Under 18 years	1,151	33.6
65 years and over	422	12.3

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

● Percent of Low Birth Weight Infants	3.9
● Percent of Mothers Receiving Care in 1st Trimester	43.2
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	22.9
Percent of Births Less Than 37 Wks. of Gestation	8.6
● Average Age of Mother	25.0
○ Teenage Birth Rate ²	45.5
Percent White Births	15.2
Percent American Indian Births	77.7
○ Percent Unmarried	74.4
○ Percent WIC births	73.7
● Percent Breastfeeding at discharge	50.4
● Percent Payment-Private Insurance	10.8
○ Percent Payment-Medicaid	63.4
Percent C-Section	20.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	939.7
Heart Disease	197.9
Malignant Neoplasms (Cancer)	179.6
Trachea, Bronchus, & Lung	31.9
Colon, Rectum, & Anus	46.0
Female Breast	LNE
Pancreas	18.7
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	39.3
Alzheimer's Disease	LNE
Cerebrovascular Disease	44.9
Accidents	78.1
Motor Vehicle Accidents	45.2
Diabetes Mellitus	47.0
Influenza & Pneumonia	48.6
Intentional Self-Harm (Suicide)	22.0
Chronic Liver Disease and Cirrhosis	44.4
○ Infant Mortality	25.28

Leading Causes of Death Total Deaths

1. Heart Disease	33
2. Malignant Neoplasms (Cancer)	30
3. Accidents	14
4. Influenza and Pneumonia	9
T5. Cerebrovascular Diseases	8
T5. Diabetes	8
7. Chronic Lower Respiratory Diseases	7
8. Chronic Liver Disease and Cirrhosis	6
Percent of Deaths due to tobacco use	22.6
Median age at death	74

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Bon Homme County

Demographic Information



Bon Homme County is located on the Nebraska border in eastern South Dakota and averages 12.5 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	7,023	100.0
White	6,303	89.7
Black or African American	91	1.3
American Indian & Alaska Native	522	7.4
Asian	13	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	94	1.3
Under 5 years	319	4.5
Under 18 years	1,364	19.4
65 years and over	1,403	20.0

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.6
Percent of Mothers Receiving Care in 1st Trimester	79.5
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.3
Percent of Births Less Than 37 Wks. of Gestation	8.5
○ Average Age of Mother	28.1
Teenage Birth Rate ²	LNE
Percent White Births	94.7
Percent American Indian Births	3.4
● Percent Unmarried	19.7
Percent WIC births	38.1
Percent Breastfeeding at discharge	76.3
○ Percent Payment-Private Insurance	73.9
● Percent Payment-Medicaid	20.8
Percent C-Section	27.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	580.4
● Heart Disease	115.5
Malignant Neoplasms (Cancer)	135.4
Trachea, Bronchus, & Lung	39.8
Colon, Rectum, & Anus	16.0
Female Breast	23.0
Pancreas	LNE
Prostate	12.2
Leukemia	11.5
Chronic Lower Respiratory Diseases	37.9
Alzheimer's Disease	30.5
Cerebrovascular Disease	37.5
Accidents	31.1
Motor Vehicle Accidents	23.5
Diabetes Mellitus	20.3
Influenza & Pneumonia	11.1
Intentional Self-Harm (Suicide)	12.7
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	9.40

Leading Causes of Death

	Total Deaths
1. Heart Disease	80
2. Malignant Neoplasms (Cancer)	76
3. Cerebrovascular Diseases	27
4. Chronic Lower Respiratory Diseases	25
5. Alzheimer's Disease	24
T6. Accidents	13
T6. Diabetes	13
8. Neoplasms of Uncertain or Unknown Behavior	10
T9. Influenza and Pneumonia	9
T9. Unspecified Dementia	9

Percent of Deaths due to tobacco use	14.0
Median age at death	85

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Brookings County

Demographic Information



Brookings County is located on the eastern border of the state and averages 40.3 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	33,314	100.0
White	30,970	93.0
Black or African American	505	1.5
American Indian & Alaska Native	441	1.3
Asian	941	2.8
Native Hawaiian & Other Pacific Islander	27	0.1
Two or More Races	430	1.3
Under 5 years	2,023	6.1
Under 18 years	6,551	19.7
65 years and over	3,482	10.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

● Percent of Low Birth Weight Infants	4.9
○ Percent of Mothers Receiving Care in 1st Trimester	77.4
● Percent of Mothers Who Used Tobacco While Pregnant ¹	11.5
● Percent of Births Less Than 37 Wks. of Gestation	6.3
○ Average Age of Mother	28.2
● Teenage Birth Rate ²	4.0
Percent White Births	88.3
Percent American Indian Births	2.0
● Percent Unmarried	23.9
● Percent WIC births	26.2
○ Percent Breastfeeding at discharge	84.0
○ Percent Payment-Private Insurance	74.3
● Percent Payment-Medicaid	20.0
● Percent C-Section	20.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	660.4
Heart Disease	138.4
Malignant Neoplasms (Cancer)	169.1
Trachea, Bronchus, & Lung	37.4
Colon, Rectum, & Anus	18.9
Female Breast	12.4
Pancreas	11.2
Prostate	17.7
Leukemia	11.9
● Chronic Lower Respiratory Diseases	30.9
Alzheimer's Disease	38.8
Cerebrovascular Disease	48.5
● Accidents	31.8
Motor Vehicle Accidents	10.3
● Diabetes Mellitus	15.4
Influenza & Pneumonia	13.6
● Intentional Self-Harm (Suicide)	8.6
● Chronic Liver Disease and Cirrhosis	4.1
Infant Mortality	7.49

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	235
2. Heart Disease	207
3. Cerebrovascular Diseases	74
4. Alzheimer's Disease	61
5. Accidents	47
6. Chronic Lower Respiratory Diseases	46
7. Diabetes	22
8. Influenza and Pneumonia	20
9. Unspecified Dementia	15
10. Congenital Malformations, Deformations, and Chromosomal Abnormalities	13
Percent of Deaths due to tobacco use	16.6
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Brown County

Demographic Information



Brown County is located on the North Dakota border in the eastern part of the state and averages 21.3 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	38,408	100.0
White	35,019	91.2
Black or African American	617	1.6
American Indian & Alaska Native	1,267	3.3
Asian	735	1.9
Native Hawaiian & Other Pacific Islander	68	0.2
Two or More Races	702	1.8
Under 5 years	2,609	6.8
Under 18 years	9,113	23.7
65 years and over	6,151	16.0

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.7
○ Percent of Mothers Receiving Care in 1st Trimester	75.5
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	18.3
Percent of Births Less Than 37 Wks. of Gestation	7.3
Average Age of Mother	27.4
● Teenage Birth Rate ²	10.2
Percent White Births	89.0
Percent American Indian Births	5.9
● Percent Unmarried	34.6
● Percent WIC births	33.8
○ Percent Breastfeeding at discharge	80.3
○ Percent Payment-Private Insurance	64.3
● Percent Payment-Medicaid	30.4
Percent C-Section	27.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	718.3
Heart Disease	160.4
Malignant Neoplasms (Cancer)	167.1
Trachea, Bronchus, & Lung	48.3
Colon, Rectum, & Anus	18.0
Female Breast	24.9
Pancreas	11.6
Prostate	15.0
Leukemia	7.9
Chronic Lower Respiratory Diseases	42.8
○ Alzheimer's Disease	48.5
Cerebrovascular Disease	39.7
● Accidents	35.6
Motor Vehicle Accidents	11.0
Diabetes Mellitus	29.2
Influenza & Pneumonia	17.4
Intentional Self-Harm (Suicide)	11.6
● Chronic Liver Disease and Cirrhosis	7.5
Infant Mortality	5.78

Leading Causes of Death

	Total Deaths
1. Heart Disease	465
2. Malignant Neoplasms (Cancer)	401
3. Alzheimer's Disease	149
5. Cerebrovascular Diseases	115
4. Chronic Lower Respiratory Diseases	113
6. Accidents	80
7. Diabetes	75
8. Influenza and Pneumonia	54
9. Unspecified Dementia	33
10. Pneumonitis Due to Solids and Liquids	29

Percent of Deaths due to tobacco use	15.6
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Brule County

Demographic Information



Brule County is located in the south central part of the state and averages 6.4 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	5,309	100.0
White	4,617	87.0
Black or African American	20	0.4
American Indian & Alaska Native	489	9.2
Asian	16	0.3
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	166	3.1
Under 5 years	373	7.0
Under 18 years	1,351	25.4
65 years and over	916	17.3

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.4
Percent of Mothers Receiving Care in 1st Trimester	67.8
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.3
Percent of Births Less Than 37 Wks. of Gestation	10.7
Average Age of Mother	27.4
● Teenage Birth Rate ²	6.3
Percent White Births	77.3
Percent American Indian Births	20.0
Percent Unmarried	35.0
Percent WIC births	39.6
Percent Breastfeeding at discharge	70.8
○ Percent Payment-Private Insurance	66.0
Percent Payment-Medicaid	30.8
Percent C-Section	27.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	685.0
Heart Disease	150.7
Malignant Neoplasms (Cancer)	154.7
Trachea, Bronchus, & Lung	45.8
Colon, Rectum, & Anus	23.6
Female Breast	17.2
Pancreas	9.6
Prostate	18.7
Leukemia	LNE
Chronic Lower Respiratory Diseases	28.1
Alzheimer's Disease	30.4
Cerebrovascular Disease	27.9
Accidents	57.2
Motor Vehicle Accidents	8.1
Diabetes Mellitus	34.6
Influenza & Pneumonia	20.7
Intentional Self-Harm (Suicide)	17.0
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	16.04

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	63
2. Malignant Neoplasms (Cancer)	58
3. Accidents	20
4. Alzheimer's Disease	17
5. Diabetes	13
T6. Chronic Lower Respiratory Diseases	12
T6. Cerebrovascular Diseases	12
8. Influenza and Pneumonia	10
9. Pneumonitis Due to Solids and Liquids	9

Percent of Deaths due to tobacco use	17.8
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Buffalo County

Demographic Information	Health Status Indicators 2010-2014																																																																																																																
 <p>Buffalo County is located in the central portion of the state and averages 4.1 persons per square mile.</p> <p style="text-align: center;">2014 Population Information</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">2,077</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">383</td> <td style="text-align: right;">18.4</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">12</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">1,634</td> <td style="text-align: right;">78.7</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">2</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">0</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">46</td> <td style="text-align: right;">2.2</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">276</td> <td style="text-align: right;">13.3</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">842</td> <td style="text-align: right;">40.5</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">149</td> <td style="text-align: right;">7.2</td> </tr> </tbody> </table> <p>Source: United States Census Bureau, 2014 Population Estimates</p>	Subject	Number	Percent	Total population	2,077	100.0	White	383	18.4	Black or African American	12	0.6	American Indian & Alaska Native	1,634	78.7	Asian	2	0.1	Native Hawaiian & Other Pacific Islander	0	0.0	Two or More Races	46	2.2	Under 5 years	276	13.3	Under 18 years	842	40.5	65 years and over	149	7.2	<p style="text-align: center;">Nativity</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">7.2</td> </tr> <tr> <td>● Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">36.3</td> </tr> <tr> <td>○ Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">33.5</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">8.4</td> </tr> <tr> <td>● Average Age of Mother</td> <td style="text-align: right;">25.8</td> </tr> <tr> <td>○ Teenage Birth Rate²</td> <td style="text-align: right;">80.3</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">15.2</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">80.3</td> </tr> <tr> <td>○ Percent Unmarried</td> <td style="text-align: right;">76.1</td> </tr> <tr> <td>○ Percent WIC births</td> <td style="text-align: right;">72.4</td> </tr> <tr> <td>● Percent Breastfeeding at discharge</td> <td style="text-align: right;">43.1</td> </tr> <tr> <td>● Percent Payment-Private Insurance</td> <td style="text-align: right;">17.4</td> </tr> <tr> <td>○ Percent Payment-Medicaid</td> <td style="text-align: right;">73.1</td> </tr> <tr> <td>Percent C-Section</td> <td style="text-align: right;">25.4</td> </tr> </tbody> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p>¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>	Percent of Low Birth Weight Infants	7.2	● Percent of Mothers Receiving Care in 1st Trimester	36.3	○ Percent of Mothers Who Used Tobacco While Pregnant ¹	33.5	Percent of Births Less Than 37 Wks. of Gestation	8.4	● Average Age of Mother	25.8	○ Teenage Birth Rate ²	80.3	Percent White Births	15.2	Percent American Indian Births	80.3	○ Percent Unmarried	76.1	○ Percent WIC births	72.4	● Percent Breastfeeding at discharge	43.1	● Percent Payment-Private Insurance	17.4	○ Percent Payment-Medicaid	73.1	Percent C-Section	25.4	<p style="text-align: center;">Mortality³</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>○ All Causes</td> <td style="text-align: right;">1,243.7</td> </tr> <tr> <td>Heart Disease</td> <td style="text-align: right;">146.5</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">271.8</td> </tr> <tr> <td>Trachea, Bronchus, & Lung</td> <td style="text-align: right;">91.5</td> </tr> <tr> <td>Colon, Rectum, & Anus</td> <td style="text-align: right;">52.4</td> </tr> <tr> <td>Female Breast</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Pancreas</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Prostate</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Leukemia</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">63.1</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">88.6</td> </tr> <tr> <td>Motor Vehicle Accidents</td> <td style="text-align: right;">26.5</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">66.3</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">36.6</td> </tr> <tr> <td>○ Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">96.3</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">18.94</td> </tr> </tbody> </table> <p style="text-align: center;">Leading Causes of Death</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Cause</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">15</td> </tr> <tr> <td>2. Heart Disease</td> <td style="text-align: right;">10</td> </tr> <tr> <td>T3. Accidents</td> <td style="text-align: right;">8</td> </tr> <tr> <td>T3. Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">8</td> </tr> <tr> <td>5. Diabetes</td> <td style="text-align: right;">5</td> </tr> </tbody> </table> <p>Percent of Deaths due to tobacco use: 18.8 Median age at death: 58</p> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	○ All Causes	1,243.7	Heart Disease	146.5	Malignant Neoplasms (Cancer)	271.8	Trachea, Bronchus, & Lung	91.5	Colon, Rectum, & Anus	52.4	Female Breast	LNE	Pancreas	LNE	Prostate	LNE	Leukemia	LNE	Chronic Lower Respiratory Diseases	LNE	Alzheimer's Disease	63.1	Cerebrovascular Disease	LNE	Accidents	88.6	Motor Vehicle Accidents	26.5	Diabetes Mellitus	66.3	Influenza & Pneumonia	LNE	Intentional Self-Harm (Suicide)	36.6	○ Chronic Liver Disease and Cirrhosis	96.3	Infant Mortality	18.94	Cause	Total Deaths	1. Malignant Neoplasms (Cancer)	15	2. Heart Disease	10	T3. Accidents	8	T3. Chronic Liver Disease and Cirrhosis	8	5. Diabetes	5
Subject	Number	Percent																																																																																																															
Total population	2,077	100.0																																																																																																															
White	383	18.4																																																																																																															
Black or African American	12	0.6																																																																																																															
American Indian & Alaska Native	1,634	78.7																																																																																																															
Asian	2	0.1																																																																																																															
Native Hawaiian & Other Pacific Islander	0	0.0																																																																																																															
Two or More Races	46	2.2																																																																																																															
Under 5 years	276	13.3																																																																																																															
Under 18 years	842	40.5																																																																																																															
65 years and over	149	7.2																																																																																																															
Percent of Low Birth Weight Infants	7.2																																																																																																																
● Percent of Mothers Receiving Care in 1st Trimester	36.3																																																																																																																
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	33.5																																																																																																																
Percent of Births Less Than 37 Wks. of Gestation	8.4																																																																																																																
● Average Age of Mother	25.8																																																																																																																
○ Teenage Birth Rate ²	80.3																																																																																																																
Percent White Births	15.2																																																																																																																
Percent American Indian Births	80.3																																																																																																																
○ Percent Unmarried	76.1																																																																																																																
○ Percent WIC births	72.4																																																																																																																
● Percent Breastfeeding at discharge	43.1																																																																																																																
● Percent Payment-Private Insurance	17.4																																																																																																																
○ Percent Payment-Medicaid	73.1																																																																																																																
Percent C-Section	25.4																																																																																																																
○ All Causes	1,243.7																																																																																																																
Heart Disease	146.5																																																																																																																
Malignant Neoplasms (Cancer)	271.8																																																																																																																
Trachea, Bronchus, & Lung	91.5																																																																																																																
Colon, Rectum, & Anus	52.4																																																																																																																
Female Breast	LNE																																																																																																																
Pancreas	LNE																																																																																																																
Prostate	LNE																																																																																																																
Leukemia	LNE																																																																																																																
Chronic Lower Respiratory Diseases	LNE																																																																																																																
Alzheimer's Disease	63.1																																																																																																																
Cerebrovascular Disease	LNE																																																																																																																
Accidents	88.6																																																																																																																
Motor Vehicle Accidents	26.5																																																																																																																
Diabetes Mellitus	66.3																																																																																																																
Influenza & Pneumonia	LNE																																																																																																																
Intentional Self-Harm (Suicide)	36.6																																																																																																																
○ Chronic Liver Disease and Cirrhosis	96.3																																																																																																																
Infant Mortality	18.94																																																																																																																
Cause	Total Deaths																																																																																																																
1. Malignant Neoplasms (Cancer)	15																																																																																																																
2. Heart Disease	10																																																																																																																
T3. Accidents	8																																																																																																																
T3. Chronic Liver Disease and Cirrhosis	8																																																																																																																
5. Diabetes	5																																																																																																																

Butte County

Demographic Information



Butte County is located on the western border of the state and averages 4.5 people per square mile.

2014 Population Information

Subject	Number	Percent
Total population	10,298	100.0
White	9,723	94.4
Black or African American	73	0.7
American Indian & Alaska Native	209	2.0
Asian	33	0.3
Native Hawaiian & Other Pacific Islander	9	0.1
Two or More Races	251	2.4
Under 5 years	647	6.3
Under 18 years	2,488	24.2
65 years and over	1,902	18.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	5.9
Percent of Mothers Receiving Care in 1st Trimester	78.6
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	26.0
Percent of Births Less Than 37 Wks. of Gestation	8.5
● Average Age of Mother	26.7
Teenage Birth Rate ²	13.9
Percent White Births	93.8
Percent American Indian Births	2.2
Percent Unmarried	36.7
○ Percent WIC births	47.6
Percent Breastfeeding at discharge	81.8
Percent Payment-Private Insurance	51.0
○ Percent Payment-Medicaid	42.1
Percent C-Section	23.6

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	768.2
○ Heart Disease	199.4
Malignant Neoplasms (Cancer)	174.7
Trachea, Bronchus, & Lung	51.6
Colon, Rectum, & Anus	14.8
Female Breast	21.6
Pancreas	11.6
Prostate	30.9
Leukemia	5.7
Chronic Lower Respiratory Diseases	43.4
Alzheimer's Disease	33.1
Cerebrovascular Disease	31.1
Accidents	47.7
Motor Vehicle Accidents	18.6
Diabetes Mellitus	29.6
Influenza & Pneumonia	22.0
Intentional Self-Harm (Suicide)	23.8
Chronic Liver Disease and Cirrhosis	11.9
Infant Mortality	9.30

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	143
2. Malignant Neoplasms (Cancer)	123
3. Chronic Lower Respiratory Diseases	29
4. Accidents	27
5. Alzheimer's Disease	24
6. Diabetes	22
7. Cerebrovascular Diseases	21
8. Influenza and Pneumonia	16
9. Intentional Self-Harm (Suicide)	13
10. Chronic Liver Disease and Cirrhosis	7
Percent of Deaths due to tobacco use	18.0
Median age at death	79

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Campbell County

Demographic Information



Campbell County is located in the north central portion of the state and averages 2.0 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	1,386	100.0
White	1,346	97.1
Black or African American	4	0.3
American Indian & Alaska Native	11	0.8
Asian	7	0.5
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	18	1.3
Under 5 years	52	3.8
Under 18 years	230	16.6
65 years and over	343	24.7

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	LNE
Percent of Mothers Receiving Care in 1st Trimester	78.3
Percent of Mothers Who Used Tobacco While Pregnant ¹	LNE
Percent of Births Less Than 37 Wks. of Gestation	6.8
○ Average Age of Mother	28.7
Teenage Birth Rate ²	LNE
Percent White Births	93.1
Percent American Indian Births	LNE
● Percent Unmarried	18.3
Percent WIC births	25.4
Percent Breastfeeding at discharge	88.1
Percent Payment-Private Insurance	78.9
● Percent Payment-Medicaid	14.0
Percent C-Section	38.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	595.3
Heart Disease	179.0
● Malignant Neoplasms (Cancer)	104.3
Trachea, Bronchus, & Lung	LNE
Colon, Rectum, & Anus	20.3
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	LNE
Alzheimer's Disease	19.2
Cerebrovascular Disease	52.4
Accidents	103.9
Motor Vehicle Accidents	LNE
Diabetes Mellitus	29.8
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	20
2. Malignant Neoplasms (Cancer)	15
3. Cerebrovascular Diseases	8
4. Accidents	5
Percent of Deaths due to tobacco use	20.0
Median age at death	80

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Charles Mix County

Demographic Information



Charles Mix County is located in the south central area of the state and averages 8.3 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	9,287	100.0
White	5,940	64.0
Black or African American	36	0.4
American Indian & Alaska Native	3,013	32.4
Asian	22	0.2
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	275	3.0
Under 5 years	800	8.6
Under 18 years	2,739	29.5
65 years and over	1,667	17.9

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	6.3
Percent of Mothers Receiving Care in 1st Trimester	65.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	23.4
Percent of Births Less Than 37 Wks. of Gestation	8.6
● Average Age of Mother	25.7
○ Teenage Birth Rate ²	26.8
Percent White Births	42.7
Percent American Indian Births	51.3
○ Percent Unmarried	58.1
○ Percent WIC births	62.2
● Percent Breastfeeding at discharge	67.0
● Percent Payment-Private Insurance	35.1
○ Percent Payment-Medicaid	57.0
Percent C-Section	28.0

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	709.5
Heart Disease	181.1
Malignant Neoplasms (Cancer)	161.0
Trachea, Bronchus, & Lung	43.7
Colon, Rectum, & Anus	16.6
Female Breast	19.5
Pancreas	12.6
Prostate	20.0
Leukemia	LNE
Chronic Lower Respiratory Diseases	29.9
Alzheimer's Disease	51.5
Cerebrovascular Disease	26.3
Accidents	52.1
Motor Vehicle Accidents	8.5
Diabetes Mellitus	33.2
Influenza & Pneumonia	19.3
Intentional Self-Harm (Suicide)	19.5
Chronic Liver Disease and Cirrhosis	8.9
Infant Mortality	5.01

Leading Causes of Death

	Total Deaths
1. Heart Disease	119
2. Malignant Neoplasms (Cancer)	107
3. Alzheimer's Disease	40
4. Accidents	28
T5. Chronic Lower Respiratory Diseases	20
T5. Diabetes	20
7. Cerebrovascular Diseases	19
8. Influenza and Pneumonia	14
9. Essential (Primary) Hypertension and Hypertensive Renal Disease	9
10. Intentional Self-Harm (Suicide)	8

Percent of Deaths due to tobacco use	14.4
Median age at death	80

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Clark County

Demographic Information



Clark County is located in east central South Dakota and averages 3.9 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	3,645	100.0
White	3,550	97.4
Black or African American	52	1.4
American Indian & Alaska Native	8	0.2
Asian	3	0.1
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	32	0.9
Under 5 years	304	8.3
Under 18 years	871	23.9
65 years and over	745	20.4

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.0
● Percent of Mothers Receiving Care in 1st Trimester	59.9
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.4
Percent of Births Less Than 37 Wks. of Gestation	5.4
○ Average Age of Mother	28.6
Teenage Birth Rate ²	LNE
Percent White Births	98.8
Percent American Indian Births	1.2
● Percent Unmarried	18.4
● Percent WIC births	20.8
Percent Breastfeeding at discharge	86.8
○ Percent Payment-Private Insurance	79.8
● Percent Payment-Medicaid	15.9
Percent C-Section	25.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	743.1
Heart Disease	159.2
Malignant Neoplasms (Cancer)	170.6
Trachea, Bronchus, & Lung	38.0
Colon, Rectum, & Anus	16.8
Female Breast	24.2
Pancreas	7.9
Prostate	LNE
Leukemia	13.0
Chronic Lower Respiratory Diseases	39.7
Alzheimer's Disease	35.1
Cerebrovascular Disease	56.7
Accidents	78.9
Motor Vehicle Accidents	18.5
Diabetes Mellitus	21.4
Influenza & Pneumonia	22.9
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	58
2. Malignant Neoplasms (Cancer)	56
3. Accidents	21
4. Cerebrovascular Diseases	20
5. Alzheimer's Disease	15
6. Chronic Lower Respiratory Diseases	13
7. Influenza and Pneumonia	9
8. Diabetes	7
9. Pneumonitis Due to Solids and Liquids	5
Percent of Deaths due to tobacco use	15.8
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Clay County

Demographic Information



Clay County is located in the southeastern part of the state and averages 33.6 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	13,932	100.0
White	12,665	90.9
Black or African American	229	1.6
American Indian & Alaska Native	423	3.0
Asian	299	2.1
Native Hawaiian & Other Pacific Islander	8	0.1
Two or More Races	308	2.2
Under 5 years	794	5.7
Under 18 years	2,518	18.1
65 years and over	1,557	11.2

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.5
○ Percent of Mothers Receiving Care in 1st Trimester	79.1
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.0
Percent of Births Less Than 37 Wks. of Gestation	6.8
○ Average Age of Mother	28.0
● Teenage Birth Rate ²	5.0
Percent White Births	88.7
Percent American Indian Births	5.1
● Percent Unmarried	27.6
● Percent WIC births	32.8
Percent Breastfeeding at discharge	79.4
○ Percent Payment-Private Insurance	65.2
Percent Payment-Medicaid	32.0
○ Percent C-Section	34.0

●Denotes a health status indicator which is significantly lower than the state average.
 ○Denotes a health status indicator which is significantly higher than the state average.
¹Data for mothers who used tobacco are self-reported.
²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	769.1
○ Heart Disease	236.8
Malignant Neoplasms (Cancer)	175.0
Trachea, Bronchus, & Lung	46.3
Colon, Rectum, & Anus	13.0
Female Breast	27.9
Pancreas	9.4
Prostate	25.1
Leukemia	9.4
Chronic Lower Respiratory Diseases	37.8
● Alzheimer's Disease	19.6
Cerebrovascular Disease	42.7
Accidents	33.7
Motor Vehicle Accidents	13.0
Diabetes Mellitus	31.2
Influenza & Pneumonia	19.3
Intentional Self-Harm (Suicide)	16.5
Chronic Liver Disease and Cirrhosis	7.4
Infant Mortality	8.00


Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	161
2. Malignant Neoplasms (Cancer)	107
3. Cerebrovascular Diseases	29
4. Chronic Lower Respiratory Diseases	26
5. Accidents	21
6. Diabetes	19
7. Alzheimer's Disease	15
8. Influenza and Pneumonia	13
9. Intentional Self-Harm (Suicide)	9
10. Congenital Malformations, Deformations, and Chromosomal Abnormalities	8
Percent of Deaths due to tobacco use	15.7
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.
 ○Denotes a health status indicator which is significantly higher than the state average.
³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.
 See technical notes for more information.
 Source: South Dakota Department of Health, Office of Health Statistics

Codington County

Demographic Information



Codington County is located in eastern South Dakota and averages 39.5 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	27,938	100.0
White	26,499	94.8
Black or African American	214	0.8
American Indian & Alaska Native	631	2.3
Asian	221	0.8
Native Hawaiian & Other Pacific Islander	2	0.0
Two or More Races	371	1.3
Under 5 years	1,966	7.0
Under 18 years	6,805	24.4
65 years and over	4,339	15.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.2
○ Percent of Mothers Receiving Care in 1st Trimester	79.4
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	23.2
Percent of Births Less Than 37 Wks. of Gestation	6.9
Average Age of Mother	27.2
● Teenage Birth Rate ²	8.4
Percent White Births	91.4
Percent American Indian Births	4.7
Percent Unmarried	37.1
Percent WIC births	38.6
Percent Breastfeeding at discharge	75.4
○ Percent Payment-Private Insurance	64.0
Percent Payment-Medicaid	32.5
● Percent C-Section	22.9

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	667.9
Heart Disease	143.1
Malignant Neoplasms (Cancer)	175.1
Trachea, Bronchus, & Lung	49.9
Colon, Rectum, & Anus	18.5
Female Breast	19.0
Pancreas	10.8
Prostate	17.8
Leukemia	9.8
Chronic Lower Respiratory Diseases	45.7
Alzheimer's Disease	37.1
Cerebrovascular Disease	33.2
Accidents	39.4
Motor Vehicle Accidents	12.3
Diabetes Mellitus	24.7
Influenza & Pneumonia	14.7
Intentional Self-Harm (Suicide)	14.8
● Chronic Liver Disease and Cirrhosis	5.1
Infant Mortality	5.25

Leading Causes of Death Total Deaths

1. Malignant Neoplasms (Cancer)	299
2. Heart Disease	268
3. Chronic Lower Respiratory Diseases	83
4. Alzheimer's Disease	71
5. Cerebrovascular Diseases	64
6. Accidents	61
7. Diabetes	43
8. Influenza and Pneumonia	28
9. Intentional Self-Harm (Suicide)	20
T10. Unspecified Dementia	16
T10. Parkinson's Disease	16
Percent of Deaths due to tobacco use	21.5
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Corson County

Demographic Information



Corson County is located in the north central portion of the state and averages 1.6 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	4,182	100.0
White	1,348	32.2
Black or African American	10	0.2
American Indian & Alaska Native	2,675	64.0
Asian	16	0.4
Native Hawaiian & Other Pacific Islander	3	0.1
Two or More Races	130	3.1
Under 5 years	392	9.4
Under 18 years	1,445	34.6
65 years and over	439	10.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.8
● Percent of Mothers Receiving Care in 1st Trimester	46.0
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	20.9
Percent of Births Less Than 37 Wks. of Gestation	11.7
● Average Age of Mother	25.4
○ Teenage Birth Rate ²	34.7
Percent White Births	20.9
Percent American Indian Births	74.9
○ Percent Unmarried	70.4
○ Percent WIC births	75.2
● Percent Breastfeeding at discharge	56.9
● Percent Payment-Private Insurance	16.1
○ Percent Payment-Medicaid	77.5
Percent C-Section	28.0

Mortality³

○ All Causes	1,213.8
○ Heart Disease	244.4
Malignant Neoplasms (Cancer)	210.0
Trachea, Bronchus, & Lung	32.7
Colon, Rectum, & Anus	42.1
Female Breast	33.3
Pancreas	15.4
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	46.5
Alzheimer's Disease	40.2
Cerebrovascular Disease	32.2
○ Accidents	131.0
Motor Vehicle Accidents	32.7
○ Diabetes Mellitus	65.4
Influenza & Pneumonia	26.3
○ Intentional Self-Harm (Suicide)	64.0
○ Chronic Liver Disease and Cirrhosis	58.8
Infant Mortality	7.01

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	43
2. Malignant Neoplasms (Cancer)	39
3. Accidents	26
4. Intentional Self-Harm (Suicide)	13
5. Chronic Liver Disease and Cirrhosis	12
6. Diabetes	11
7. Chronic Lower Respiratory Diseases	8
T8. Alzheimer's Disease	6
T8. Ill-Defined and Unknown Causes of Mortality	6
T10. Cerebrovascular Diseases	5
T10. Septicemia	5
Percent of Deaths due to tobacco use	14.8
Median age at death	63

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Custer County

Demographic Information	Health Status Indicators 2010-2014																																																																																																																														
<div style="text-align: center;">  </div> <p>Custer County is located in the southern Black Hills and averages 5.3 persons per square mile.</p> <h3 style="text-align: center;">2014 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">8,445</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td> White</td> <td style="text-align: right;">7,879</td> <td style="text-align: right;">93.3</td> </tr> <tr> <td> Black or African American</td> <td style="text-align: right;">58</td> <td style="text-align: right;">0.7</td> </tr> <tr> <td> American Indian & Alaska Native</td> <td style="text-align: right;">283</td> <td style="text-align: right;">3.4</td> </tr> <tr> <td> Asian</td> <td style="text-align: right;">42</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td> Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">4</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td> Two or More Races</td> <td style="text-align: right;">179</td> <td style="text-align: right;">2.1</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">331</td> <td style="text-align: right;">3.9</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">1,428</td> <td style="text-align: right;">16.9</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">2,162</td> <td style="text-align: right;">25.6</td> </tr> </tbody> </table>	Subject	Number	Percent	Total population	8,445	100.0	White	7,879	93.3	Black or African American	58	0.7	American Indian & Alaska Native	283	3.4	Asian	42	0.5	Native Hawaiian & Other Pacific Islander	4	0.0	Two or More Races	179	2.1	Under 5 years	331	3.9	Under 18 years	1,428	16.9	65 years and over	2,162	25.6	<h3 style="text-align: center;">Nativity</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">8.2</td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">72.1</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">19.2</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">7.4</td> </tr> <tr> <td>Average Age of Mother</td> <td style="text-align: right;">27.9</td> </tr> <tr> <td>Teenage Birth Rate²</td> <td style="text-align: right;">8.8</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">86.9</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">7.2</td> </tr> <tr> <td>Percent Unmarried</td> <td style="text-align: right;">32.0</td> </tr> <tr> <td>Percent WIC births</td> <td style="text-align: right;">35.9</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">80.6</td> </tr> <tr> <td>Percent Payment-Private Insurance</td> <td style="text-align: right;">51.8</td> </tr> <tr> <td>Percent Payment-Medicaid</td> <td style="text-align: right;">38.0</td> </tr> <tr> <td>• Percent C-Section</td> <td style="text-align: right;">16.2</td> </tr> </tbody> </table>	Percent of Low Birth Weight Infants	8.2	Percent of Mothers Receiving Care in 1st Trimester	72.1	Percent of Mothers Who Used Tobacco While Pregnant ¹	19.2	Percent of Births Less Than 37 Wks. of Gestation	7.4	Average Age of Mother	27.9	Teenage Birth Rate ²	8.8	Percent White Births	86.9	Percent American Indian Births	7.2	Percent Unmarried	32.0	Percent WIC births	35.9	Percent Breastfeeding at discharge	80.6	Percent Payment-Private Insurance	51.8	Percent Payment-Medicaid	38.0	• Percent C-Section	16.2	<h3 style="text-align: center;">Mortality³</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>• All Causes</td> <td style="text-align: right;">627.0</td> </tr> <tr> <td>• Heart Disease</td> <td style="text-align: right;">119.1</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">147.9</td> </tr> <tr> <td> Trachea, Bronchus, & Lung</td> <td style="text-align: right;">30.1</td> </tr> <tr> <td> Colon, Rectum, & Anus</td> <td style="text-align: right;">15.5</td> </tr> <tr> <td> Female Breast</td> <td style="text-align: right;">19.6</td> </tr> <tr> <td> Pancreas</td> <td style="text-align: right;">5.7</td> </tr> <tr> <td> Prostate</td> <td style="text-align: right;">11.7</td> </tr> <tr> <td> Leukemia</td> <td style="text-align: right;">10.1</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">41.1</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">24.6</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">40.4</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">52.3</td> </tr> <tr> <td> Motor Vehicle Accidents</td> <td style="text-align: right;">25.6</td> </tr> <tr> <td>• Diabetes Mellitus</td> <td style="text-align: right;">11.3</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">14.7</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">11.5</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">10.0</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">LNE</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Leading Causes of Death</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">105</td> </tr> <tr> <td>2. Heart Disease</td> <td style="text-align: right;">87</td> </tr> <tr> <td>3. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">28</td> </tr> <tr> <td>4. Cerebrovascular Diseases</td> <td style="text-align: right;">27</td> </tr> <tr> <td>5. Accidents</td> <td style="text-align: right;">24</td> </tr> <tr> <td>6. Alzheimer's Disease</td> <td style="text-align: right;">17</td> </tr> <tr> <td>7. Influenza and Pneumonia</td> <td style="text-align: right;">10</td> </tr> <tr> <td>8. Diabetes</td> <td style="text-align: right;">8</td> </tr> <tr> <td>T9. Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">7</td> </tr> <tr> <td>T9. Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">7</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Deaths due to tobacco use</td> <td style="text-align: right;">18.6</td> </tr> <tr> <td>Median age at death</td> <td style="text-align: right;">77</td> </tr> </tbody> </table> <p>•Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p>	• All Causes	627.0	• Heart Disease	119.1	Malignant Neoplasms (Cancer)	147.9	Trachea, Bronchus, & Lung	30.1	Colon, Rectum, & Anus	15.5	Female Breast	19.6	Pancreas	5.7	Prostate	11.7	Leukemia	10.1	Chronic Lower Respiratory Diseases	41.1	Alzheimer's Disease	24.6	Cerebrovascular Disease	40.4	Accidents	52.3	Motor Vehicle Accidents	25.6	• Diabetes Mellitus	11.3	Influenza & Pneumonia	14.7	Intentional Self-Harm (Suicide)	11.5	Chronic Liver Disease and Cirrhosis	10.0	Infant Mortality	LNE	Leading Causes of Death	Total Deaths	1. Malignant Neoplasms (Cancer)	105	2. Heart Disease	87	3. Chronic Lower Respiratory Diseases	28	4. Cerebrovascular Diseases	27	5. Accidents	24	6. Alzheimer's Disease	17	7. Influenza and Pneumonia	10	8. Diabetes	8	T9. Intentional Self-Harm (Suicide)	7	T9. Chronic Liver Disease and Cirrhosis	7	Percent of Deaths due to tobacco use	18.6	Median age at death	77
Subject	Number	Percent																																																																																																																													
Total population	8,445	100.0																																																																																																																													
White	7,879	93.3																																																																																																																													
Black or African American	58	0.7																																																																																																																													
American Indian & Alaska Native	283	3.4																																																																																																																													
Asian	42	0.5																																																																																																																													
Native Hawaiian & Other Pacific Islander	4	0.0																																																																																																																													
Two or More Races	179	2.1																																																																																																																													
Under 5 years	331	3.9																																																																																																																													
Under 18 years	1,428	16.9																																																																																																																													
65 years and over	2,162	25.6																																																																																																																													
Percent of Low Birth Weight Infants	8.2																																																																																																																														
Percent of Mothers Receiving Care in 1st Trimester	72.1																																																																																																																														
Percent of Mothers Who Used Tobacco While Pregnant ¹	19.2																																																																																																																														
Percent of Births Less Than 37 Wks. of Gestation	7.4																																																																																																																														
Average Age of Mother	27.9																																																																																																																														
Teenage Birth Rate ²	8.8																																																																																																																														
Percent White Births	86.9																																																																																																																														
Percent American Indian Births	7.2																																																																																																																														
Percent Unmarried	32.0																																																																																																																														
Percent WIC births	35.9																																																																																																																														
Percent Breastfeeding at discharge	80.6																																																																																																																														
Percent Payment-Private Insurance	51.8																																																																																																																														
Percent Payment-Medicaid	38.0																																																																																																																														
• Percent C-Section	16.2																																																																																																																														
• All Causes	627.0																																																																																																																														
• Heart Disease	119.1																																																																																																																														
Malignant Neoplasms (Cancer)	147.9																																																																																																																														
Trachea, Bronchus, & Lung	30.1																																																																																																																														
Colon, Rectum, & Anus	15.5																																																																																																																														
Female Breast	19.6																																																																																																																														
Pancreas	5.7																																																																																																																														
Prostate	11.7																																																																																																																														
Leukemia	10.1																																																																																																																														
Chronic Lower Respiratory Diseases	41.1																																																																																																																														
Alzheimer's Disease	24.6																																																																																																																														
Cerebrovascular Disease	40.4																																																																																																																														
Accidents	52.3																																																																																																																														
Motor Vehicle Accidents	25.6																																																																																																																														
• Diabetes Mellitus	11.3																																																																																																																														
Influenza & Pneumonia	14.7																																																																																																																														
Intentional Self-Harm (Suicide)	11.5																																																																																																																														
Chronic Liver Disease and Cirrhosis	10.0																																																																																																																														
Infant Mortality	LNE																																																																																																																														
Leading Causes of Death	Total Deaths																																																																																																																														
1. Malignant Neoplasms (Cancer)	105																																																																																																																														
2. Heart Disease	87																																																																																																																														
3. Chronic Lower Respiratory Diseases	28																																																																																																																														
4. Cerebrovascular Diseases	27																																																																																																																														
5. Accidents	24																																																																																																																														
6. Alzheimer's Disease	17																																																																																																																														
7. Influenza and Pneumonia	10																																																																																																																														
8. Diabetes	8																																																																																																																														
T9. Intentional Self-Harm (Suicide)	7																																																																																																																														
T9. Chronic Liver Disease and Cirrhosis	7																																																																																																																														
Percent of Deaths due to tobacco use	18.6																																																																																																																														
Median age at death	77																																																																																																																														
<p>Source: United States Census Bureau, 2014 Population Estimates</p>																																																																																																																															

Davison County

Demographic Information



Davison County is located in eastern South Dakota and averages 44.8 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	19,885	100.0
White	18,715	94.1
Black or African American	202	1.0
American Indian & Alaska Native	551	2.8
Asian	109	0.5
Native Hawaiian & Other Pacific Islander	21	0.1
Two or More Races	287	1.4
Under 5 years	1,243	6.3
Under 18 years	4,569	23.0
65 years and over	3,455	17.4

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.0
○ Percent of Mothers Receiving Care in 1st Trimester	78.0
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	19.1
Percent of Births Less Than 37 Wks. of Gestation	8.7
● Average Age of Mother	26.7
Teenage Birth Rate ²	13.4
Percent White Births	90.2
Percent American Indian Births	7.4
Percent Unmarried	39.2
Percent WIC births	38.2
Percent Breastfeeding at discharge	71.8
○ Percent Payment-Private Insurance	64.3
Percent Payment-Medicaid	32.2
Percent C-Section	28.7

Mortality³

All Causes	685.1
○ Heart Disease	186.1
Malignant Neoplasms (Cancer)	172.8
Trachea, Bronchus, & Lung	53.6
Colon, Rectum, & Anus	15.8
● Female Breast	10.4
Pancreas	11.6
Prostate	15.2
Leukemia	9.9
Chronic Lower Respiratory Diseases	31.5
Alzheimer's Disease	23.5
Cerebrovascular Disease	41.1
Accidents	36.4
● Motor Vehicle Accidents	7.8
Diabetes Mellitus	18.3
Influenza & Pneumonia	24.0
Intentional Self-Harm (Suicide)	18.6
● Chronic Liver Disease and Cirrhosis	5.3
Infant Mortality	5.31

Leading Causes of Death

	Total Deaths
1. Heart Disease	287
2. Malignant Neoplasms (Cancer)	240
3. Cerebrovascular Diseases	68
T4. Chronic Lower Respiratory Diseases	47
T4. Alzheimer's Disease	47
T4. Influenza and Pneumonia	47
7. Accidents	44
8. Diabetes	24
9. Unspecified Dementia	22
10. Intentional Self-Harm (Suicide)	16

Percent of Deaths due to tobacco use	16.9
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Day County

Demographic Information



Day County is located in the northeastern part of the state and averages 5.6 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	5,588	100.0
White	4,926	88.2
Black or African American	35	0.6
American Indian & Alaska Native	490	8.8
Asian	34	0.6
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	103	1.8
Under 5 years	319	5.7
Under 18 years	1,230	22.0
65 years and over	1,363	24.4

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	6.8
Percent of Mothers Receiving Care in 1st Trimester	65.3
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	29.6
Percent of Births Less Than 37 Wks. of Gestation	7.7
Average Age of Mother	27.3
Teenage Birth Rate ²	15.9
Percent White Births	72.9
Percent American Indian Births	21.3
Percent Unmarried	42.9
Percent WIC births	43.4
Percent Breastfeeding at discharge	70.7
Percent Payment-Private Insurance	59.0
Percent Payment-Medicaid	35.8
Percent C-Section	25.7

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	656.6
Heart Disease	162.8
● Malignant Neoplasms (Cancer)	124.4
Trachea, Bronchus, & Lung	30.6
Colon, Rectum, & Anus	15.4
Female Breast	32.7
Pancreas	6.5
Prostate	29.0
Leukemia	LNE
Chronic Lower Respiratory Diseases	48.0
Alzheimer's Disease	27.0
Cerebrovascular Disease	55.7
Accidents	51.5
Motor Vehicle Accidents	17.8
Diabetes Mellitus	23.5
Influenza & Pneumonia	11.7
Intentional Self-Harm (Suicide)	10.7
Chronic Liver Disease and Cirrhosis	7.8
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	93
2. Malignant Neoplasms (Cancer)	67
3. Cerebrovascular Diseases	34
4. Chronic Lower Respiratory Diseases	28
5. Accidents	21
6. Alzheimer's Disease	19
7. Diabetes	12
8. Influenza and Pneumonia	7
T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	6
T9. Parkinson's Disease	6

Percent of Deaths due to tobacco use 17.5

Median age at death 82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Deuel County

Demographic Information



Deuel County borders Minnesota and averages 7.0 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	4,312	100.0
White	4,205	97.5
Black or African American	43	1.0
American Indian & Alaska Native	16	0.4
Asian	6	0.1
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	42	1.0
Under 5 years	239	5.5
Under 18 years	993	23.0
65 years and over	904	21.0

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

● Percent of Low Birth Weight Infants	2.9
Percent of Mothers Receiving Care in 1st Trimester	81.0
Percent of Mothers Who Used Tobacco While Pregnant ¹	15.7
● Percent of Births Less Than 37 Wks. of Gestation	3.0
Average Age of Mother	27.4
Teenage Birth Rate ²	6.7
Percent White Births	99.6
Percent American Indian Births	LNE
● Percent Unmarried	23.5
Percent WIC births	31.9
Percent Breastfeeding at discharge	84.6
○ Percent Payment-Private Insurance	72.3
● Percent Payment-Medicaid	19.1
Percent C-Section	20.6

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	566.3
Heart Disease	141.2
● Malignant Neoplasms (Cancer)	106.5
Trachea, Bronchus, & Lung	36.0
Colon, Rectum, & Anus	LNE
Female Breast	16.3
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	45.3
Alzheimer's Disease	23.4
Cerebrovascular Disease	36.7
Accidents	42.6
Motor Vehicle Accidents	14.2
Diabetes Mellitus	12.1
Influenza & Pneumonia	18.4
Intentional Self-Harm (Suicide)	19.8
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Heart Disease	51
2. Malignant Neoplasms (Cancer)	37
3. Chronic Lower Respiratory Diseases	16
4. Cerebrovascular Diseases	14
5. Accidents	12
6. Septicemia	10
7. Alzheimer's Disease	9
8. Influenza and Pneumonia	8
Percent of Deaths due to tobacco use	20.2
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Dewey County

Demographic Information



Dewey County is located in the north central region of the state and averages 2.3 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	5,662	100.0
White	1,292	22.8
Black or African American	21	0.4
American Indian & Alaska Native	4,120	72.8
Asian	10	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	219	3.9
Under 5 years	665	11.7
Under 18 years	1,988	35.1
65 years and over	565	10.0

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.6
● Percent of Mothers Receiving Care in 1st Trimester	49.3
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	26.9
Percent of Births Less Than 37 Wks. of Gestation	9.4
● Average Age of Mother	25.4
○ Teenage Birth Rate ²	45.9
Percent White Births	9.6
Percent American Indian Births	86.4
○ Percent Unmarried	70.8
○ Percent WIC births	81.5
● Percent Breastfeeding at discharge	50.2
● Percent Payment-Private Insurance	15.1
○ Percent Payment-Medicaid	75.1
○ Percent C-Section	33.2

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	1,331.7
○ Heart Disease	252.5
○ Malignant Neoplasms (Cancer)	230.3
Trachea, Bronchus, & Lung	76.4
Colon, Rectum, & Anus	25.1
Female Breast	36.5
Pancreas	LNE
Prostate	35.2
Leukemia	12.8
Chronic Lower Respiratory Diseases	42.6
Alzheimer's Disease	22.6
Cerebrovascular Disease	36.3
○ Accidents	155.3
○ Motor Vehicle Accidents	82.8
○ Diabetes Mellitus	99.9
○ Influenza & Pneumonia	54.2
Intentional Self-Harm (Suicide)	41.8
○ Chronic Liver Disease and Cirrhosis	98.0
Infant Mortality	11.20

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	56
2. Malignant Neoplasms (Cancer)	51
3. Accidents	38
4. Chronic Liver Disease and Cirrhosis	23
5. Diabetes	22
6. Influenza and Pneumonia	12
T7. Chronic Lower Respiratory Diseases	10
T7. Intentional Self-Harm (Suicide)	10
9. Cerebrovascular Diseases	8
T10. Alzheimer's Disease	5
T10. Liver Disease, Unspecified	5

Percent of Deaths due to tobacco use	18.0
Median age at death	63

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Douglas County

Demographic Information



Douglas County is located in south central South Dakota and averages 7.0 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,973	100.0
White	2,856	96.1
Black or African American	17	0.6
American Indian & Alaska Native	72	2.4
Asian	7	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	21	0.7
Under 5 years	186	6.3
Under 18 years	679	22.8
65 years and over	736	24.8

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.3
Percent of Mothers Receiving Care in 1st Trimester	71.6
• Percent of Mothers Who Used Tobacco While Pregnant ¹	9.1
Percent of Births Less Than 37 Wks. of Gestation	5.7
Average Age of Mother	27.6
Teenage Birth Rate ²	9.3
Percent White Births	96.6
Percent American Indian Births	LNE
• Percent Unmarried	15.9
• Percent WIC births	25.9
Percent Breastfeeding at discharge	87.4
Percent Payment-Private Insurance	65.9
• Percent Payment-Medicaid	21.4
Percent C-Section	30.1

•Denotes a health status indicator which is significantly lower than the state average.
 ◦Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	716.4
Heart Disease	147.5
Malignant Neoplasms (Cancer)	185.5
Trachea, Bronchus, & Lung	34.6
Colon, Rectum, & Anus	27.7
Female Breast	33.1
Pancreas	8.9
Prostate	LNE
Leukemia	24.9
Chronic Lower Respiratory Diseases	57.1
Alzheimer's Disease	47.0
Cerebrovascular Disease	38.6
Accidents	42.1
Motor Vehicle Accidents	LNE
Diabetes Mellitus	15.5
Influenza & Pneumonia	14.4
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	24.3
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	55
2. Malignant Neoplasms (Cancer)	47
3. Alzheimer's Disease	21
4. Chronic Lower Respiratory Diseases	19
5. Cerebrovascular Diseases	15
6. Accidents	13
T7. Diabetes	6
T7. Influenza and Pneumonia	6
9. Pneumonitis Due to Solids and Liquids	5
Percent of Deaths due to tobacco use	13.4
Median age at death	85

•Denotes a health status indicator which is significantly lower than the state average.

◦Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Edmunds County

Demographic Information



Edmunds County is located in the north central region of the state and averages 3.6 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	3,983	100.0
White	3,902	98.0
Black or African American	9	0.2
American Indian & Alaska Native	23	0.6
Asian	7	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	42	1.1
Under 5 years	219	5.5
Under 18 years	904	22.7
65 years and over	852	21.4

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

● Percent of Low Birth Weight Infants	2.7
Percent of Mothers Receiving Care in 1st Trimester	69.6
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.6
● Percent of Births Less Than 37 Wks. of Gestation	4.9
Average Age of Mother	28.0
Teenage Birth Rate ²	6.6
Percent White Births	99.1
Percent American Indian Births	LNE
● Percent Unmarried	17.3
● Percent WIC births	21.3
Percent Breastfeeding at discharge	83.0
○ Percent Payment-Private Insurance	77.8
● Percent Payment-Medicaid	15.6
Percent C-Section	22.1

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	614.1
Heart Disease	127.3
Malignant Neoplasms (Cancer)	142.1
Trachea, Bronchus, & Lung	27.5
Colon, Rectum, & Anus	15.0
Female Breast	LNE
Pancreas	16.3
Prostate	24.1
Leukemia	LNE
Chronic Lower Respiratory Diseases	47.0
Alzheimer's Disease	24.6
● Cerebrovascular Disease	17.5
Accidents	40.2
Motor Vehicle Accidents	15.6
○ Diabetes Mellitus	52.8
Influenza & Pneumonia	18.7
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death Total Deaths

1. Heart Disease	53
2. Malignant Neoplasms (Cancer)	49
3. Diabetes	20
4. Chronic Lower Respiratory Diseases	19
T5. Alzheimer's Disease	11
T5. Accidents	11
7. Essential (Primary) Hypertension and Hypertensive Renal Disease	10
8. Influenza and Pneumonia	8
9. Cerebrovascular Diseases	6
T10. Unspecified Dementia	5
T10. Septicemia	5

Percent of Deaths due to tobacco use	15.5
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Fall River County

Demographic Information



Fall River County is located in the southwestern corner of the state and averages 4.1 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	6,845	100.0
White	6,003	87.7
Black or African American	77	1.1
American Indian & Alaska Native	479	7.0
Asian	60	0.9
Native Hawaiian & Other Pacific Islander	4	0.1
Two or More Races	222	3.2
Under 5 years	226	3.3
Under 18 years	1,225	17.9
65 years and over	1,786	26.1

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	8.1
Percent of Mothers Receiving Care in 1st Trimester	64.3
Percent of Mothers Who Used Tobacco While Pregnant ¹	20.6
Percent of Births Less Than 37 Wks. of Gestation	7.4
Average Age of Mother	26.8
Teenage Birth Rate ²	14.4
Percent White Births	79.3
Percent American Indian Births	9.6
Percent Unmarried	41.7
○ Percent WIC births	53.7
Percent Breastfeeding at discharge	78.8
● Percent Payment-Private Insurance	42.0
○ Percent Payment-Medicaid	46.3
● Percent C-Section	15.9

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	909.5
○ Heart Disease	205.0
Malignant Neoplasms (Cancer)	188.6
Trachea, Bronchus, & Lung	55.0
Colon, Rectum, & Anus	21.9
Female Breast	24.8
Pancreas	7.4
Prostate	20.0
Leukemia	4.6
○ Chronic Lower Respiratory Diseases	93.6
Alzheimer's Disease	25.1
Cerebrovascular Disease	31.3
Accidents	55.0
Motor Vehicle Accidents	17.7
○ Diabetes Mellitus	47.6
Influenza & Pneumonia	21.3
Intentional Self-Harm (Suicide)	17.0
Chronic Liver Disease and Cirrhosis	12.9
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	134
2. Malignant Neoplasms (Cancer)	122
3. Chronic Lower Respiratory Diseases	65
4. Diabetes	30
5. Accidents	24
6. Cerebrovascular Diseases	21
7. Alzheimer's Disease	18
T8. Influenza and Pneumonia	13
T8. Unspecified Dementia	13
10. Pneumonitis Due to Solids and Liquids	12

Percent of Deaths due to tobacco use	23.3
Median age at death	80

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Faulk County

Demographic Information



Faulk County is located in north central South Dakota and averages 2.4 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,357	100.0
White	2,318	98.3
Black or African American	9	0.4
American Indian & Alaska Native	4	0.2
Asian	5	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	21	0.9
Under 5 years	143	6.1
Under 18 years	528	22.4
65 years and over	551	23.4

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.0
Percent of Mothers Receiving Care in 1st Trimester	57.9
● Percent of Mothers Who Used Tobacco While Pregnant ¹	2.9
Percent of Births Less Than 37 Wks. of Gestation	7.1
○ Average Age of Mother	29.6
Teenage Birth Rate ²	LNE
Percent White Births	100.0
Percent American Indian Births	LNE
● Percent Unmarried	7.8
● Percent WIC births	10.7
Percent Breastfeeding at discharge	90.7
○ Percent Payment-Private Insurance	82.1
● Percent Payment-Medicaid	7.9
Percent C-Section	18.4

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	555.8
Heart Disease	110.3
Malignant Neoplasms (Cancer)	161.1
Trachea, Bronchus, & Lung	37.9
Colon, Rectum, & Anus	8.7
Female Breast	LNE
Pancreas	14.2
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	49.0
Alzheimer's Disease	39.1
Cerebrovascular Disease	23.6
● Accidents	8.7
Motor Vehicle Accidents	LNE
Diabetes Mellitus	34.8
Influenza & Pneumonia	11.5
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	38
2. Heart Disease	28
3. Alzheimer's Disease	13
4. Chronic Lower Respiratory Diseases	12
5. Diabetes	8
6. Cerebrovascular Diseases	6
Percent of Deaths due to tobacco use	11.4
Median age at death	85

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Grant County

Demographic Information



Grant County borders Minnesota in northeastern South Dakota and averages 10.8 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	7,241	100.0
White	6,998	96.6
Black or African American	69	1.0
American Indian & Alaska Native	63	0.9
Asian	28	0.4
Native Hawaiian & Other Pacific Islander	3	0.0
Two or More Races	80	1.1
Under 5 years	412	5.7
Under 18 years	1,624	22.4
65 years and over	1,445	20.0

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	4.9
Percent of Mothers Receiving Care in 1st Trimester	78.1
● Percent of Mothers Who Used Tobacco While Pregnant ¹	12.3
● Percent of Births Less Than 37 Wks. of Gestation	4.7
○ Average Age of Mother	28.0
Teenage Birth Rate ²	8.6
Percent White Births	96.0
Percent American Indian Births	1.0
● Percent Unmarried	26.6
Percent WIC births	35.7
Percent Breastfeeding at discharge	78.4
○ Percent Payment-Private Insurance	66.5
● Percent Payment-Medicaid	21.1
Percent C-Section	23.2

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	666.0
Heart Disease	143.5
● Malignant Neoplasms (Cancer)	129.4
Trachea, Bronchus, & Lung	30.1
Colon, Rectum, & Anus	10.2
Female Breast	10.9
Pancreas	7.5
Prostate	14.2
Leukemia	LNE
Chronic Lower Respiratory Diseases	48.7
Alzheimer's Disease	41.9
Cerebrovascular Disease	48.8
Accidents	33.0
Motor Vehicle Accidents	15.0
Diabetes Mellitus	35.2
Influenza & Pneumonia	17.0
Intentional Self-Harm (Suicide)	9.4
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

	Total Deaths
1. Heart Disease	88
2. Malignant Neoplasms (Cancer)	74
3. Cerebrovascular Diseases	32
4. Chronic Lower Respiratory Diseases	29
5. Alzheimer's Disease	28
6. Diabetes	21
7. Accidents	15
8. Influenza and Pneumonia	10
9. Aortic Aneurysm and Dissection	8
10. Disorders of Lipoprotein Metabolism and Other Lipidemias	6

Percent of Deaths due to tobacco use	14.6
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Gregory County

Demographic Information



Gregory County borders the west bank of the Missouri River and the state of Nebraska and averages 4.2 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	4,217	100.0
White	3,746	88.8
Black or African American	16	0.4
American Indian & Alaska Native	322	7.6
Asian	18	0.4
Native Hawaiian & Other Pacific Islander	14	0.3
Two or More Races	101	2.4
Under 5 years	240	5.7
Under 18 years	959	22.7
65 years and over	1,018	24.1

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

● Percent of Low Birth Weight Infants	3.7
Percent of Mothers Receiving Care in 1st Trimester	60.5
Percent of Mothers Who Used Tobacco While Pregnant ¹	16.5
Percent of Births Less Than 37 Wks. of Gestation	6.2
Average Age of Mother	27.5
Teenage Birth Rate ²	19.5
Percent White Births	83.1
Percent American Indian Births	12.8
Percent Unmarried	36.2
○ Percent WIC births	47.1
Percent Breastfeeding at discharge	74.1
Percent Payment-Private Insurance	53.1
Percent Payment-Medicaid	41.6
Percent C-Section	29.2

Mortality³

○ All Causes	821.6
○ Heart Disease	207.5
Malignant Neoplasms (Cancer)	170.6
Trachea, Bronchus, & Lung	50.9
Colon, Rectum, & Anus	15.4
Female Breast	LNE
Pancreas	9.8
Prostate	LNE
Leukemia	10.4
Chronic Lower Respiratory Diseases	60.5
Alzheimer's Disease	22.6
Cerebrovascular Disease	40.6
○ Accidents	91.8
○ Motor Vehicle Accidents	63.7
Diabetes Mellitus	41.4
● Influenza & Pneumonia	7.4
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	24.7
Infant Mortality	16.46

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	92
2. Malignant Neoplasms (Cancer)	67
3. Chronic Lower Respiratory Diseases	28
4. Accidents	24
5. Diabetes	19
6. Cerebrovascular Diseases	16
7. Alzheimer's Disease	12
8. Disorders of Lipoprotein Metabolism and Other Lipidemias	11
T9. Influenza and Pneumonia	5
T9. Chronic Liver Disease and Cirrhosis	5
Percent of Deaths due to tobacco use	16.6
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Haakon County

Demographic Information



Haakon County is located in the west central region of the state and averages 1.1 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	1,847	100.0
White	1,719	93.1
Black or African American	16	0.9
American Indian & Alaska Native	38	2.1
Asian	13	0.7
Native Hawaiian & Other Pacific Islander	1	0.1
Two or More Races	60	3.2
Under 5 years	117	6.3
Under 18 years	413	22.4
65 years and over	429	23.2

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	3.0
Percent of Mothers Receiving Care in 1st Trimester	68.3
Percent of Mothers Who Used Tobacco While Pregnant ¹	11.0
● Percent of Births Less Than 37 Wks. of Gestation	3.0
○ Average Age of Mother	28.7
Teenage Birth Rate ²	LNE
Percent White Births	93.1
Percent American Indian Births	3.0
● Percent Unmarried	22.8
● Percent WIC births	26.3
Percent Breastfeeding at discharge	84.0
Percent Payment-Private Insurance	73.3
● Percent Payment-Medicaid	19.8
Percent C-Section	23.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	742.0
Heart Disease	183.6
Malignant Neoplasms (Cancer)	174.2
Trachea, Bronchus, & Lung	35.3
Colon, Rectum, & Anus	32.9
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	54.1
Alzheimer's Disease	LNE
Cerebrovascular Disease	43.2
Accidents	29.7
Motor Vehicle Accidents	19.4
Diabetes Mellitus	LNE
○ Influenza & Pneumonia	46.7
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	35
2. Malignant Neoplasms (Cancer)	26
3. Cerebrovascular Diseases	11
T4. Chronic Lower Respiratory Diseases	10
T4. Influenza and Pneumonia	10
6. Pneumonitis Due to Solids and Liquids	6
7. Accidents	5
Percent of Deaths due to tobacco use	15.0
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hamlin County

Demographic Information



Hamlin County is located in the northeastern region of the state and averages 11.6 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	5,989	100.0
White	5,864	97.9
Black or African American	32	0.5
American Indian & Alaska Native	29	0.5
Asian	19	0.3
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	44	0.7
Under 5 years	568	9.5
Under 18 years	1,874	31.3
65 years and over	1,048	17.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	4.5
Percent of Mothers Receiving Care in 1st Trimester	71.9
Percent of Mothers Who Used Tobacco While Pregnant ¹	14.9
● Percent of Births Less Than 37 Wks. of Gestation	4.2
Average Age of Mother	27.5
Teenage Birth Rate ²	14.0
Percent White Births	99.3
Percent American Indian Births	LNE
● Percent Unmarried	13.5
Percent WIC births	39.9
○ Percent Breastfeeding at discharge	86.8
○ Percent Payment-Private Insurance	72.3
● Percent Payment-Medicaid	23.0
● Percent C-Section	17.3

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	760.5
Heart Disease	147.4
Malignant Neoplasms (Cancer)	138.9
Trachea, Bronchus, & Lung	27.0
Colon, Rectum, & Anus	12.8
Female Breast	9.4
Pancreas	15.1
Prostate	43.4
Leukemia	11.1
Chronic Lower Respiratory Diseases	46.7
○ Alzheimer's Disease	105.8
Cerebrovascular Disease	47.1
Accidents	47.2
Motor Vehicle Accidents	15.4
Diabetes Mellitus	22.1
Influenza & Pneumonia	20.3
Intentional Self-Harm (Suicide)	13.1
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	67
2. Malignant Neoplasms (Cancer)	57
3. Alzheimer's Disease	54
4. Cerebrovascular Diseases	22
5. Chronic Lower Respiratory Diseases	21
6. Accidents	17
7. Vascular Dementia	11
T8. Diabetes	10
T8. Influenza and Pneumonia	10
10. Parkinson's Disease	7
Percent of Deaths due to tobacco use	13.7
Median age at death	85

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hand County

Demographic Information



Hand County is located in central South Dakota and averages 2.4 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	3,345	100.0
White	3,288	98.3
Black or African American	4	0.1
American Indian & Alaska Native	13	0.4
Asian	12	0.4
Native Hawaiian & Other Pacific Islander	2	0.1
Two or More Races	26	0.8
Under 5 years	173	5.2
Under 18 years	701	21.0
65 years and over	820	24.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	8.9
Percent of Mothers Receiving Care in 1st Trimester	61.0
● Percent of Mothers Who Used Tobacco While Pregnant ¹	8.4
Percent of Births Less Than 37 Wks. of Gestation	11.1
Average Age of Mother	28.1
Teenage Birth Rate ²	9.3
Percent White Births	98.4
Percent American Indian Births	LNE
● Percent Unmarried	21.1
● Percent WIC births	24.2
Percent Breastfeeding at discharge	78.1
○ Percent Payment-Private Insurance	78.4
● Percent Payment-Medicaid	17.4
○ Percent C-Section	35.8

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	568.9
● Heart Disease	103.9
Malignant Neoplasms (Cancer)	132.7
● Trachea, Bronchus, & Lung	24.0
Colon, Rectum, & Anus	12.8
Female Breast	LNE
Pancreas	19.0
Prostate	14.0
Leukemia	10.7
Chronic Lower Respiratory Diseases	50.8
● Alzheimer's Disease	9.8
Cerebrovascular Disease	38.4
Accidents	33.0
Motor Vehicle Accidents	LNE
Diabetes Mellitus	33.3
Influenza & Pneumonia	7.9
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	12.7
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
T1. Heart Disease	45
T1. Malignant Neoplasms (Cancer)	45
T3. Chronic Lower Respiratory Diseases	18
T3. Cerebrovascular Diseases	18
5. Atherosclerosis	15
6. Diabetes	13
7. Accidents	8
8. Essential (Primary) Hypertension and Hypertensive Renal Disease	6

Percent of Deaths due to tobacco use	22.5
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hanson County

Demographic Information



Hanson County is located in southeastern South Dakota and averages 7.7 people per square mile.

2014 Population Information

Subject	Number	Percent
Total population	3,419	100.0
White	3,366	98.4
Black or African American	7	0.2
American Indian & Alaska Native	12	0.4
Asian	12	0.4
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	21	0.6
Under 5 years	332	9.7
Under 18 years	1,129	33.0
65 years and over	466	13.6

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	7.5
Percent of Mothers Receiving Care in 1st Trimester	62.2
● Percent of Mothers Who Used Tobacco While Pregnant ¹	7.1
Percent of Births Less Than 37 Wks. of Gestation	6.7
○ Average Age of Mother	29.8
Teenage Birth Rate ²	7.2
Percent White Births	99.6
Percent American Indian Births	LNE
● Percent Unmarried	12.5
● Percent WIC births	14.9
Percent Breastfeeding at discharge	83.5
○ Percent Payment-Private Insurance	81.0
● Percent Payment-Medicaid	8.3
Percent C-Section	25.1

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	683.7
Heart Disease	188.3
Malignant Neoplasms (Cancer)	179.3
Trachea, Bronchus, & Lung	62.4
Colon, Rectum, & Anus	30.0
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
● Chronic Lower Respiratory Diseases	12.6
Alzheimer's Disease	24.7
Cerebrovascular Disease	28.3
Accidents	47.2
Motor Vehicle Accidents	23.8
Diabetes Mellitus	LNE
Influenza & Pneumonia	16.8
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	23.53

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	30
2. Malignant Neoplasms (Cancer)	29
3. Accidents	7
T4. Certain Conditions Originating in the Perinatal Period	5
T4. Ill-Defined and Unknown Causes of Mortality	5

Percent of Deaths due to tobacco use	15.2
Median age at death	73

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Harding County

Demographic Information



Harding County is located in the northwestern corner of the state and averages 0.5 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	1,250	100.0
White	1,189	95.1
Black or African American	7	0.6
American Indian & Alaska Native	27	2.2
Asian	3	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	24	1.9
Under 5 years	97	7.8
Under 18 years	280	22.4
65 years and over	196	15.7

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	LNE
Percent of Mothers Receiving Care in 1st Trimester	74.3
● Percent of Mothers Who Used Tobacco While Pregnant ¹	5.3
Percent of Births Less Than 37 Wks. of Gestation	5.4
Average Age of Mother	28.4
Teenage Birth Rate ²	LNE
Percent White Births	94.7
Percent American Indian Births	LNE
● Percent Unmarried	9.5
● Percent WIC births	6.7
Percent Breastfeeding at discharge	89.2
○ Percent Payment-Private Insurance	80.8
● Percent Payment-Medicaid	9.6
Percent C-Section	26.7

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	612.4
Heart Disease	132.0
● Malignant Neoplasms (Cancer)	66.8
Trachea, Bronchus, & Lung	30.4
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	42.3
Alzheimer's Disease	LNE
Cerebrovascular Disease	67.4
Accidents	108.9
Motor Vehicle Accidents	LNE
Diabetes Mellitus	51.4
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Heart Disease	10
2. Accidents	7
3. Malignant Neoplasms (Cancer)	6
4. Cerebrovascular Diseases	5
Percent of Deaths due to tobacco use	15.2
Median age at death	76

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hughes County

Demographic Information



Hughes County is located in the center of the state and averages 23.0 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	17,642	100.0
White	14,983	84.9
Black or African American	181	1.0
American Indian & Alaska Native	1,945	11.0
Asian	115	0.7
Native Hawaiian & Other Pacific Islander	3	0.0
Two or More Races	415	2.4
Under 5 years	1,229	7.0
Under 18 years	4,191	23.8
65 years and over	2,657	15.1

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

● Percent of Low Birth Weight Infants	4.8
● Percent of Mothers Receiving Care in 1st Trimester	60.9
Percent of Mothers Who Used Tobacco While Pregnant ¹	18.8
Percent of Births Less Than 37 Wks. of Gestation	7.7
Average Age of Mother	27.5
● Teenage Birth Rate ²	7.8
Percent White Births	76.0
Percent American Indian Births	18.5
Percent Unmarried	40.3
Percent WIC births	35.3
Percent Breastfeeding at discharge	75.3
Percent Payment-Private Insurance	59.8
Percent Payment-Medicaid	35.5
○ Percent C-Section	33.2

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	649.2
Heart Disease	134.5
Malignant Neoplasms (Cancer)	155.6
● Trachea, Bronchus, & Lung	29.4
Colon, Rectum, & Anus	22.4
Female Breast	15.6
Pancreas	16.1
Prostate	10.2
Leukemia	7.1
Chronic Lower Respiratory Diseases	45.8
Alzheimer's Disease	32.8
Cerebrovascular Disease	53.6
Accidents	38.5
Motor Vehicle Accidents	13.2
Diabetes Mellitus	20.5
Influenza & Pneumonia	14.6
Intentional Self-Harm (Suicide)	16.6
Chronic Liver Disease and Cirrhosis	11.8
Infant Mortality	6.80

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	160
2. Heart Disease	145
3. Cerebrovascular Diseases	58
4. Chronic Lower Respiratory Diseases	47
5. Accidents	38
6. Alzheimer's Disease	36
7. Diabetes	22
8. Influenza and Pneumonia	16
9. Intentional Self-Harm (Suicide)	14
10. Unspecified Dementia	13
Percent of Deaths due to tobacco use	17.5
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hutchinson County

Demographic Information



Hutchinson County is located in the southeastern region of the state and averages 9.0 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	7,200	100.0
White	6,968	96.8
Black or African American	53	0.7
American Indian & Alaska Native	98	1.4
Asian	15	0.2
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	65	0.9
Under 5 years	490	6.8
Under 18 years	1,697	23.6
65 years and over	1,708	23.7

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	4.3
Percent of Mothers Receiving Care in 1st Trimester	67.0
● Percent of Mothers Who Used Tobacco While Pregnant ¹	8.5
Percent of Births Less Than 37 Wks. of Gestation	8.4
○ Average Age of Mother	28.5
● Teenage Birth Rate ²	6.8
Percent White Births	98.6
Percent American Indian Births	LNE
● Percent Unmarried	18.1
● Percent WIC births	20.0
Percent Breastfeeding at discharge	81.5
○ Percent Payment-Private Insurance	78.4
● Percent Payment-Medicaid	16.0
Percent C-Section	24.1

● Denotes a health status indicator which is significantly lower than the state average.
○ Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	665.8
Heart Disease	149.9
● Malignant Neoplasms (Cancer)	127.6
● Trachea, Bronchus, & Lung	29.0
Colon, Rectum, & Anus	10.3
Female Breast	21.0
Pancreas	5.5
Prostate	27.7
Leukemia	7.9
Chronic Lower Respiratory Diseases	39.0
Alzheimer's Disease	31.0
Cerebrovascular Disease	47.8
Accidents	52.1
Motor Vehicle Accidents	16.6
Diabetes Mellitus	19.4
Influenza & Pneumonia	20.5
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	148
2. Malignant Neoplasms (Cancer)	90
3. Cerebrovascular Diseases	48
4. Alzheimer's Disease	36
T5. Chronic Lower Respiratory Diseases	28
T5. Accidents	28
7. Influenza and Pneumonia	19
8. Diabetes	15
9. Pneumonitis Due to Solids and Liquids	13
T10. Essential (Primary) Hypertension	9
Hypertensive Renal Disease	
T10. Neoplasms of Uncertain or Unknown Behavior	9
Percent of Deaths due to tobacco use	10.8
Median age at death	86

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hyde County

Demographic Information



Hyde County is located in the central region of the state and averages 1.7 people per square mile.

2014 Population Information

Subject	Number	Percent
Total population	1,396	100.0
White	1,231	88.2
Black or African American	6	0.4
American Indian & Alaska Native	129	9.2
Asian	4	0.3
Native Hawaiian & Other Pacific Islander	1	0.1
Two or More Races	25	1.8
Under 5 years	70	5.0
Under 18 years	299	21.4
65 years and over	334	23.9

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	LNE
Percent of Mothers Receiving Care in 1st Trimester	68.1
Percent of Mothers Who Used Tobacco While Pregnant ¹	13.0
Percent of Births Less Than 37 Wks. of Gestation	10.1
Average Age of Mother	27.6
Teenage Birth Rate ²	LNE
Percent White Births	85.5
Percent American Indian Births	8.7
Percent Unmarried	29.0
Percent WIC births	35.3
Percent Breastfeeding at discharge	73.1
Percent Payment-Private Insurance	72.5
Percent Payment-Medicaid	24.6
Percent C-Section	24.6

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	657.8
○ Heart Disease	257.9
Malignant Neoplasms (Cancer)	118.8
Trachea, Bronchus, & Lung	31.9
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	LNE
Alzheimer's Disease	22.1
Cerebrovascular Disease	69.0
Accidents	LNE
Motor Vehicle Accidents	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Heart Disease	40
2. Malignant Neoplasms (Cancer)	14
3. Cerebrovascular Diseases	12
Percent of Deaths due to tobacco use	12.1
Median age at death	86

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Jackson County

Demographic Information



Jackson County is located in western South Dakota and averages 1.6 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	3,274	100.0
White	1,393	42.5
Black or African American	20	0.6
American Indian & Alaska Native	1,700	51.9
Asian	2	0.1
Native Hawaiian & Other Pacific Islander	4	0.1
Two or More Races	155	4.7
Under 5 years	358	10.9
Under 18 years	1,118	34.1
65 years and over	437	13.3

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	8.0
● Percent of Mothers Receiving Care in 1st Trimester	49.4
Percent of Mothers Who Used Tobacco While Pregnant ¹	19.4
○ Percent of Births Less Than 37 Wks. of Gestation	12.6
● Average Age of Mother	25.5
○ Teenage Birth Rate ²	45.8
Percent White Births	19.2
Percent American Indian Births	76.7
○ Percent Unmarried	73.6
○ Percent WIC births	72.5
● Percent Breastfeeding at discharge	56.5
● Percent Payment-Private Insurance	15.0
○ Percent Payment-Medicaid	59.3
Percent C-Section	21.3

● Denotes a health status indicator which is significantly lower than the state average.
○ Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	1,016.9
Heart Disease	171.1
Malignant Neoplasms (Cancer)	178.5
Trachea, Bronchus, & Lung	86.7
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	84.2
Alzheimer's Disease	19.1
Cerebrovascular Disease	LNE
○ Accidents	106.5
○ Motor Vehicle Accidents	67.7
Diabetes Mellitus	44.3
Influenza & Pneumonia	21.2
Intentional Self-Harm (Suicide)	31.9
○ Chronic Liver Disease and Cirrhosis	66.2
Infant Mortality	16.62

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	30
2. Heart Disease	29
3. Accidents	18
4. Chronic Lower Respiratory Diseases	15
5. Chronic Liver Disease and Cirrhosis	9
6. Diabetes	7
7. Intentional Self-Harm (Suicide)	5
Percent of Deaths due to tobacco use	14.0
Median age at death	68

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Jerauld County

Demographic Information



Jerauld County is located in the central region of the state and averages 3.9 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,007	100.0
White	1,967	98.0
Black or African American	4	0.2
American Indian & Alaska Native	10	0.5
Asian	5	0.2
Native Hawaiian & Other Pacific Islander	3	0.1
Two or More Races	18	0.9
Under 5 years	135	6.7
Under 18 years	465	23.2
65 years and over	499	24.9

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	4.5
Percent of Mothers Receiving Care in 1st Trimester	68.2
Percent of Mothers Who Used Tobacco While Pregnant ¹	15.9
Percent of Births Less Than 37 Wks. of Gestation	7.6
○ Average Age of Mother	28.4
Teenage Birth Rate ²	LNE
Percent White Births	99.2
Percent American Indian Births	LNE
● Percent Unmarried	25.8
● Percent WIC births	28.0
Percent Breastfeeding at discharge	83.3
Percent Payment-Private Insurance	68.2
● Percent Payment-Medicaid	23.5
Percent C-Section	21.2

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	621.9
Heart Disease	117.1
Malignant Neoplasms (Cancer)	173.9
Trachea, Bronchus, & Lung	28.5
Colon, Rectum, & Anus	30.0
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	14.0
Chronic Lower Respiratory Diseases	42.0
○ Alzheimer's Disease	77.1
Cerebrovascular Disease	64.5
Accidents	38.9
Motor Vehicle Accidents	16.3
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	34
2. Heart Disease	29
3. Alzheimer's Disease	23
4. Cerebrovascular Diseases	16
5. Chronic Lower Respiratory Diseases	11
6. Accidents	6
Percent of Deaths due to tobacco use	12.6
Median age at death	85

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Jones County

Demographic Information



Jones County is located in western South Dakota and averages 1.0 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	975	100.0
White	899	92.2
Black or African American	3	0.3
American Indian & Alaska Native	35	3.6
Asian	8	0.8
Native Hawaiian & Other Pacific Islander	4	0.4
Two or More Races	26	2.7
Under 5 years	50	5.1
Under 18 years	206	21.1
65 years and over	211	21.6

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.0
Percent of Mothers Receiving Care in 1st Trimester	74.0
Percent of Mothers Who Used Tobacco While Pregnant ¹	20.0
Percent of Births Less Than 37 Wks. of Gestation	12.0
Average Age of Mother	26.8
Teenage Birth Rate ²	LNE
Percent White Births	96.0
Percent American Indian Births	LNE
• Percent Unmarried	22.0
Percent WIC births	46.0
Percent Breastfeeding at discharge	88.0
Percent Payment-Private Insurance	65.3
Percent Payment-Medicaid	26.5
Percent C-Section	30.0

•Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	591.0
• Heart Disease	81.0
Malignant Neoplasms (Cancer)	128.6
Trachea, Bronchus, & Lung	53.8
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	45.2
Alzheimer's Disease	26.6
Cerebrovascular Disease	LNE
Accidents	LNE
Motor Vehicle Accidents	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	11
2. Heart Disease	8

Percent of Deaths due to tobacco use	16.3
Median age at death	81

•Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Kingsbury County

Demographic Information



Kingsbury County is located in east central South Dakota and averages 6.2 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	5,075	100.0
White	4,930	97.1
Black or African American	27	0.5
American Indian & Alaska Native	35	0.7
Asian	21	0.4
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	62	1.2
Under 5 years	320	6.3
Under 18 years	1,121	22.1
65 years and over	1,092	21.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.3
Percent of Mothers Receiving Care in 1st Trimester	72.9
Percent of Mothers Who Used Tobacco While Pregnant ¹	13.9
● Percent of Births Less Than 37 Wks. of Gestation	5.3
○ Average Age of Mother	28.6
Teenage Birth Rate ²	LNE
Percent White Births	98.0
Percent American Indian Births	1.0
● Percent Unmarried	19.1
● Percent WIC births	23.4
Percent Breastfeeding at discharge	82.7
○ Percent Payment-Private Insurance	80.7
● Percent Payment-Medicaid	15.9
Percent C-Section	20.8

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	765.7
Heart Disease	180.9
Malignant Neoplasms (Cancer)	167.7
Trachea, Bronchus, & Lung	44.1
Colon, Rectum, & Anus	12.8
Female Breast	16.3
Pancreas	16.3
Prostate	LNE
○ Leukemia	29.4
Chronic Lower Respiratory Diseases	29.9
Alzheimer's Disease	32.8
Cerebrovascular Disease	41.2
Accidents	65.5
○ Motor Vehicle Accidents	48.4
Diabetes Mellitus	23.8
Influenza & Pneumonia	26.5
Intentional Self-Harm (Suicide)	27.8
Chronic Liver Disease and Cirrhosis	12.3
Infant Mortality	13.20

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	97
2. Malignant Neoplasms (Cancer)	74
3. Cerebrovascular Diseases	22
4. Accidents	20
5. Alzheimer's Disease	19
6. Chronic Lower Respiratory Diseases	16
7. Influenza and Pneumonia	14
8. Diabetes	10
9. Unspecified Dementia	9
T10. Intentional Self-Harm (Suicide)	7
T10. Nephritis, Nephrotic Syndrome, and Nephrosis	7
Percent of Deaths due to tobacco use	11.8
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Lake County

Demographic Information



Lake County is located in the east central region of the state and averages 19.9 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	12,368	100.0
White	11,858	95.9
Black or African American	125	1.0
American Indian & Alaska Native	103	0.8
Asian	120	1.0
Native Hawaiian & Other Pacific Islander	2	0.0
Two or More Races	160	1.3
Under 5 years	682	5.5
Under 18 years	2,441	19.7
65 years and over	2,445	19.8

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	4.9
Percent of Mothers Receiving Care in 1st Trimester	73.1
● Percent of Mothers Who Used Tobacco While Pregnant ¹	11.7
Percent of Births Less Than 37 Wks. of Gestation	6.8
○ Average Age of Mother	28.3
Teenage Birth Rate ²	9.2
Percent White Births	96.3
Percent American Indian Births	2.0
● Percent Unmarried	24.6
● Percent WIC births	26.3
Percent Breastfeeding at discharge	79.7
○ Percent Payment-Private Insurance	74.0
● Percent Payment-Medicaid	20.2
Percent C-Section	26.0

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	627.3
Heart Disease	135.9
Malignant Neoplasms (Cancer)	151.2
Trachea, Bronchus, & Lung	36.6
Colon, Rectum, & Anus	11.9
Female Breast	21.9
Pancreas	10.8
Prostate	13.6
Leukemia	4.9
Chronic Lower Respiratory Diseases	41.6
Alzheimer's Disease	49.5
Cerebrovascular Disease	54.5
Accidents	31.9
Motor Vehicle Accidents	15.7
Diabetes Mellitus	17.5
● Influenza & Pneumonia	7.2
Intentional Self-Harm (Suicide)	16.0
Chronic Liver Disease and Cirrhosis	11.8
Infant Mortality	7.68

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	132
2. Heart Disease	123
T3. Alzheimer's Disease	47
T3. Cerebrovascular Diseases	47
5. Chronic Lower Respiratory Diseases	37
6. Accidents	23
7. Diabetes	15
T8. Intentional Self-Harm (Suicide)	8
T8. Chronic Liver Disease and Cirrhosis	8
T8. Unspecified Dementia	8
T8. Essential (Primary) Hypertension and Hypertensive Renal Disease	8

Percent of Deaths due to tobacco use 21.0

Median age at death 82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Lawrence County

Demographic Information



Lawrence County is located along the Wyoming border and averages 30.1 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	24,657	100.0
White	23,148	93.9
Black or African American	245	1.0
American Indian & Alaska Native	570	2.3
Asian	178	0.7
Native Hawaiian & Other Pacific Islander	17	0.1
Two or More Races	499	2.0
Under 5 years	1,151	4.7
Under 18 years	4,517	18.3
65 years and over	4,571	18.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

○ Percent of Low Birth Weight Infants	8.8
○ Percent of Mothers Receiving Care in 1st Trimester	81.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	19.2
Percent of Births Less Than 37 Wks. of Gestation	9.6
Average Age of Mother	27.5
Teenage Birth Rate ²	11.5
Percent White Births	93.8
Percent American Indian Births	1.8
Percent Unmarried	37.8
Percent WIC births	37.8
○ Percent Breastfeeding at discharge	82.0
Percent Payment-Private Insurance	57.4
Percent Payment-Medicaid	35.4
● Percent C-Section	19.9

Mortality³

● All Causes	639.5
Heart Disease	132.5
Malignant Neoplasms (Cancer)	162.6
Trachea, Bronchus, & Lung	37.6
Colon, Rectum, & Anus	11.6
Female Breast	19.4
Pancreas	15.6
Prostate	31.5
Leukemia	7.3
○ Chronic Lower Respiratory Diseases	62.1
Alzheimer's Disease	25.6
Cerebrovascular Disease	33.1
● Accidents	34.0
Motor Vehicle Accidents	10.9
Diabetes Mellitus	25.0
● Influenza & Pneumonia	9.6
Intentional Self-Harm (Suicide)	17.1
Chronic Liver Disease and Cirrhosis	9.7
Infant Mortality	5.08

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	276
2. Heart Disease	236
3. Chronic Lower Respiratory Diseases	110
4. Cerebrovascular Diseases	58
T5. Alzheimer's Disease	50
T5. Accidents	50
7. Diabetes	45
8. Intentional Self-Harm (Suicide)	22
9. Unspecified Dementia	21
10. Influenza and Pneumonia	18

Percent of Deaths due to tobacco use	21.5
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Lincoln County

Demographic Information



Lincoln County is located in southeastern South Dakota and averages 77.7 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	51,548	100.0
White	49,165	95.4
Black or African American	653	1.3
American Indian & Alaska Native	280	0.5
Asian	684	1.3
Native Hawaiian & Other Pacific Islander	14	0.0
Two or More Races	752	1.5
Under 5 years	4,275	8.3
Under 18 years	15,035	29.2
65 years and over	5,347	10.4

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.9
○ Percent of Mothers Receiving Care in 1st Trimester	83.7
● Percent of Mothers Who Used Tobacco While Pregnant ¹	6.4
Percent of Births Less Than 37 Wks. of Gestation	7.6
○ Average Age of Mother	29.2
● Teenage Birth Rate ²	6.1
Percent White Births	97.4
Percent American Indian Births	0.4
● Percent Unmarried	15.9
● Percent WIC births	9.9
○ Percent Breastfeeding at discharge	80.6
○ Percent Payment-Private Insurance	85.8
● Percent Payment-Medicaid	11.1
Percent C-Section	26.0

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	479.4
● Heart Disease	100.5
● Malignant Neoplasms (Cancer)	122.4
Trachea, Bronchus, & Lung	36.0
Colon, Rectum, & Anus	11.7
Female Breast	18.7
Pancreas	7.8
Prostate	16.8
Leukemia	6.0
● Chronic Lower Respiratory Diseases	28.1
Alzheimer's Disease	32.9
Cerebrovascular Disease	31.3
● Accidents	24.4
● Motor Vehicle Accidents	6.1
● Diabetes Mellitus	9.4
● Influenza & Pneumonia	10.3
● Intentional Self-Harm (Suicide)	8.9
● Chronic Liver Disease and Cirrhosis	2.4
Infant Mortality	4.55

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	247
2. Heart Disease	208
3. Alzheimer's Disease	69
4. Cerebrovascular Diseases	61
5. Chronic Lower Respiratory Diseases	55
6. Accidents	54
7. Unspecified Dementia	23
8. Influenza and Pneumonia	21
9. Intentional Self-Harm (Suicide)	20
10. Parkinson's Disease	19
Percent of Deaths due to tobacco use	15.9
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Lyman County

Demographic Information



Lyman County is located in central South Dakota and averages 2.3 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	3,877	100.0
White	2,254	58.1
Black or African American	19	0.5
American Indian & Alaska Native	1,484	38.3
Asian	11	0.3
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	108	2.8
Under 5 years	323	8.3
Under 18 years	1,113	28.7
65 years and over	589	15.2

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	4.9
● Percent of Mothers Receiving Care in 1st Trimester	48.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	28.1
Percent of Births Less Than 37 Wks. of Gestation	7.8
● Average Age of Mother	26.1
Teenage Birth Rate ²	31.2
Percent White Births	37.4
Percent American Indian Births	57.8
○ Percent Unmarried	63.5
○ Percent WIC births	63.6
● Percent Breastfeeding at discharge	59.4
● Percent Payment-Private Insurance	34.7
○ Percent Payment-Medicaid	59.5
○ Percent C-Section	33.0

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	850.6
Heart Disease	201.8
Malignant Neoplasms (Cancer)	139.6
Trachea, Bronchus, & Lung	49.0
Colon, Rectum, & Anus	31.7
Female Breast	33.1
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	55.1
Alzheimer's Disease	55.8
Cerebrovascular Disease	44.4
○ Accidents	129.5
○ Motor Vehicle Accidents	75.9
Diabetes Mellitus	22.5
Influenza & Pneumonia	17.5
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	19.0
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	40
2. Malignant Neoplasms (Cancer)	32
3. Accidents	24
4. Chronic Lower Respiratory Diseases	11
5. Alzheimer's Disease	10
6. Cerebrovascular Diseases	9
7. Diabetes	6

Percent of Deaths due to tobacco use	26.7
Median age at death	72

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

McCook County

Demographic Information



McCook County is located in eastern South Dakota and averages 9.8 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	5,649	100.0
White	5,532	97.9
Black or African American	25	0.4
American Indian & Alaska Native	37	0.7
Asian	10	0.2
Native Hawaiian & Other Pacific Islander	2	0.0
Two or More Races	43	0.8
Under 5 years	394	7.0
Under 18 years	1,480	26.2
65 years and over	1,104	19.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.9
Percent of Mothers Receiving Care in 1st Trimester	73.0
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.9
Percent of Births Less Than 37 Wks. of Gestation	9.6
○ Average Age of Mother	28.6
Teenage Birth Rate ²	7.7
Percent White Births	98.1
Percent American Indian Births	1.1
● Percent Unmarried	20.7
● Percent WIC births	29.5
Percent Breastfeeding at discharge	75.9
○ Percent Payment-Private Insurance	75.0
● Percent Payment-Medicaid	19.9
Percent C-Section	25.3

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	847.3
○ Heart Disease	213.8
Malignant Neoplasms (Cancer)	206.7
Trachea, Bronchus, & Lung	67.4
Colon, Rectum, & Anus	23.0
Female Breast	20.5
Pancreas	15.0
Prostate	25.3
Leukemia	13.5
● Chronic Lower Respiratory Diseases	26.9
○ Alzheimer's Disease	67.2
Cerebrovascular Disease	55.1
Accidents	54.2
Motor Vehicle Accidents	34.6
Diabetes Mellitus	25.4
Influenza & Pneumonia	17.0
Intentional Self-Harm (Suicide)	13.3
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	99
2. Malignant Neoplasms (Cancer)	86
3. Alzheimer's Disease	36
4. Cerebrovascular Diseases	28
5. Accidents	15
6. Chronic Lower Respiratory Diseases	13
7. Diabetes	12
8. Influenza and Pneumonia	9
9. Septicemia	8
T10. Vascular Dementia	5
T10. Pneumonitis Due to Solids and Liquids	5

Percent of Deaths due to tobacco use 12.4

Median age at death 81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

McPherson County

Demographic Information



McPherson County is located in the north central region of the state and averages 2.2 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,429	100.0
White	2,386	98.2
Black or African American	10	0.4
American Indian & Alaska Native	9	0.4
Asian	4	0.2
Native Hawaiian & Other Pacific Islander	3	0.1
Two or More Races	17	0.7
Under 5 years	139	5.7
Under 18 years	539	22.2
65 years and over	684	28.2

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.6
Percent of Mothers Receiving Care in 1st Trimester	61.9
Percent of Mothers Who Used Tobacco While Pregnant ¹	14.0
Percent of Births Less Than 37 Wks. of Gestation	6.6
○ Average Age of Mother	29.3
Teenage Birth Rate ²	LNE
Percent White Births	99.2
Percent American Indian Births	LNE
● Percent Unmarried	13.2
● Percent WIC births	22.7
Percent Breastfeeding at discharge	84.2
○ Percent Payment-Private Insurance	73.3
● Percent Payment-Medicaid	20.0
● Percent C-Section	16.5

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	669.3
○ Heart Disease	214.3
● Malignant Neoplasms (Cancer)	114.8
Trachea, Bronchus, & Lung	34.3
Colon, Rectum, & Anus	16.4
Female Breast	LNE
Pancreas	LNE
Prostate	25.5
Leukemia	LNE
Chronic Lower Respiratory Diseases	29.0
Alzheimer's Disease	21.4
Cerebrovascular Disease	60.6
Accidents	56.3
Motor Vehicle Accidents	22.4
Diabetes Mellitus	25.3
Influenza & Pneumonia	8.6
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	61
2. Malignant Neoplasms (Cancer)	31
3. Cerebrovascular Diseases	20
4. Accidents	12
5. Chronic Lower Respiratory Diseases	11
T6. Alzheimer's Disease	9
T6. Diabetes	9
T6. Essential (Primary) Hypertension and Hypertensive Renal Disease	9
Percent of Deaths due to tobacco use	10.1
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Marshall County

Demographic Information



Marshall County is located in the northeastern part of the state and averages 5.6 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	4,683	100.0
White	4,113	87.8
Black or African American	57	1.2
American Indian & Alaska Native	434	9.3
Asian	12	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	67	1.4
Under 5 years	290	6.2
Under 18 years	1,002	21.4
65 years and over	929	19.8

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	6.7
● Percent of Mothers Receiving Care in 1st Trimester	60.5
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.7
Percent of Births Less Than 37 Wks. of Gestation	6.7
Average Age of Mother	27.8
Teenage Birth Rate ²	9.2
Percent White Births	82.2
Percent American Indian Births	13.9
● Percent Unmarried	30.8
● Percent WIC births	29.8
Percent Breastfeeding at discharge	76.3
Percent Payment-Private Insurance	60.7
Percent Payment-Medicaid	28.9
Percent C-Section	28.0

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	780.3
Heart Disease	161.4
Malignant Neoplasms (Cancer)	174.6
Trachea, Bronchus, & Lung	35.8
Colon, Rectum, & Anus	16.6
Female Breast	19.9
Pancreas	24.1
Prostate	37.6
Leukemia	LNE
Chronic Lower Respiratory Diseases	52.8
Alzheimer's Disease	29.2
○ Cerebrovascular Disease	72.6
Accidents	63.6
Motor Vehicle Accidents	25.8
Diabetes Mellitus	34.8
Influenza & Pneumonia	22.8
Intentional Self-Harm (suicide)	18.4
Chronic Liver Disease and Cirrhosis	10.2
Infant Mortality	16.67

Leading Causes of Death

Leading Causes of Death	Total Deaths
T1. Heart Disease	62
T1. Malignant Neoplasms (Cancer)	62
3. Cerebrovascular Diseases	31
4. Chronic Lower Respiratory Diseases	22
5. Accidents	15
6. Alzheimer's Disease	13
7. Diabetes	10
8. Influenza and Pneumonia	9
9. Intentional Self-Harm (Suicide)	5
Percent of Deaths due to tobacco use	16.5
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Meade County

Demographic Information



Meade County is located in west central South Dakota and averages 7.3 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	26,951	100.0
White	24,646	91.4
Black or African American	519	1.9
American Indian & Alaska Native	744	2.8
Asian	252	0.9
Native Hawaiian & Other Pacific Islander	19	0.1
Two or More Races	771	2.9
Under 5 years	1,701	6.3
Under 18 years	6,479	24.0
65 years and over	3,698	13.7

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.9
○ Percent of Mothers Receiving Care in 1st Trimester	77.9
Percent of Mothers Who Used Tobacco While Pregnant ¹	15.0
Percent of Births Less Than 37 Wks. of Gestation	8.0
Average Age of Mother	27.7
● Teenage Birth Rate ²	8.8
Percent White Births	92.8
Percent American Indian Births	2.6
● Percent Unmarried	26.6
● Percent WIC births	31.3
○ Percent Breastfeeding at discharge	85.1
Percent Payment-Private Insurance	53.2
● Percent Payment-Medicaid	26.4
● Percent C-Section	21.1

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	678.4
Heart Disease	143.8
Malignant Neoplasms (Cancer)	152.2
Trachea, Bronchus, & Lung	46.0
Colon, Rectum, & Anus	14.6
● Female Breast	8.5
Pancreas	11.2
Prostate	15.1
Leukemia	6.4
Chronic Lower Respiratory Diseases	52.9
● Alzheimer's Disease	20.2
Cerebrovascular Disease	43.0
Accidents	36.7
Motor Vehicle Accidents	12.3
Diabetes Mellitus	20.2
Influenza & Pneumonia	13.7
○ Intentional Self-Harm (suicide)	29.8
Chronic Liver Disease and Cirrhosis	11.6
Infant Mortality	4.34

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	209
2. Heart Disease	190
3. Chronic Lower Respiratory Diseases	69
4. Cerebrovascular Diseases	56
5. Accidents	45
6. Intentional Self-Harm (Suicide)	37
7. Diabetes	27
8. Alzheimer's Disease	25
9. Influenza and Pneumonia	18
10. Unspecified Dementia	17
Percent of Deaths due to tobacco use	18.5
Median age at death	77

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Mellette County

Demographic Information



Mellette County is located in the south central region of the state and averages 1.6 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,100	100.0
White	873	41.6
Black or African American	7	0.3
American Indian & Alaska Native	1,100	52.4
Asian	6	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	114	5.4
Under 5 years	197	9.4
Under 18 years	646	30.8
65 years and over	328	15.6

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.5
● Percent of Mothers Receiving Care in 1st Trimester	50.3
Percent of Mothers Who Used Tobacco While Pregnant ¹	20.8
Percent of Births Less Than 37 Wks. of Gestation	6.7
● Average Age of Mother	24.6
○ Teenage Birth Rate ²	44.4
Percent White Births	20.5
Percent American Indian Births	68.3
○ Percent Unmarried	70.1
○ Percent WIC births	64.2
Percent Breastfeeding at discharge	74.4
● Percent Payment-Private Insurance	14.0
○ Percent Payment-Medicaid	57.9
○ Percent C-Section	35.4

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	978.5
Heart Disease	117.5
Malignant Neoplasms (Cancer)	228.0
Trachea, Bronchus, & Lung	61.3
Colon, Rectum, & Anus	31.7
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	58.3
Alzheimer's Disease	23.7
Cerebrovascular Disease	62.3
Accidents	65.7
Motor Vehicle Accidents	56.2
Diabetes Mellitus	79.2
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	31.2
○ Chronic Liver Disease and Cirrhosis	79.0
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	28
2. Heart Disease	15
T3. Cerebrovascular Diseases	8
T3. Diabetes	8
5. Chronic Lower Respiratory Diseases	7
T6. Accidents	6
T6. Chronic Liver Disease and Cirrhosis	6
Percent of Deaths due to tobacco use	18.8
Median age at death	77

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Miner County

Demographic Information



Miner County is located in the east central region of the state and averages 4.2 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,316	100.0
White	2,255	97.4
Black or African American	15	0.6
American Indian & Alaska Native	12	0.5
Asian	9	0.4
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	25	1.1
Under 5 years	130	5.6
Under 18 years	550	23.7
65 years and over	505	21.8

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	4.4
Percent of Mothers Receiving Care in 1st Trimester	69.6
Percent of Mothers Who Used Tobacco While Pregnant ¹	10.6
● Percent of Births Less Than 37 Wks. of Gestation	2.7
○ Average Age of Mother	28.7
Teenage Birth Rate ²	LNE
Percent White Births	96.5
Percent American Indian Births	LNE
● Percent Unmarried	15.0
● Percent WIC births	21.2
Percent Breastfeeding at discharge	82.1
○ Percent Payment-Private Insurance	76.8
● Percent Payment-Medicaid	19.6
Percent C-Section	27.4

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	697.2
Heart Disease	178.0
Malignant Neoplasms (Cancer)	147.7
Trachea, Bronchus, & Lung	49.1
Colon, Rectum, & Anus	20.4
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	46.3
○ Alzheimer's Disease	70.3
Cerebrovascular Disease	48.3
Accidents	62.0
Motor Vehicle Accidents	38.0
Diabetes Mellitus	11.0
Influenza & Pneumonia	17.1
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	44
2. Malignant Neoplasms (Cancer)	35
3. Alzheimer's Disease	21
4. Cerebrovascular Diseases	13
5. Chronic Lower Respiratory Diseases	10
6. Accidents	7
Percent of Deaths due to tobacco use	19.5
Median age at death	85

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Minnehaha County

Demographic Information



Minnehaha County is located in southeastern South Dakota and averages 210.0 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	182,882	100.0
White	161,484	88.3
Black or African American	8,482	4.6
American Indian & Alaska Native	4,988	2.7
Asian	3,495	1.9
Native Hawaiian & Other Pacific Islander	199	0.1
Two or More Races	4,234	2.3
Under 5 years	14,060	7.7
Under 18 years	45,888	25.1
65 years and over	22,271	12.2

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	7.0
○ Percent of Mothers Receiving Care in 1st Trimester	74.4
● Percent of Mothers Who Used Tobacco While Pregnant ¹	13.5
Percent of Births Less Than 37 Wks. of Gestation	8.1
○ Average Age of Mother	27.9
Teenage Birth Rate ²	13.7
Percent White Births	82.3
Percent American Indian Births	4.9
● Percent Unmarried	35.3
● Percent WIC births	29.5
Percent Breastfeeding at discharge	76.3
○ Percent Payment-Private Insurance	63.8
● Percent Payment-Medicaid	32.2
Percent C-Section	26.2

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	713.5
Heart Disease	143.3
○ Malignant Neoplasms (Cancer)	179.5
Trachea, Bronchus, & Lung	49.5
Colon, Rectum, & Anus	15.5
Female Breast	23.1
Pancreas	11.0
Prostate	22.1
Leukemia	8.3
Chronic Lower Respiratory Diseases	47.1
○ Alzheimer's Disease	43.7
Cerebrovascular Disease	42.1
Accidents	40.4
● Motor Vehicle Accidents	10.7
● Diabetes Mellitus	17.2
● Influenza & Pneumonia	12.4
Intentional Self-Harm (Suicide)	16.7
Chronic Liver Disease and Cirrhosis	10.4
● Infant Mortality	4.45

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	1,567
2. Heart Disease	1,292
3. Chronic Lower Respiratory Diseases	409
4. Alzheimer's Disease	406
5. Cerebrovascular Diseases	371
6. Accidents	361
7. Diabetes	150
8. Intentional Self-Harm (Suicide)	145
9. Influenza and Pneumonia	114
10. Chronic Liver Disease and Cirrhosis	93
Percent of Deaths due to tobacco use	17.9
Median age at death	79

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Moody County

Demographic Information



Moody County is located on the Minnesota border and averages 12.5 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	6,367	100.0
White	5,189	81.5
Black or African American	57	0.9
American Indian & Alaska Native	856	13.4
Asian	81	1.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	184	2.9
Under 5 years	478	7.5
Under 18 years	1,622	25.5
65 years and over	1,086	17.1

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.4
Percent of Mothers Receiving Care in 1st Trimester	65.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	20.7
Percent of Births Less Than 37 Wks. of Gestation	10.8
Average Age of Mother	27.5
Teenage Birth Rate ²	18.5
Percent White Births	77.2
Percent American Indian Births	18.3
Percent Unmarried	40.5
Percent WIC births	40.6
Percent Breastfeeding at discharge	75.1
Percent Payment-Private Insurance	59.6
Percent Payment-Medicaid	33.6
Percent C-Section	23.1

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	643.5
Heart Disease	152.7
Malignant Neoplasms (Cancer)	171.5
Trachea, Bronchus, & Lung	30.9
Colon, Rectum, & Anus	25.3
Female Breast	11.9
Pancreas	14.7
Prostate	26.1
Leukemia	LNE
● Chronic Lower Respiratory Diseases	21.9
○ Alzheimer's Disease	63.6
Cerebrovascular Disease	41.4
Accidents	40.5
Motor Vehicle Accidents	15.6
Diabetes Mellitus	32.8
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	22.2
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	8.81

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	70
2. Heart Disease	66
3. Alzheimer's Disease	31
4. Cerebrovascular Diseases	16
5. Accidents	15
6. Diabetes	14
7. Chronic Lower Respiratory Diseases	9
8. Intentional Self-Harm (Suicide)	8
9. Vascular Dementia	6
Percent of Deaths due to tobacco use	20.4
Median age at death	80

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Oglala Lakota County

Demographic Information



Oglala Lakota County (formerly known as Shannon County) is located in the southwestern part of the state, along the Nebraska border and averages 6.5 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	14,218	100.0
White	835	5.9
Black or African American	32	0.2
American Indian & Alaska Native	13,109	92.2
Asian	16	0.1
Native Hawaiian & Other Pacific Islander	3	0.0
Two or More Races	223	1.6
Under 5 years	1,664	11.7
Under 18 years	5,420	38.1
65 years and over	965	6.8

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	7.5
● Percent of Mothers Receiving Care in 1st Trimester	53.9
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	20.1
○ Percent of Births Less Than 37 Wks. of Gestation	11.7
● Average Age of Mother	24.3
○ Teenage Birth Rate ²	55.2
Percent White Births	2.1
Percent American Indian Births	97.2
○ Percent Unmarried	87.8
○ Percent WIC births	73.9
● Percent Breastfeeding at discharge	51.4
● Percent Payment-Private Insurance	3.7
○ Percent Payment-Medicaid	63.7
● Percent C-Section	22.2

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	1,302.7
Heart Disease	154.1
○ Malignant Neoplasms (Cancer)	216.8
Trachea, Bronchus, & Lung	58.2
Colon, Rectum, & Anus	24.9
Female Breast	LNE
Pancreas	17.9
Prostate	27.3
Leukemia	9.9
Chronic Lower Respiratory Diseases	57.2
● Alzheimer's Disease	15.3
Cerebrovascular Disease	53.6
○ Accidents	144.4
○ Motor Vehicle Accidents	61.7
○ Diabetes Mellitus	91.2
○ Influenza & Pneumonia	49.2
○ Intentional Self-Harm (Suicide)	37.7
○ Chronic Liver Disease and Cirrhosis	120.4
○ Infant Mortality	15.05

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Accidents	87
2. Malignant Neoplasms (Cancer)	83
3. Chronic Liver Disease and Cirrhosis	64
4. Heart Disease	63
5. Diabetes	39
6. Intentional Self-Harm (Suicide)	31
7. Cerebrovascular Diseases	21
T8. Chronic Lower Respiratory Diseases	19
T8. Septicemia	19
10. Influenza and Pneumonia	18
Percent of Deaths due to tobacco use	10.1
Median age at death	54

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Pennington County

Demographic Information



Pennington County is located on the Wyoming border and averages 36.4 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	108,242	100.0
White	90,415	83.5
Black or African American	1,704	1.6
American Indian & Alaska Native	10,812	10.0
Asian	1,314	1.2
Native Hawaiian & Other Pacific Islander	115	0.1
Two or More Races	3,882	3.6
Under 5 years	7,547	7.0
Under 18 years	25,953	24.0
65 years and over	16,684	15.4

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	6.9
Percent of Mothers Receiving Care in 1st Trimester	72.3
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	17.5
Percent of Births Less Than 37 Wks. of Gestation	9.0
● Average Age of Mother	26.9
Teenage Birth Rate ²	15.1
Percent White Births	71.9
Percent American Indian Births	18.6
○ Percent Unmarried	43.6
○ Percent WIC births	44.0
○ Percent Breastfeeding at discharge	80.8
● Percent Payment-Private Insurance	39.2
○ Percent Payment-Medicaid	41.1
● Percent C-Section	20.1

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	645.2
Heart Disease	147.2
Malignant Neoplasms (Cancer)	160.6
Trachea, Bronchus, & Lung	47.0
● Colon, Rectum, & Anus	11.9
Female Breast	19.2
Pancreas	11.9
Prostate	17.5
Leukemia	9.9
● Chronic Lower Respiratory Diseases	35.2
Alzheimer's Disease	27.7
● Cerebrovascular Disease	29.5
Accidents	44.0
● Motor Vehicle Accidents	9.3
● Diabetes Mellitus	10.5
Influenza & Pneumonia	15.9
Intentional Self-Harm (Suicide)	16.7
Chronic Liver Disease and Cirrhosis	12.0
Infant Mortality	7.64

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	973
2. Heart Disease	920
3. Accidents	243
4. Chronic Lower Respiratory Diseases	219
5. Cerebrovascular Diseases	182
6. Alzheimer's Disease	180
7. Unspecified Dementia	119
8. Influenza and Pneumonia	100
9. Intentional Self-Harm (Suicide)	87
10. Chronic Liver Disease and Cirrhosis	67
Percent of Deaths due to tobacco use	17.7
Median age at death	77

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Perkins County

Demographic Information



Perkins County is located in northwestern South Dakota and averages 1.0 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	3,033	100.0
White	2,935	96.8
Black or African American	10	0.3
American Indian & Alaska Native	51	1.7
Asian	8	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	29	1.0
Under 5 years	159	5.2
Under 18 years	652	21.5
65 years and over	697	23.0

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	6.0
Percent of Mothers Receiving Care in 1st Trimester	65.9
Percent of Mothers Who Used Tobacco While Pregnant ¹	12.0
Percent of Births Less Than 37 Wks. of Gestation	6.0
○ Average Age of Mother	28.9
Teenage Birth Rate ²	LNE
Percent White Births	97.5
Percent American Indian Births	1.8
● Percent Unmarried	19.3
Percent WIC births	36.7
Percent Breastfeeding at discharge	80.6
Percent Payment-Private Insurance	60.5
● Percent Payment-Medicaid	23.6
Percent C-Section	30.7

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	819.6
Heart Disease	132.9
Malignant Neoplasms (Cancer)	212.1
Trachea, Bronchus, & Lung	34.5
Colon, Rectum, & Anus	31.0
Female Breast	52.5
Pancreas	LNE
Prostate	22.2
Leukemia	LNE
Chronic Lower Respiratory Diseases	28.6
Alzheimer's Disease	36.9
Cerebrovascular Disease	33.2
Accidents	70.3
Motor Vehicle Accidents	24.4
Diabetes Mellitus	16.7
Influenza & Pneumonia	22.1
Intentional Self-Harm (Suicide)	24.1
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	59
2. Heart Disease	44
3. Alzheimer's Disease	14
T4. Cerebrovascular Diseases	13
T4. Accidents	13
6. Chronic Lower Respiratory Diseases	10
T7. Diabetes	7
T7. Unspecified Dementia	7
Percent of Deaths due to tobacco use	15.9
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Potter County

Demographic Information



Potter County is located in north central South Dakota and averages 2.7 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,340	100.0
White	2,252	96.2
Black or African American	10	0.4
American Indian & Alaska Native	42	1.8
Asian	11	0.5
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	25	1.1
Under 5 years	127	5.4
Under 18 years	483	20.6
65 years and over	664	28.4

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.0
Percent of Mothers Receiving Care in 1st Trimester	61.7
Percent of Mothers Who Used Tobacco While Pregnant ¹	15.0
Percent of Births Less Than 37 Wks. of Gestation	5.8
Average Age of Mother	28.1
Teenage Birth Rate ²	LNE
Percent White Births	93.3
Percent American Indian Births	5.0
● Percent Unmarried	26.7
● Percent WIC births	24.4
Percent Breastfeeding at discharge	80.7
○ Percent Payment-Private Insurance	77.5
● Percent Payment-Medicaid	20.8
Percent C-Section	23.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	614.6
Heart Disease	124.5
Malignant Neoplasms (Cancer)	124.3
Trachea, Bronchus, & Lung	51.6
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	34.8
Alzheimer's Disease	31.1
● Cerebrovascular Disease	21.0
Accidents	58.5
Motor Vehicle Accidents	LNE
Diabetes Mellitus	34.9
Influenza & Pneumonia	18.7
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	39
2. Malignant Neoplasms (Cancer)	33
T3. Chronic Lower Respiratory Diseases	11
T3. Alzheimer's Disease	11
5. Accidents	9
T6. Cerebrovascular Diseases	8
T6. Diabetes	8
T6. Influenza and Pneumonia	8
T6. Unspecified Dementia	8
T10. Septicemia	5
T10. Parkinson's Disease	5
Percent of Deaths due to tobacco use	16.9
Median age at death	86

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Roberts County

Demographic Information



Roberts County is located in the extreme northeastern corner of the state and averages 9.2 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	10,374	100.0
White	6,158	59.4
Black or African American	63	0.6
American Indian & Alaska Native	3,798	36.6
Asian	33	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	322	3.1
Under 5 years	906	8.7
Under 18 years	2,953	28.5
65 years and over	1,881	18.1

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	5.7
● Percent of Mothers Receiving Care in 1st Trimester	54.5
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	27.3
Percent of Births Less Than 37 Wks. of Gestation	9.7
● Average Age of Mother	25.5
○ Teenage Birth Rate ²	34.9
Percent White Births	34.1
Percent American Indian Births	56.7
○ Percent Unmarried	63.7
○ Percent WIC births	58.6
● Percent Breastfeeding at discharge	68.1
● Percent Payment-Private Insurance	32.7
○ Percent Payment-Medicaid	59.6
Percent C-Section	23.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	858.4
Heart Disease	179.1
Malignant Neoplasms (Cancer)	199.1
Trachea, Bronchus, & Lung	47.2
Colon, Rectum, & Anus	16.7
Female Breast	24.8
Pancreas	7.1
Prostate	22.0
Leukemia	9.9
Chronic Lower Respiratory Diseases	38.3
Alzheimer's Disease	27.2
Cerebrovascular Disease	49.9
○ Accidents	78.5
○ Motor Vehicle Accidents	40.7
Diabetes Mellitus	37.9
Influenza & Pneumonia	14.0
Intentional Self-Harm (Suicide)	23.4
Chronic Liver Disease and Cirrhosis	28.9
Infant Mortality	7.78

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	137
2. Heart Disease	134
3. Accidents	41
4. Cerebrovascular Diseases	37
5. Chronic Lower Respiratory Diseases	29
6. Diabetes	24
7. Alzheimer's Disease	22
8. Chronic Liver Disease and Cirrhosis	14
9. Intentional Self-Harm (Suicide)	11
10. Influenza and Pneumonia	10
Percent of Deaths due to tobacco use	18.2
Median age at death	78

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Sanborn County

Demographic Information



Sanborn County is located in east central South Dakota and averages 4.1 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,336	100.0
White	2,281	97.6
Black or African American	3	0.1
American Indian & Alaska Native	9	0.4
Asian	5	0.2
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	37	1.6
Under 5 years	149	6.4
Under 18 years	518	22.2
65 years and over	442	18.9

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	5.7
Percent of Mothers Receiving Care in 1st Trimester	69.4
Percent of Mothers Who Used Tobacco While Pregnant ¹	15.2
Percent of Births Less Than 37 Wks. of Gestation	5.1
○ Average Age of Mother	28.4
Teenage Birth Rate ²	LNE
Percent White Births	99.4
Percent American Indian Births	LNE
● Percent Unmarried	22.8
● Percent WIC births	24.8
Percent Breastfeeding at discharge	81.6
○ Percent Payment-Private Insurance	79.1
● Percent Payment-Medicaid	17.1
Percent C-Section	29.7

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	753.4
Heart Disease	116.5
Malignant Neoplasms (Cancer)	183.9
Trachea, Bronchus, & Lung	37.4
Colon, Rectum, & Anus	24.6
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	41.0
○ Alzheimer's Disease	98.5
Cerebrovascular Disease	34.9
Accidents	61.2
Motor Vehicle Accidents	43.2
Diabetes Mellitus	19.0
Influenza & Pneumonia	19.7
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	32
T2. Heart Disease	25
T2. Alzheimer's Disease	25
4. Accidents	11
5. Chronic Lower Respiratory Diseases	9
6. Cerebrovascular Diseases	8
7. Influenza and Pneumonia	5

Percent of Deaths due to tobacco use	14.5
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Spink County

Demographic Information



Spink County is located in the center of eastern South Dakota and averages 4.3 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	6,598	100.0
White	6,349	96.2
Black or African American	47	0.7
American Indian & Alaska Native	127	1.9
Asian	7	0.1
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	68	1.0
Under 5 years	390	5.9
Under 18 years	1,583	24.0
65 years and over	1,291	19.6

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	7.7
Percent of Mothers Receiving Care in 1st Trimester	69.7
Percent of Mothers Who Used Tobacco While Pregnant ¹	16.5
Percent of Births Less Than 37 Wks. of Gestation	8.0
Average Age of Mother	27.9
Teenage Birth Rate ²	8.0
Percent White Births	96.9
Percent American Indian Births	LNE
● Percent Unmarried	27.4
● Percent WIC births	30.4
Percent Breastfeeding at discharge	80.8
○ Percent Payment-Private Insurance	71.1
● Percent Payment-Medicaid	24.5
Percent C-Section	26.9

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	709.7
Heart Disease	136.0
Malignant Neoplasms (Cancer)	148.5
Trachea, Bronchus, & Lung	45.8
Colon, Rectum, & Anus	19.7
Female Breast	20.5
Pancreas	9.5
Prostate	11.3
Leukemia	LNE
Chronic Lower Respiratory Diseases	62.4
Alzheimer's Disease	47.8
Cerebrovascular Disease	31.3
○ Accidents	90.5
Motor Vehicle Accidents	28.5
Diabetes Mellitus	27.6
Influenza & Pneumonia	24.9
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	15.7
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	79
2. Malignant Neoplasms (Cancer)	78
3. Accidents	34
T4. Chronic Lower Respiratory Diseases	33
T4. Alzheimer's Disease	33
6. Cerebrovascular Diseases	19
7. Influenza and Pneumonia	17
8. Diabetes	12
9. Chronic Liver Disease and Cirrhosis	7
10. Disorders of Lipoprotein Metabolism and other Lipidemias	6

Percent of Deaths due to tobacco use	13.2
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Stanley County

Demographic Information



Stanley County is located in the center of the state and averages 2.1 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,983	100.0
White	2,642	88.6
Black or African American	27	0.9
American Indian & Alaska Native	230	7.7
Asian	8	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	76	2.5
Under 5 years	176	5.9
Under 18 years	713	23.9
65 years and over	511	17.1

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	4.6
Percent of Mothers Receiving Care in 1st Trimester	62.8
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.5
Percent of Births Less Than 37 Wks. of Gestation	7.2
Average Age of Mother	28.0
Teenage Birth Rate ²	LNE
Percent White Births	84.5
Percent American Indian Births	11.9
Percent Unmarried	37.1
Percent WIC births	41.7
Percent Breastfeeding at discharge	76.3
Percent Payment-Private Insurance	62.9
Percent Payment-Medicaid	32.5
○ Percent C-Section	43.8

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	585.0
● Heart Disease	89.6
Malignant Neoplasms (Cancer)	158.7
Trachea, Bronchus, & Lung	50.4
Colon, Rectum, & Anus	LNE
Female Breast	34.6
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
○ Chronic Lower Respiratory Diseases	109.3
Alzheimer's Disease	LNE
Cerebrovascular Disease	30.8
● Accidents	18.8
Motor Vehicle Accidents	18.8
Diabetes Mellitus	20.2
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	41.3
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	28
2. Chronic Lower Respiratory Diseases	19
3. Heart Disease	15
4. Intentional Self-Harm (Suicide)	6
5. Cerebrovascular Diseases	5

Percent of Deaths due to tobacco use	35.7
Median age at death	70

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Sully County

Demographic Information



Sully County is located in the central region of the state and averages 1.4 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	1,438	100.0
White	1,367	95.1
Black or African American	12	0.8
American Indian & Alaska Native	28	1.9
Asian	1	0.1
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	30	2.1
Under 5 years	71	4.9
Under 18 years	311	21.6
65 years and over	270	18.8

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	8.6
● Percent of Mothers Receiving Care in 1st Trimester	53.8
● Percent of Mothers Who Used Tobacco While Pregnant ¹	8.6
Percent of Births Less Than 37 Wks. of Gestation	9.9
Average Age of Mother	28.3
Teenage Birth Rate ²	LNE
Percent White Births	88.9
Percent American Indian Births	9.9
● Percent Unmarried	22.2
● Percent WIC births	21.0
Percent Breastfeeding at discharge	77.8
Percent Payment-Private Insurance	72.8
Percent Payment-Medicaid	23.5
Percent C-Section	24.7

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	480.9
Heart Disease	117.7
Malignant Neoplasms (Cancer)	167.3
Trachea, Bronchus, & Lung	37.2
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	31.0
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	LNE
Alzheimer's Disease	LNE
Cerebrovascular Disease	LNE
Accidents	28.1
Motor Vehicle Accidents	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	18
2. Heart Disease	12
Percent of Deaths due to tobacco use	26.5
Median age at death	73

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Todd County

Demographic Information



Todd County is located in south central South Dakota, along the Nebraska border and averages 6.9 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	9,882	100.0
White	1,072	10.8
Black or African American	28	0.3
American Indian & Alaska Native	8,523	86.2
Asian	25	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	234	2.4
Under 5 years	1,285	13.0
Under 18 years	3,991	40.4
65 years and over	717	7.3

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	7.3
● Percent of Mothers Receiving Care in 1st Trimester	40.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	25.3
Percent of Births Less Than 37 Wks. of Gestation	9.9
● Average Age of Mother	24.7
○ Teenage Birth Rate ²	56.2
Percent White Births	4.5
Percent American Indian Births	92.1
○ Percent Unmarried	83.6
○ Percent WIC births	75.1
● Percent Breastfeeding at discharge	60.6
● Percent Payment-Private Insurance	4.4
○ Percent Payment-Medicaid	44.4
○ Percent C-Section	34.6

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	1,288.9
Heart Disease	206.4
Malignant Neoplasms (Cancer)	206.9
Trachea, Bronchus, & Lung	38.5
Colon, Rectum, & Anus	37.6
Female Breast	LNE
Pancreas	LNE
Prostate	47.0
Leukemia	13.2
○ Chronic Lower Respiratory Diseases	83.1
● Alzheimer's Disease	13.1
○ Cerebrovascular Disease	75.4
○ Accidents	135.0
○ Motor Vehicle Accidents	74.6
○ Diabetes Mellitus	100.1
Influenza & Pneumonia	29.7
○ Intentional Self-Harm (Suicide)	52.7
○ Chronic Liver Disease and Cirrhosis	70.8
○ Infant Mortality	14.58

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	63
2. Malignant Neoplasms(Cancer)	59
3. Accidents	58
4. Diabetes	33
5. Chronic Liver Disease and Cirrhosis	25
6. Intentional Self-Harm (Suicide)	24
7. Chronic Lower Respiratory Diseases	23
8. Cerebrovascular Diseases	20
9. Septicemia	12
10. Mental and Behavioral Disorders Due to Use of Alcohol	10
Percent of Deaths due to tobacco use	14.9
Median age at death	59

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Tripp County

Demographic Information



Tripp County is located along the Nebraska border in south central South Dakota and averages 3.5 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	5,512	100.0
White	4,553	82.6
Black or African American	22	0.4
American Indian & Alaska Native	774	14.0
Asian	28	0.5
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	134	2.4
Under 5 years	341	6.2
Under 18 years	1,237	22.4
65 years and over	1,189	21.6

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	7.2
Percent of Mothers Receiving Care in 1st Trimester	66.8
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	21.7
Percent of Births Less Than 37 Wks. of Gestation	8.4
Average Age of Mother	27.1
Teenage Birth Rate ²	9.4
Percent White Births	65.2
Percent American Indian Births	30.3
Percent Unmarried	45.3
○ Percent WIC births	51.8
Percent Breastfeeding at discharge	67.5
● Percent Payment-Private Insurance	42.6
○ Percent Payment-Medicaid	51.7
○ Percent C-Section	36.3

● Denotes a health status indicator which is significantly lower than the state average.
○ Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	716.6
Heart Disease	149.8
Malignant Neoplasms (Cancer)	149.6
● Trachea, Bronchus, & Lung	25.2
Colon, Rectum, & Anus	17.4
Female Breast	13.0
Pancreas	6.0
Prostate	12.3
Leukemia	8.8
Chronic Lower Respiratory Diseases	37.9
Alzheimer's Disease	53.1
Cerebrovascular Disease	28.9
Accidents	55.8
Motor Vehicle Accidents	21.2
Diabetes Mellitus	16.9
Influenza & Pneumonia	23.5
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	33.7
Infant Mortality	9.01

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	85
2. Malignant Neoplasms (Cancer)	71
3. Alzheimer's Disease	36
4. Accidents	22
5. Chronic Lower Respiratory Diseases	20
6. Cerebrovascular Diseases	17
7. Influenza and Pneumonia	15
8. Diabetes	9
9. Chronic Liver Disease and Cirrhosis	8
T10. Essential (Primary) Hypertension	5
Hypertensive Renal Disease	
T10. Vascular Dementia	5
Percent of Deaths due to tobacco use	15.9
Median age at death	84

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Turner County

Demographic Information



Turner County is located in southeastern South Dakota and averages 13.5 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	8,272	100.0
White	8,029	97.1
Black or African American	42	0.5
American Indian & Alaska Native	86	1.0
Asian	20	0.2
Native Hawaiian & Other Pacific Islander	4	0.0
Two or More Races	91	1.1
Under 5 years	495	6.0
Under 18 years	1,923	23.2
65 years and over	1,698	20.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

● Percent of Low Birth Weight Infants	3.8
Percent of Mothers Receiving Care in 1st Trimester	78.4
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.8
Percent of Births Less Than 37 Wks. of Gestation	6.3
○ Average Age of Mother	28.5
Teenage Birth Rate ²	LNE
Percent White Births	98.9
Percent American Indian Births	0.7
● Percent Unmarried	23.8
● Percent WIC births	27.0
Percent Breastfeeding at discharge	78.4
○ Percent Payment-Private Insurance	72.8
● Percent Payment-Medicaid	23.4
Percent C-Section	26.2

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	724.6
Heart Disease	161.1
Malignant Neoplasms (Cancer)	166.3
Trachea, Bronchus, & Lung	44.4
Colon, Rectum, & Anus	21.1
Female Breast	33.5
● Pancreas	3.9
Prostate	17.3
Leukemia	10.6
○ Chronic Lower Respiratory Diseases	64.8
○ Alzheimer's Disease	64.3
● Cerebrovascular Disease	20.7
Accidents	48.1
Motor Vehicle Accidents	29.2
Diabetes Mellitus	21.0
Influenza & Pneumonia	9.8
Intentional Self-Harm (Suicide)	18.3
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	120
2. Malignant Neoplasms (Cancer)	107
3. Alzheimer's Disease	56
4. Chronic Lower Respiratory Diseases	44
5. Accidents	25
6. Cerebrovascular Diseases	17
7. Diabetes	15
8. Influenza and Pneumonia	9
T9. Intentional Self-Harm (Suicide)	8
T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	8

Percent of Deaths due to tobacco use	16.0
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Union County

Demographic Information



Union County is located in the southeastern corner of the state and averages 31.3 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	15,029	100.0
White	14,362	95.6
Black or African American	160	1.1
American Indian & Alaska Native	108	0.7
Asian	159	1.1
Native Hawaiian & Other Pacific Islander	13	0.1
Two or More Races	227	1.5
Under 5 years	912	6.1
Under 18 years	3,817	25.4
65 years and over	2,330	15.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	7.4
○ Percent of Mothers Receiving Care in 1st Trimester	86.7
● Percent of Mothers Who Used Tobacco While Pregnant ¹	11.2
Percent of Births Less Than 37 Wks. of Gestation	9.3
○ Average Age of Mother	28.8
● Teenage Birth Rate ²	4.4
Percent White Births	96.0
Percent American Indian Births	0.7
● Percent Unmarried	23.3
● Percent WIC births	19.4
Percent Breastfeeding at discharge	80.9
○ Percent Payment-Private Insurance	75.7
● Percent Payment-Medicaid	21.0
○ Percent C-Section	34.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	650.5
Heart Disease	167.8
Malignant Neoplasms (Cancer)	159.3
Trachea, Bronchus, & Lung	44.1
Colon, Rectum, & Anus	18.8
Female Breast	21.1
Pancreas	8.3
Prostate	20.3
Leukemia	8.5
Chronic Lower Respiratory Diseases	46.8
Alzheimer's Disease	31.3
● Cerebrovascular Disease	22.4
Accidents	32.6
Motor Vehicle Accidents	9.1
● Diabetes Mellitus	11.4
Influenza & Pneumonia	16.1
● Intentional Self-Harm (Suicide)	8.8
Chronic Liver Disease and Cirrhosis	9.3
Infant Mortality	3.68

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	152
2. Malignant Neoplasms (Cancer)	139
3. Chronic Lower Respiratory Diseases	42
4. Alzheimer's Disease	28
5. Accidents	26
6. Cerebrovascular Diseases	21
7. Unspecified Dementia	19
8. Influenza and Pneumonia	14
T9. Diabetes	10
T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	10
Percent of Deaths due to tobacco use	18.1
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Walworth County

Demographic Information



Walworth County is located in north central South Dakota, near the North Dakota border and averages 7.7 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	5,511	100.0
White	4,538	82.3
Black or African American	29	0.5
American Indian & Alaska Native	747	13.6
Asian	20	0.4
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	177	3.2
Under 5 years	330	6.0
Under 18 years	1,244	22.6
65 years and over	1,337	24.3

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

● Percent of Low Birth Weight Infants	3.8
Percent of Mothers Receiving Care in 1st Trimester	62.6
Percent of Mothers Who Used Tobacco While Pregnant ¹	20.3
Percent of Births Less Than 37 Wks. of Gestation	7.3
● Average Age of Mother	26.3
Teenage Birth Rate ²	14.1
Percent White Births	63.8
Percent American Indian Births	30.3
Percent Unmarried	45.1
○ Percent WIC births	45.5
Percent Breastfeeding at discharge	71.8
● Percent Payment-Private Insurance	42.2
○ Percent Payment-Medicaid	48.7
Percent C-Section	24.9

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	794.0
Heart Disease	151.9
Malignant Neoplasms (Cancer)	175.3
Trachea, Bronchus, & Lung	48.2
Colon, Rectum, & Anus	17.4
Female Breast	19.5
Pancreas	5.7
Prostate	12.8
Leukemia	8.0
Chronic Lower Respiratory Diseases	43.0
○ Alzheimer's Disease	66.3
Cerebrovascular Disease	55.5
Accidents	39.9
Motor Vehicle Accidents	14.6
Diabetes Mellitus	31.7
Influenza & Pneumonia	14.7
Intentional Self-Harm (Suicide)	13.1
Chronic Liver Disease and Cirrhosis	26.0
Infant Mortality	8.67

Leading Causes of Death Total Deaths

1. Malignant Neoplasms (Cancer)	88
2. Heart Disease	85
3. Alzheimer's Disease	46
4. Cerebrovascular Diseases	30
5. Chronic Lower Respiratory Diseases	24
6. Diabetes	17
7. Accidents	15
T8. Influenza and Pneumonia	8
T8. Chronic Liver Disease and Cirrhosis	8
T8. Nephritis, Nephrotic Syndrome, and Nephrosis	8

Percent of Deaths due to tobacco use	16.9
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Yankton County

Demographic Information



Yankton County is located in southeastern South Dakota on the Nebraska border and averages 43.1 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	22,684	100.0
White	21,044	92.8
Black or African American	437	1.9
American Indian & Alaska Native	689	3.0
Asian	157	0.7
Native Hawaiian & Other Pacific Islander	9	0.0
Two or More Races	348	1.5
Under 5 years	1,317	5.8
Under 18 years	4,786	21.1
65 years and over	3,977	17.5

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Natality

Percent of Low Birth Weight Infants	7.5
○ Percent of Mothers Receiving Care in 1st Trimester	83.4
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	21.0
Percent of Births Less Than 37 Wks. of Gestation	8.4
Average Age of Mother	27.2
Teenage Birth Rate ²	12.9
Percent White Births	90.2
Percent American Indian Births	4.5
Percent Unmarried	39.9
Percent WIC births	38.3
● Percent Breastfeeding at discharge	69.7
○ Percent Payment-Private Insurance	64.2
Percent Payment-Medicaid	33.7
Percent C-Section	26.9

Mortality³

● All Causes	642.4
Heart Disease	155.4
Malignant Neoplasms (Cancer)	145.0
Trachea, Bronchus, & Lung	43.1
Colon, Rectum, & Anus	15.9
Female Breast	14.7
Pancreas	7.6
Prostate	17.4
Leukemia	9.7
Chronic Lower Respiratory Diseases	48.9
Alzheimer's Disease	32.7
● Cerebrovascular Disease	26.9
Accidents	43.4
Motor Vehicle Accidents	16.3
Diabetes Mellitus	25.1
Influenza & Pneumonia	15.3
Intentional Self-Harm (Suicide)	18.4
● Chronic Liver Disease and Cirrhosis	4.8
Infant Mortality	6.85

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	269
2. Malignant Neoplasms (Cancer)	220
3. Chronic Lower Respiratory Diseases	77
4. Alzheimer's Disease	68
5. Accidents	61
6. Cerebrovascular Diseases	50
7. Diabetes	43
8. Influenza and Pneumonia	28
9. Intentional Self-Harm (Suicide)	22
10. Essential (Primary) Hypertension and Hypertensive Renal Disease	14

Percent of Deaths due to tobacco use	21.4
Median age at death	82

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Ziebach County

Demographic Information



Ziebach County is located in north central South Dakota and averages 1.4 persons per square mile.

2014 Population Information

Subject	Number	Percent
Total population	2,826	100.0
White	690	24.4
Black or African American	9	0.3
American Indian & Alaska Native	2,011	71.2
Asian	10	0.4
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	105	3.7
Under 5 years	177	6.3
Under 18 years	1,010	35.7
65 years and over	189	6.7

Source: United States Census Bureau, 2014 Population Estimates

Health Status Indicators 2010-2014

Nativity

Percent of Low Birth Weight Infants	9.2
● Percent of Mothers Receiving Care in 1st Trimester	48.5
Percent of Mothers Who Used Tobacco While Pregnant ¹	22.1
Percent of Births Less Than 37 Wks. of Gestation	12.3
● Average Age of Mother	25.8
○ Teenage Birth Rate ²	35.4
Percent White Births	13.1
Percent American Indian Births	84.5
○ Percent Unmarried	69.4
○ Percent WIC births	81.3
● Percent Breastfeeding at discharge	55.7
● Percent Payment-Private Insurance	14.9
○ Percent Payment-Medicaid	76.6
Percent C-Section	29.1

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	784.6
Heart Disease	228.4
● Malignant Neoplasms (Cancer)	57.1
Trachea, Bronchus, & Lung	LNE
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	68.5
Alzheimer's Disease	LNE
Cerebrovascular Disease	44.6
Accidents	105.8
Motor Vehicle Accidents	33.0
Diabetes Mellitus	54.6
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	49.6
Infant Mortality	14.56

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	18
2. Accidents	12
T3. Malignant Neoplasms (Cancer)	5
T3. Chronic Lower Respiratory Diseases	5
T3. Chronic Liver Disease and Cirrhosis	5

Percent of Deaths due to tobacco use	8.6
Median age at death	71

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics