

The following table shows the percent of those who have a disability with special equipment needed for various health behaviors and conditions. For example, 34 percent of respondents who have had a stroke have a disability with special equipment needed, while seven percent of respondents who have not had a stroke have a disability with special equipment needed.

**Prevalence of Disability with Special Equipment Needed for Selected Health Behaviors and Conditions, 2011-2015**

	<b>Has a Disability with Special Equipment Needed</b>
Underweight (BMI < 18.5)	14%
Recommended (BMI = 18.5-24.9)	6%
Overweight (BMI = 25.0-29.9)	7%
Obese - Class I (BMI = 30.0-34.9)	8%
Obese - Classes II & III (BMI = 35.0+)	15%
Participates in Leisure Time Exercise	6%
Does Not Participate in Leisure Time Exercise	14%
Meets Physical Activity Recommendations	6%
Does Not Meet Physical Activity Recommendations	9%
7+ Exercise Trips Per Week	7%
Less Than 7 Exercise Trips Per Week	8%
12+ Hours Sitting Per Day	19%
< 12 Hours Sitting Per Day	7%
Has 2+ Servings of Fruit per Day	10%
Has Less Than 2 Servings of Fruit per Day	7%
Has 3+ Servings of Vegetables per Day	9%
Has Less Than 3 Servings of Vegetables per Day	7%
Has 5+ Servings of Fruits and Vegetables per Day	10%
Has Less Than 5 Servings of Fruits and Vegetables per Day	7%
Current Smoker	8%
Former Smoker	11%
Never Smoked	6%
Uses Smokeless Tobacco	5%
Does Not Use Smokeless Tobacco	8%
Current E-Cigarette User	7%
Not E-Cigarette User	8%
Heard of "South Dakota Quitline"	7%
Not Heard of "South Dakota Quitline"	13%
Ever Diagnosed with Diabetes	21%
Never Diagnosed with Diabetes	6%
Has High Blood Pressure	15%
Does Not Have High Blood Pressure	5%
Has High Blood Cholesterol	12%
Does Not Have High Blood Cholesterol	7%
Has Health Insurance (18-64)	5%
Does Not Have Health Insurance (18-64)	5%
Employer Based Coverage (18-64)	3%
Private Health Plan (18-64)	2%
Medicare (18-64)	35%
Medicaid or Medical Assistance (18-64)	14%
The military, CHAMPUS, TriCare, or the VA (18-64)	10%
The Indian Health Service (18-64)	7%
Had a Flu Shot in Past 12 Months (65+)	21%
Did Not Have a Flu Shot in Past 12 Months (65+)	16%

**Prevalence of Disability with Special Equipment Needed for Selected Health Behaviors and Conditions, 2011-2015**

	<b>Has a Disability with Special Equipment Needed</b>
Ever Had a Pneumonia Shot (65+)	22%
Never Had a Pneumonia Shot (65+)	13%
Previously Had Heart Attack	27%
Never Had Heart Attack	7%
Knows Symptoms of Heart Attack	7%
Does Not Know Symptoms of Heart Attack	8%
Has Angina or Coronary Heart Disease	28%
Does Not Have Angina or Coronary Heart Disease	7%
Previously Had a Stroke	34%
Never Had a Stroke	7%
Ever Diagnosed with Cancer (Excluding Skin Cancer)	17%
Never Diagnosed with Cancer	7%
Ever Diagnosed with Skin Cancer	16%
Never Diagnosed with Skin Cancer	7%
Current Asthma	16%
Former Asthma	9%
Never Had Asthma	7%
Ever Diagnosed with Arthritis	19%
Never Diagnosed with Arthritis	4%
Ever Diagnosed with COPD	30%
Never Diagnosed with COPD	6%
Ever Diagnosed with Depression	15%
Never Diagnosed with Depression	6%
Ever Diagnosed with Kidney Disease	29%
Never Diagnosed with Kidney Disease	7%
Has Severe Vision Impairment	32%
Does Not Have Severe Vision Impairment	7%
Recent Increased Confusion/Memory Loss (45+)	30%
No Recent Increased Confusion/Memory Loss (45+)	11%
Always Wears Seat Belt	8%
Does Not Always Wear Seat Belt	7%
Drank Alcohol in Past 30 Days	4%
Did Not Drink Alcohol in Past 30 Days	12%
Binge Drinker	3%
Not a Binge Drinker	9%
Heavy Drinker	5%
Not a Heavy Drinker	8%
Has an Advance Directive	13%
Does Not Have an Advance Directive	6%
Good/Very Good/Excellent Health Status	5%
Fair/Poor Health Status	27%
Physical Health Not Good for 0-29 Days of the Past 30	5%
Physical Health Not Good for 30 Days of the Past 30	41%
Mental Health Not Good for 0-19 Days of the Past 30	7%
Mental Health Not Good for 20-30 Days of the Past 30	19%
Usual Activities Unattainable for 0-9 Days of the Past 30	6%
Usual Activities Unattainable for 10-30 Days of the Past 30	32%
Has Physical, Mental, or Emotional Problems	27%
Does Not Have Physical, Mental, or Emotional Problems	3%
Ever Been Tested for HIV	7%
Never Been Tested for HIV	8%

Source: South Dakota Behavioral Risk Factor Surveillance System, 2011-2015