


South Dakota

Demographic Information



South Dakota is located in the north central portion of the United States and averages 10.7 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	858,469	100.0
White	734,385	85.5
Black or African American	15,760	1.8
American Indian & Alaska Native	76,698	8.9
Asian	11,813	1.4
Native Hawaiian & Other Pacific Islander	662	0.1
Two or More Races	19,151	2.2
Under 5 years	61,244	7.1
Under 18 years	211,324	24.6
65 years and over	134,420	15.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

● Percent of Low Birth Weight Infants	6.3
○ Percent of Mothers Receiving Care in 1st Trimester	71.5
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	15.5
● Percent of Births Less Than 37 Wks. of Gestation	8.2
Average Age of Mother	27.5
○ Teenage Birth Rate ²	13.5
Percent White Births	76.2
Percent American Indian Births	16.3
● Percent Unmarried	38.1
● Percent WIC births	36.3
Percent Breastfeeding at discharge	77.4
○ Percent Payment-Private Insurance	57.0
● Percent Payment-Medicaid	33.1
● Percent C-Section	25.3

●Denotes a health status indicator which is significantly lower than the national average.
○Denotes a health status indicator which is significantly higher than the national average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	704.6
● Heart Disease	152.0
Malignant Neoplasms (Cancer)	159.8
Trachea, Bronchus, & Lung	42.6
○ Colon, Rectum, & Anus	16.1
Female Breast	19.8
Pancreas	10.4
Prostate	18.4
○ Leukemia	7.8
○ Chronic Lower Respiratory Diseases	43.5
○ Alzheimer's Disease	36.4
Cerebrovascular Disease	37.7
○ Accidents	47.3
○ Motor Vehicle Accidents	16.0
○ Diabetes Mellitus	23.8
○ Influenza & Pneumonia	16.8
○ Intentional Self-Harm (Suicide)	17.4
○ Chronic Liver Disease and Cirrhosis	13.9
○ Infant Mortality	6.94

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	8,291
2. Malignant Neoplasms (Cancer)	8,164
3. Chronic Lower Respiratory Diseases	2,317
4. Accidents	2,176
5. Alzheimer's Disease	2,159
6. Cerebrovascular Diseases	2,086
7. Diabetes	1,230
8. Influenza and Pneumonia	945
9. Suicide	721
10. Chronic Liver Disease and Cirrhosis	597
Percent of Deaths due to tobacco use	17.3
Median age at death	80

●Denotes a health status indicator which is significantly lower than the national average.


○Denotes a health status indicator which is significantly higher than the national average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Aurora County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																								
<div style="text-align: center;">  </div> <p>Aurora County is located in the south central portion of the state and averages 3.8 persons per square mile.</p> <div style="text-align: center;"> <h3>2015 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">2,733</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">2,614</td> <td style="text-align: right;">95.6</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">17</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">56</td> <td style="text-align: right;">2.0</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">19</td> <td style="text-align: right;">0.7</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">0</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">27</td> <td style="text-align: right;">1.0</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">188</td> <td style="text-align: right;">6.9</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">728</td> <td style="text-align: right;">26.6</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">531</td> <td style="text-align: right;">19.4</td> </tr> </tbody> </table> </div> <p>Source: United States Census Bureau, 2015 Population Estimates</p>	Subject	Number	Percent	Total population	2,733	100.0	White	2,614	95.6	Black or African American	17	0.6	American Indian & Alaska Native	56	2.0	Asian	19	0.7	Native Hawaiian & Other Pacific Islander	0	0.0	Two or More Races	27	1.0	Under 5 years	188	6.9	Under 18 years	728	26.6	65 years and over	531	19.4	<div style="text-align: center;"> <h3>Nativity</h3> </div> <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Percent of Low Birth Weight Infants</td> <td style="text-align: right;">6.5</td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">69.5</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">12.0</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">8.7</td> </tr> <tr> <td>Average Age of Mother</td> <td style="text-align: right;">28.3</td> </tr> <tr> <td>Teenage Birth Rate²</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">98.4</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>● Percent Unmarried</td> <td style="text-align: right;">25.5</td> </tr> <tr> <td>Percent WIC births</td> <td style="text-align: right;">37.6</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">76.1</td> </tr> <tr> <td>○ Percent Payment-Private Insurance</td> <td style="text-align: right;">71.6</td> </tr> <tr> <td>● Percent Payment-Medicaid</td> <td style="text-align: right;">19.7</td> </tr> <tr> <td>○ Percent C-Section</td> <td style="text-align: right;">34.2</td> </tr> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p>¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>	Percent of Low Birth Weight Infants	6.5	Percent of Mothers Receiving Care in 1st Trimester	69.5	Percent of Mothers Who Used Tobacco While Pregnant ¹	12.0	Percent of Births Less Than 37 Wks. of Gestation	8.7	Average Age of Mother	28.3	Teenage Birth Rate ²	LNE	Percent White Births	98.4	Percent American Indian Births	LNE	● Percent Unmarried	25.5	Percent WIC births	37.6	Percent Breastfeeding at discharge	76.1	○ Percent Payment-Private Insurance	71.6	● Percent Payment-Medicaid	19.7	○ Percent C-Section	34.2	<div style="text-align: center;"> <h3>Mortality³</h3> </div> <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">All Causes</td> <td style="text-align: right;">649.0</td> </tr> <tr> <td>Heart Disease</td> <td style="text-align: right;">149.4</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">160.1</td> </tr> <tr> <td> Trachea, Bronchus, & Lung</td> <td style="text-align: right;">60.2</td> </tr> <tr> <td> Colon, Rectum, & Anus</td> <td style="text-align: right;">11.9</td> </tr> <tr> <td> Female Breast</td> <td style="text-align: right;">57.9</td> </tr> <tr> <td> Pancreas</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td> Prostate</td> <td style="text-align: right;">40.0</td> </tr> <tr> <td> Leukemia</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>● Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">16.5</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">33.5</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">61.6</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">53.2</td> </tr> <tr> <td> Motor Vehicle Accidents</td> <td style="text-align: right;">33.8</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">42.1</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">21.6</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">LNE</td> </tr> </table> <div style="text-align: center;"> <h3>Leading Causes of Death</h3> <table border="0" style="width: 100%;"> <tr> <td style="width: 80%;"></td> <td style="text-align: right;">Total Deaths</td> </tr> <tr> <td>1. Heart Disease</td> <td style="text-align: right;">34</td> </tr> <tr> <td>2. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">33</td> </tr> <tr> <td>3. Cerebrovascular Diseases</td> <td style="text-align: right;">14</td> </tr> <tr> <td>T4. Alzheimer's Disease</td> <td style="text-align: right;">9</td> </tr> <tr> <td>T4. Diabetes</td> <td style="text-align: right;">9</td> </tr> <tr> <td>6. Accidents</td> <td style="text-align: right;">8</td> </tr> <tr> <td>7. Influenza and pneumonia</td> <td style="text-align: right;">6</td> </tr> </table> </div> <table border="0" style="width: 100%; margin-top: 20px;"> <tr> <td style="width: 60%;">Percent of Deaths due to tobacco use</td> <td style="text-align: right;">16.9</td> </tr> <tr> <td>Median age at death</td> <td style="text-align: right;">82</td> </tr> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	All Causes	649.0	Heart Disease	149.4	Malignant Neoplasms (Cancer)	160.1	Trachea, Bronchus, & Lung	60.2	Colon, Rectum, & Anus	11.9	Female Breast	57.9	Pancreas	LNE	Prostate	40.0	Leukemia	LNE	● Chronic Lower Respiratory Diseases	16.5	Alzheimer's Disease	33.5	Cerebrovascular Disease	61.6	Accidents	53.2	Motor Vehicle Accidents	33.8	Diabetes Mellitus	42.1	Influenza & Pneumonia	21.6	Intentional Self-Harm (Suicide)	LNE	Chronic Liver Disease and Cirrhosis	LNE	Infant Mortality	LNE		Total Deaths	1. Heart Disease	34	2. Malignant Neoplasms (Cancer)	33	3. Cerebrovascular Diseases	14	T4. Alzheimer's Disease	9	T4. Diabetes	9	6. Accidents	8	7. Influenza and pneumonia	6	Percent of Deaths due to tobacco use	16.9	Median age at death	82
Subject	Number	Percent																																																																																																																							
Total population	2,733	100.0																																																																																																																							
White	2,614	95.6																																																																																																																							
Black or African American	17	0.6																																																																																																																							
American Indian & Alaska Native	56	2.0																																																																																																																							
Asian	19	0.7																																																																																																																							
Native Hawaiian & Other Pacific Islander	0	0.0																																																																																																																							
Two or More Races	27	1.0																																																																																																																							
Under 5 years	188	6.9																																																																																																																							
Under 18 years	728	26.6																																																																																																																							
65 years and over	531	19.4																																																																																																																							
Percent of Low Birth Weight Infants	6.5																																																																																																																								
Percent of Mothers Receiving Care in 1st Trimester	69.5																																																																																																																								
Percent of Mothers Who Used Tobacco While Pregnant ¹	12.0																																																																																																																								
Percent of Births Less Than 37 Wks. of Gestation	8.7																																																																																																																								
Average Age of Mother	28.3																																																																																																																								
Teenage Birth Rate ²	LNE																																																																																																																								
Percent White Births	98.4																																																																																																																								
Percent American Indian Births	LNE																																																																																																																								
● Percent Unmarried	25.5																																																																																																																								
Percent WIC births	37.6																																																																																																																								
Percent Breastfeeding at discharge	76.1																																																																																																																								
○ Percent Payment-Private Insurance	71.6																																																																																																																								
● Percent Payment-Medicaid	19.7																																																																																																																								
○ Percent C-Section	34.2																																																																																																																								
All Causes	649.0																																																																																																																								
Heart Disease	149.4																																																																																																																								
Malignant Neoplasms (Cancer)	160.1																																																																																																																								
Trachea, Bronchus, & Lung	60.2																																																																																																																								
Colon, Rectum, & Anus	11.9																																																																																																																								
Female Breast	57.9																																																																																																																								
Pancreas	LNE																																																																																																																								
Prostate	40.0																																																																																																																								
Leukemia	LNE																																																																																																																								
● Chronic Lower Respiratory Diseases	16.5																																																																																																																								
Alzheimer's Disease	33.5																																																																																																																								
Cerebrovascular Disease	61.6																																																																																																																								
Accidents	53.2																																																																																																																								
Motor Vehicle Accidents	33.8																																																																																																																								
Diabetes Mellitus	42.1																																																																																																																								
Influenza & Pneumonia	21.6																																																																																																																								
Intentional Self-Harm (Suicide)	LNE																																																																																																																								
Chronic Liver Disease and Cirrhosis	LNE																																																																																																																								
Infant Mortality	LNE																																																																																																																								
	Total Deaths																																																																																																																								
1. Heart Disease	34																																																																																																																								
2. Malignant Neoplasms (Cancer)	33																																																																																																																								
3. Cerebrovascular Diseases	14																																																																																																																								
T4. Alzheimer's Disease	9																																																																																																																								
T4. Diabetes	9																																																																																																																								
6. Accidents	8																																																																																																																								
7. Influenza and pneumonia	6																																																																																																																								
Percent of Deaths due to tobacco use	16.9																																																																																																																								
Median age at death	82																																																																																																																								

Beadle County

Demographic Information



Beadle County is located in the center of eastern South Dakota and averages 13.8 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	18,372	100.0
White	15,986	87.0
Black or African American	318	1.7
American Indian & Alaska Native	255	1.4
Asian	1,430	7.8
Native Hawaiian & Other Pacific Islander	36	0.2
Two or More Races	347	1.9
Under 5 years	1,660	9.0
Under 18 years	4,953	27.0
65 years and over	3,084	16.8

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	7.8
● Percent of Mothers Receiving Care in 1st Trimester	54.6
Percent of Mothers Who Used Tobacco While Pregnant ¹	14.6
Percent of Births Less Than 37 Wks. of Gestation	8.5
● Average Age of Mother	26.6
Teenage Birth Rate ²	20.1
Percent White Births	78.7
Percent American Indian Births	1.4
Percent Unmarried	39.0
○ Percent WIC births	50.2
Percent Breastfeeding at discharge	74.4
● Percent Payment-Private Insurance	48.8
○ Percent Payment-Medicaid	38.5
○ Percent C-Section	32.0

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	729.6
Heart Disease	154.7
Malignant Neoplasms (Cancer)	170.2
Trachea, Bronchus, & Lung	39.9
Colon, Rectum, & Anus	14.9
Female Breast	20.5
Pancreas	9.9
Prostate	19.2
Leukemia	6.8
Chronic Lower Respiratory Diseases	38.0
Alzheimer's Disease	43.8
Cerebrovascular Disease	41.4
Accidents	44.2
Motor Vehicle Accidents	12.8
○ Diabetes Mellitus	39.6
Influenza & Pneumonia	26.0
● Intentional Self-Harm (Suicide)	9.0
Chronic Liver Disease and Cirrhosis	11.0
Infant Mortality	12.34

Leading Causes of Death

	Total Deaths
1. Heart Disease	217
2. Malignant Neoplasms (Cancer)	211
3. Alzheimer's Disease	71
4. Cerebrovascular Diseases	62
5. Diabetes	53
6. Chronic Lower Respiratory Diseases	49
7. Accidents	47
8. Influenza and Pneumonia	37
9. Essential (Primary) Hypertension and Hypertensive Renal Disease	15
10. Nephritis, nephrotic syndrome, and Nephrosis	13

Percent of Deaths due to tobacco use	18.8
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Bennett County

Demographic Information



Bennett County is located on the southern border in western South Dakota and averages 2.9 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	3,423	100.0
White	1,187	34.7
Black or African American	20	0.6
American Indian & Alaska Native	2,000	58.4
Asian	25	0.7
Native Hawaiian & Other Pacific Islander	2	0.1
Two or More Races	189	5.5
Under 5 years	330	9.6
Under 18 years	1,149	33.6
65 years and over	427	12.5

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	5.3
● Percent of Mothers Receiving Care in 1st Trimester	44.7
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	25.3
Percent of Births Less Than 37 Wks. of Gestation	9.7
● Average Age of Mother	25.0
○ Teenage Birth Rate ²	47.5
Percent White Births	11.8
Percent American Indian Births	81.5
○ Percent Unmarried	76.8
○ Percent WIC births	72.2
● Percent Breastfeeding at discharge	48.0
● Percent Payment-Private Insurance	10.2
○ Percent Payment-Medicaid	59.3
Percent C-Section	21.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	925.3
Heart Disease	185.2
Malignant Neoplasms (Cancer)	199.5
Trachea, Bronchus, & Lung	25.7
Colon, Rectum, & Anus	46.4
Female Breast	LNE
Pancreas	24.1
Prostate	36.4
Leukemia	LNE
Chronic Lower Respiratory Diseases	46.6
Alzheimer's Disease	LNE
Cerebrovascular Disease	44.1
Accidents	82.1
Motor Vehicle Accidents	37.0
Diabetes Mellitus	47.5
Influenza & Pneumonia	36.3
Intentional Self-Harm (Suicide)	23.9
Chronic Liver Disease and Cirrhosis	43.8
Infant Mortality	22.41

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	34
2. Heart Disease	30
3. Accidents	14
T4. Chronic Lower Respiratory Diseases	8
T4. Cerebrovascular Diseases	8
T4. Diabetes	8
7. Influenza and Pneumonia	7
8. Chronic Liver Disease and Cirrhosis	6
Percent of Deaths due to tobacco use	23.1
Median age at death	74

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Bon Homme County

Demographic Information



Bon Homme County is located on the Nebraska border in eastern South Dakota and averages 12.5 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	6,985	100.0
White	6,236	89.3
Black or African American	99	1.4
American Indian & Alaska Native	534	7.6
Asian	18	0.3
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	97	1.4
Under 5 years	305	4.4
Under 18 years	1,323	18.9
65 years and over	1,433	20.5

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	4.6
Percent of Mothers Receiving Care in 1st Trimester	79.6
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.7
Percent of Births Less Than 37 Wks. of Gestation	8.0
Average Age of Mother	28.0
Teenage Birth Rate ²	LNE
Percent White Births	94.8
Percent American Indian Births	3.0
● Percent Unmarried	21.0
Percent WIC births	36.3
Percent Breastfeeding at discharge	78.2
○ Percent Payment-Private Insurance	73.7
● Percent Payment-Medicaid	20.5
Percent C-Section	28.7

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	572.7
● Heart Disease	118.1
Malignant Neoplasms (Cancer)	130.0
Trachea, Bronchus, & Lung	38.9
Colon, Rectum, & Anus	12.9
Female Breast	31.8
Pancreas	LNE
Prostate	12.1
Leukemia	11.2
Chronic Lower Respiratory Diseases	38.3
Alzheimer's Disease	31.2
Cerebrovascular Disease	36.6
Accidents	31.7
Motor Vehicle Accidents	16.0
Diabetes Mellitus	20.1
Influenza & Pneumonia	14.1
Intentional Self-Harm (Suicide)	11.0
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	9.15

Leading Causes of Death

	Total Deaths
1. Heart Disease	83
2. Malignant Neoplasms (Cancer)	73
3. Cerebrovascular Diseases	28
4. Chronic Lower Respiratory Diseases	25
5. Alzheimer's Disease	24
6. Accidents	14
7. Diabetes	13
T8. Influenza and Pneumonia	12
T8. Essential (Primary) Hypertension and Hypertensive Renal Disease	12
T10. Vascular Dementia	9
T10. Neoplasms of Uncertain or Unknown Behavior	9

Percent of Deaths due to tobacco use	13.4
Median age at death	85

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Brookings County

Demographic Information



Brookings County is located on the eastern border of the state and averages 40.3 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	33,897	100.0
White	31,569	93.1
Black or African American	471	1.4
American Indian & Alaska Native	448	1.3
Asian	945	2.8
Native Hawaiian & Other Pacific Islander	25	0.1
Two or More Races	439	1.3
Under 5 years	2,129	6.3
Under 18 years	6,856	20.2
65 years and over	3,643	10.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

● Percent of Low Birth Weight Infants	4.7
○ Percent of Mothers Receiving Care in 1st Trimester	80.5
● Percent of Mothers Who Used Tobacco While Pregnant ¹	11.0
● Percent of Births Less Than 37 Wks. of Gestation	6.3
○ Average Age of Mother	28.4
● Teenage Birth Rate ²	4.7
Percent White Births	88.4
Percent American Indian Births	2.1
● Percent Unmarried	23.5
● Percent WIC births	25.0
○ Percent Breastfeeding at discharge	85.5
○ Percent Payment-Private Insurance	74.8
● Percent Payment-Medicaid	19.0
● Percent C-Section	21.0

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	658.1
Heart Disease	145.8
Malignant Neoplasms (Cancer)	167.3
Trachea, Bronchus, & Lung	36.0
Colon, Rectum, & Anus	16.3
Female Breast	13.0
Pancreas	12.8
Prostate	17.3
Leukemia	10.1
● Chronic Lower Respiratory Diseases	30.8
Alzheimer's Disease	41.4
○ Cerebrovascular Disease	51.1
● Accidents	28.8
● Motor Vehicle Accidents	8.0
Diabetes Mellitus	16.6
Influenza & Pneumonia	11.6
● Intentional Self-Harm (Suicide)	9.9
● Chronic Liver Disease and Cirrhosis	7.9
Infant Mortality	9.06

Leading Causes of Death

	Total Deaths
1. Malignant Neoplasms (Cancer)	236
2. Heart Disease	220
3. Cerebrovascular Diseases	79
4. Alzheimer's Disease	67
5. Chronic Lower Respiratory Diseases	46
6. Accidents	45
7. Diabetes	24
8. Influenza and Pneumonia	18
9. Intentional Self-Harm (Suicide)	14
T9. Unspecified Dementia	12
T9. Congenital Malformations, Deformations, and Chromosomal Abnormalities	12

Percent of Deaths due to tobacco use	15.4
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Brown County

Demographic Information



Brown County is located on the North Dakota border in the eastern part of the state and averages 21.3 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	38,785	100.0
White	35,200	90.8
Black or African American	597	1.5
American Indian & Alaska Native	1,319	3.4
Asian	884	2.3
Native Hawaiian & Other Pacific Islander	81	0.2
Two or More Races	704	1.8
Under 5 years	2,642	6.8
Under 18 years	9,206	23.7
65 years and over	6,242	16.1

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	5.7
Percent of Mothers Receiving Care in 1st Trimester	74.2
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	17.8
Percent of Births Less Than 37 Wks. of Gestation	7.5
Average Age of Mother	27.7
● Teenage Birth Rate ²	9.2
Percent White Births	88.3
Percent American Indian Births	5.5
● Percent Unmarried	33.8
● Percent WIC births	33.1
Percent Breastfeeding at discharge	81.0
○ Percent Payment-Private Insurance	65.1
● Percent Payment-Medicaid	29.7
Percent C-Section	27.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	701.6
Heart Disease	148.4
Malignant Neoplasms (Cancer)	162.8
Trachea, Bronchus, & Lung	48.3
Colon, Rectum, & Anus	16.6
Female Breast	25.7
Pancreas	11.4
Prostate	15.2
Leukemia	8.5
Chronic Lower Respiratory Diseases	38.8
Alzheimer's Disease	44.2
Cerebrovascular Disease	37.3
Accidents	37.5
● Motor Vehicle Accidents	10.1
Diabetes Mellitus	30.5
Influenza & Pneumonia	17.6
Intentional Self-Harm (Suicide)	11.6
● Chronic Liver Disease and Cirrhosis	7.9
Infant Mortality	6.13

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	434
2. Malignant Neoplasms (Cancer)	397
3. Alzheimer's Disease	139
4. Cerebrovascular Diseases	108
5. Chronic Lower Respiratory Diseases	104
6. Accidents	84
7. Diabetes	79
8. Influenza and Pneumonia	54
9. Unspecified Dementia	30
10. Pneumonitis Due to Solids and Liquids	29

Percent of Deaths due to tobacco use	14.9
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.


See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics


Brule County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																								
 <p>Brule County is located in the south central part of the state and averages 6.4 persons per square mile.</p> <p style="text-align: center;">2015 Population Information</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">5,281</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">4,557</td> <td style="text-align: right;">86.3</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">23</td> <td style="text-align: right;">0.4</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">516</td> <td style="text-align: right;">9.8</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">17</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">1</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">167</td> <td style="text-align: right;">3.2</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">376</td> <td style="text-align: right;">7.1</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">1,357</td> <td style="text-align: right;">25.7</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">923</td> <td style="text-align: right;">17.5</td> </tr> </tbody> </table>	Subject	Number	Percent	Total population	5,281	100.0	White	4,557	86.3	Black or African American	23	0.4	American Indian & Alaska Native	516	9.8	Asian	17	0.3	Native Hawaiian & Other Pacific Islander	1	0.0	Two or More Races	167	3.2	Under 5 years	376	7.1	Under 18 years	1,357	25.7	65 years and over	923	17.5	<p style="text-align: center;">Nativity</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">5.4</td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">66.4</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">17.8</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">9.5</td> </tr> <tr> <td>Average Age of Mother</td> <td style="text-align: right;">27.4</td> </tr> <tr> <td>● Teenage Birth Rate²</td> <td style="text-align: right;">4.9</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">77.3</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">20.2</td> </tr> <tr> <td>Percent Unmarried</td> <td style="text-align: right;">34.7</td> </tr> <tr> <td>Percent WIC births</td> <td style="text-align: right;">37.4</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">69.6</td> </tr> <tr> <td>Percent Payment-Private Insurance</td> <td style="text-align: right;">64.2</td> </tr> <tr> <td>Percent Payment-Medicaid</td> <td style="text-align: right;">32.2</td> </tr> <tr> <td>Percent C-Section</td> <td style="text-align: right;">30.1</td> </tr> </tbody> </table> <p>_____</p> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p>¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>	Percent of Low Birth Weight Infants	5.4	Percent of Mothers Receiving Care in 1st Trimester	66.4	Percent of Mothers Who Used Tobacco While Pregnant ¹	17.8	Percent of Births Less Than 37 Wks. of Gestation	9.5	Average Age of Mother	27.4	● Teenage Birth Rate ²	4.9	Percent White Births	77.3	Percent American Indian Births	20.2	Percent Unmarried	34.7	Percent WIC births	37.4	Percent Breastfeeding at discharge	69.6	Percent Payment-Private Insurance	64.2	Percent Payment-Medicaid	32.2	Percent C-Section	30.1	<p style="text-align: center;">Mortality³</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>All Causes</td> <td style="text-align: right;">712.1</td> </tr> <tr> <td>Heart Disease</td> <td style="text-align: right;">141.0</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">167.6</td> </tr> <tr> <td> Trachea, Bronchus, & Lung</td> <td style="text-align: right;">42.4</td> </tr> <tr> <td> Colon, Rectum, & Anus</td> <td style="text-align: right;">26.7</td> </tr> <tr> <td> Female Breast</td> <td style="text-align: right;">17.6</td> </tr> <tr> <td> Pancreas</td> <td style="text-align: right;">15.6</td> </tr> <tr> <td> Prostate</td> <td style="text-align: right;">36.9</td> </tr> <tr> <td> Leukemia</td> <td style="text-align: right;">12.8</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">38.6</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">36.8</td> </tr> <tr> <td>● Cerebrovascular Disease</td> <td style="text-align: right;">21.8</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">66.6</td> </tr> <tr> <td> Motor Vehicle Accidents</td> <td style="text-align: right;">15.8</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">34.4</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">20.6</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">17.0</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">13.55</td> </tr> </tbody> </table> <p style="text-align: center;">Leading Causes of Death</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Leading Causes of Death</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">62</td> </tr> <tr> <td>2. Heart Disease</td> <td style="text-align: right;">61</td> </tr> <tr> <td>3. Accidents</td> <td style="text-align: right;">24</td> </tr> <tr> <td>4. Alzheimer's Disease</td> <td style="text-align: right;">19</td> </tr> <tr> <td>5. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">16</td> </tr> <tr> <td>6. Diabetes</td> <td style="text-align: right;">13</td> </tr> <tr> <td>T7. Cerebrovascular Diseases</td> <td style="text-align: right;">9</td> </tr> <tr> <td>T7. Influenza and Pneumonia</td> <td style="text-align: right;">9</td> </tr> <tr> <td>T7. Pneumonitis Due to Solids and Liquids</td> <td style="text-align: right;">9</td> </tr> </tbody> </table> <p>Percent of Deaths due to tobacco use 18.2 Median age at death 82</p> <p>_____</p> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	All Causes	712.1	Heart Disease	141.0	Malignant Neoplasms (Cancer)	167.6	Trachea, Bronchus, & Lung	42.4	Colon, Rectum, & Anus	26.7	Female Breast	17.6	Pancreas	15.6	Prostate	36.9	Leukemia	12.8	Chronic Lower Respiratory Diseases	38.6	Alzheimer's Disease	36.8	● Cerebrovascular Disease	21.8	Accidents	66.6	Motor Vehicle Accidents	15.8	Diabetes Mellitus	34.4	Influenza & Pneumonia	20.6	Intentional Self-Harm (Suicide)	17.0	Chronic Liver Disease and Cirrhosis	LNE	Infant Mortality	13.55	Leading Causes of Death	Total Deaths	1. Malignant Neoplasms (Cancer)	62	2. Heart Disease	61	3. Accidents	24	4. Alzheimer's Disease	19	5. Chronic Lower Respiratory Diseases	16	6. Diabetes	13	T7. Cerebrovascular Diseases	9	T7. Influenza and Pneumonia	9	T7. Pneumonitis Due to Solids and Liquids	9
Subject	Number	Percent																																																																																																																							
Total population	5,281	100.0																																																																																																																							
White	4,557	86.3																																																																																																																							
Black or African American	23	0.4																																																																																																																							
American Indian & Alaska Native	516	9.8																																																																																																																							
Asian	17	0.3																																																																																																																							
Native Hawaiian & Other Pacific Islander	1	0.0																																																																																																																							
Two or More Races	167	3.2																																																																																																																							
Under 5 years	376	7.1																																																																																																																							
Under 18 years	1,357	25.7																																																																																																																							
65 years and over	923	17.5																																																																																																																							
Percent of Low Birth Weight Infants	5.4																																																																																																																								
Percent of Mothers Receiving Care in 1st Trimester	66.4																																																																																																																								
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.8																																																																																																																								
Percent of Births Less Than 37 Wks. of Gestation	9.5																																																																																																																								
Average Age of Mother	27.4																																																																																																																								
● Teenage Birth Rate ²	4.9																																																																																																																								
Percent White Births	77.3																																																																																																																								
Percent American Indian Births	20.2																																																																																																																								
Percent Unmarried	34.7																																																																																																																								
Percent WIC births	37.4																																																																																																																								
Percent Breastfeeding at discharge	69.6																																																																																																																								
Percent Payment-Private Insurance	64.2																																																																																																																								
Percent Payment-Medicaid	32.2																																																																																																																								
Percent C-Section	30.1																																																																																																																								
All Causes	712.1																																																																																																																								
Heart Disease	141.0																																																																																																																								
Malignant Neoplasms (Cancer)	167.6																																																																																																																								
Trachea, Bronchus, & Lung	42.4																																																																																																																								
Colon, Rectum, & Anus	26.7																																																																																																																								
Female Breast	17.6																																																																																																																								
Pancreas	15.6																																																																																																																								
Prostate	36.9																																																																																																																								
Leukemia	12.8																																																																																																																								
Chronic Lower Respiratory Diseases	38.6																																																																																																																								
Alzheimer's Disease	36.8																																																																																																																								
● Cerebrovascular Disease	21.8																																																																																																																								
Accidents	66.6																																																																																																																								
Motor Vehicle Accidents	15.8																																																																																																																								
Diabetes Mellitus	34.4																																																																																																																								
Influenza & Pneumonia	20.6																																																																																																																								
Intentional Self-Harm (Suicide)	17.0																																																																																																																								
Chronic Liver Disease and Cirrhosis	LNE																																																																																																																								
Infant Mortality	13.55																																																																																																																								
Leading Causes of Death	Total Deaths																																																																																																																								
1. Malignant Neoplasms (Cancer)	62																																																																																																																								
2. Heart Disease	61																																																																																																																								
3. Accidents	24																																																																																																																								
4. Alzheimer's Disease	19																																																																																																																								
5. Chronic Lower Respiratory Diseases	16																																																																																																																								
6. Diabetes	13																																																																																																																								
T7. Cerebrovascular Diseases	9																																																																																																																								
T7. Influenza and Pneumonia	9																																																																																																																								
T7. Pneumonitis Due to Solids and Liquids	9																																																																																																																								


Buffalo County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																		
 <p>Buffalo County is located in the central portion of the state and averages 4.1 persons per square mile.</p> <p style="text-align: center;">2015 Population Information</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">2,095</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">381</td> <td style="text-align: right;">18.2</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">11</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">1,655</td> <td style="text-align: right;">79.0</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">2</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">0</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">46</td> <td style="text-align: right;">2.2</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">279</td> <td style="text-align: right;">13.3</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">824</td> <td style="text-align: right;">39.3</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">161</td> <td style="text-align: right;">7.7</td> </tr> </tbody> </table>	Subject	Number	Percent	Total population	2,095	100.0	White	381	18.2	Black or African American	11	0.5	American Indian & Alaska Native	1,655	79.0	Asian	2	0.1	Native Hawaiian & Other Pacific Islander	0	0.0	Two or More Races	46	2.2	Under 5 years	279	13.3	Under 18 years	824	39.3	65 years and over	161	7.7	<p style="text-align: center;">Nativity</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">8.2</td> </tr> <tr> <td>● Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">32.9</td> </tr> <tr> <td>○ Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">33.1</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">9.4</td> </tr> <tr> <td>● Average Age of Mother</td> <td style="text-align: right;">26.0</td> </tr> <tr> <td>○ Teenage Birth Rate²</td> <td style="text-align: right;">66.7</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">16.7</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">80.2</td> </tr> <tr> <td>○ Percent Unmarried</td> <td style="text-align: right;">72.8</td> </tr> <tr> <td>○ Percent WIC births</td> <td style="text-align: right;">69.0</td> </tr> <tr> <td>● Percent Breastfeeding at discharge</td> <td style="text-align: right;">42.9</td> </tr> <tr> <td>● Percent Payment-Private Insurance</td> <td style="text-align: right;">17.9</td> </tr> <tr> <td>○ Percent Payment-Medicaid</td> <td style="text-align: right;">72.4</td> </tr> <tr> <td>Percent C-Section</td> <td style="text-align: right;">25.7</td> </tr> </tbody> </table>	Percent of Low Birth Weight Infants	8.2	● Percent of Mothers Receiving Care in 1st Trimester	32.9	○ Percent of Mothers Who Used Tobacco While Pregnant ¹	33.1	Percent of Births Less Than 37 Wks. of Gestation	9.4	● Average Age of Mother	26.0	○ Teenage Birth Rate ²	66.7	Percent White Births	16.7	Percent American Indian Births	80.2	○ Percent Unmarried	72.8	○ Percent WIC births	69.0	● Percent Breastfeeding at discharge	42.9	● Percent Payment-Private Insurance	17.9	○ Percent Payment-Medicaid	72.4	Percent C-Section	25.7	<p style="text-align: center;">Mortality³</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>○ All Causes</td> <td style="text-align: right;">1,323.7</td> </tr> <tr> <td>Heart Disease</td> <td style="text-align: right;">158.1</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">272.4</td> </tr> <tr> <td>Trachea, Bronchus, & Lung</td> <td style="text-align: right;">118.9</td> </tr> <tr> <td>Colon, Rectum, & Anus</td> <td style="text-align: right;">65.8</td> </tr> <tr> <td>Female Breast</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Pancreas</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Prostate</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Leukemia</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">60.7</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">60.7</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">102.1</td> </tr> <tr> <td>Motor Vehicle Accidents</td> <td style="text-align: right;">31.2</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">55.6</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>○ Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">138.4</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">19.46</td> </tr> </tbody> </table> <p style="text-align: center;">Leading Causes of Death</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Cause</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">15</td> </tr> <tr> <td>T2. Heart Disease</td> <td style="text-align: right;">11</td> </tr> <tr> <td>T2. Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">11</td> </tr> <tr> <td>4. Accidents</td> <td style="text-align: right;">10</td> </tr> <tr> <td>Percent of Deaths due to tobacco use</td> <td style="text-align: right;">20.0</td> </tr> <tr> <td>Median age at death</td> <td style="text-align: right;">59</td> </tr> </tbody> </table>	○ All Causes	1,323.7	Heart Disease	158.1	Malignant Neoplasms (Cancer)	272.4	Trachea, Bronchus, & Lung	118.9	Colon, Rectum, & Anus	65.8	Female Breast	LNE	Pancreas	LNE	Prostate	LNE	Leukemia	LNE	Chronic Lower Respiratory Diseases	LNE	Alzheimer's Disease	60.7	Cerebrovascular Disease	60.7	Accidents	102.1	Motor Vehicle Accidents	31.2	Diabetes Mellitus	55.6	Influenza & Pneumonia	LNE	Intentional Self-Harm (Suicide)	LNE	○ Chronic Liver Disease and Cirrhosis	138.4	Infant Mortality	19.46	Cause	Total Deaths	1. Malignant Neoplasms (Cancer)	15	T2. Heart Disease	11	T2. Chronic Liver Disease and Cirrhosis	11	4. Accidents	10	Percent of Deaths due to tobacco use	20.0	Median age at death	59
Subject	Number	Percent																																																																																																																	
Total population	2,095	100.0																																																																																																																	
White	381	18.2																																																																																																																	
Black or African American	11	0.5																																																																																																																	
American Indian & Alaska Native	1,655	79.0																																																																																																																	
Asian	2	0.1																																																																																																																	
Native Hawaiian & Other Pacific Islander	0	0.0																																																																																																																	
Two or More Races	46	2.2																																																																																																																	
Under 5 years	279	13.3																																																																																																																	
Under 18 years	824	39.3																																																																																																																	
65 years and over	161	7.7																																																																																																																	
Percent of Low Birth Weight Infants	8.2																																																																																																																		
● Percent of Mothers Receiving Care in 1st Trimester	32.9																																																																																																																		
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	33.1																																																																																																																		
Percent of Births Less Than 37 Wks. of Gestation	9.4																																																																																																																		
● Average Age of Mother	26.0																																																																																																																		
○ Teenage Birth Rate ²	66.7																																																																																																																		
Percent White Births	16.7																																																																																																																		
Percent American Indian Births	80.2																																																																																																																		
○ Percent Unmarried	72.8																																																																																																																		
○ Percent WIC births	69.0																																																																																																																		
● Percent Breastfeeding at discharge	42.9																																																																																																																		
● Percent Payment-Private Insurance	17.9																																																																																																																		
○ Percent Payment-Medicaid	72.4																																																																																																																		
Percent C-Section	25.7																																																																																																																		
○ All Causes	1,323.7																																																																																																																		
Heart Disease	158.1																																																																																																																		
Malignant Neoplasms (Cancer)	272.4																																																																																																																		
Trachea, Bronchus, & Lung	118.9																																																																																																																		
Colon, Rectum, & Anus	65.8																																																																																																																		
Female Breast	LNE																																																																																																																		
Pancreas	LNE																																																																																																																		
Prostate	LNE																																																																																																																		
Leukemia	LNE																																																																																																																		
Chronic Lower Respiratory Diseases	LNE																																																																																																																		
Alzheimer's Disease	60.7																																																																																																																		
Cerebrovascular Disease	60.7																																																																																																																		
Accidents	102.1																																																																																																																		
Motor Vehicle Accidents	31.2																																																																																																																		
Diabetes Mellitus	55.6																																																																																																																		
Influenza & Pneumonia	LNE																																																																																																																		
Intentional Self-Harm (Suicide)	LNE																																																																																																																		
○ Chronic Liver Disease and Cirrhosis	138.4																																																																																																																		
Infant Mortality	19.46																																																																																																																		
Cause	Total Deaths																																																																																																																		
1. Malignant Neoplasms (Cancer)	15																																																																																																																		
T2. Heart Disease	11																																																																																																																		
T2. Chronic Liver Disease and Cirrhosis	11																																																																																																																		
4. Accidents	10																																																																																																																		
Percent of Deaths due to tobacco use	20.0																																																																																																																		
Median age at death	59																																																																																																																		
<p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p>¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>																																																																																																																			
<p>Source: United States Census Bureau, 2015 Population Estimates</p>																																																																																																																			


Butte County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																										
 <p>Butte County is located on the western border of the state and averages 4.5 people per square mile.</p> <p style="text-align: center;">2015 Population Information</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">10,283</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">9,713</td> <td style="text-align: right;">94.5</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">64</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">205</td> <td style="text-align: right;">2.0</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">39</td> <td style="text-align: right;">0.4</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">10</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">252</td> <td style="text-align: right;">2.5</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">665</td> <td style="text-align: right;">6.5</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">2,530</td> <td style="text-align: right;">24.6</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">1,941</td> <td style="text-align: right;">18.9</td> </tr> </tbody> </table>	Subject	Number	Percent	Total population	10,283	100.0	White	9,713	94.5	Black or African American	64	0.6	American Indian & Alaska Native	205	2.0	Asian	39	0.4	Native Hawaiian & Other Pacific Islander	10	0.1	Two or More Races	252	2.5	Under 5 years	665	6.5	Under 18 years	2,530	24.6	65 years and over	1,941	18.9	<p style="text-align: center;">Nativity</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">7.0</td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">78.1</td> </tr> <tr> <td>○ Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">23.2</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">10.0</td> </tr> <tr> <td>● Average Age of Mother</td> <td style="text-align: right;">27.0</td> </tr> <tr> <td>Teenage Birth Rate²</td> <td style="text-align: right;">10.1</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">94.1</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">2.1</td> </tr> <tr> <td>Percent Unmarried</td> <td style="text-align: right;">35.5</td> </tr> <tr> <td>○ Percent WIC births</td> <td style="text-align: right;">47.4</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">82.7</td> </tr> <tr> <td>Percent Payment-Private Insurance</td> <td style="text-align: right;">53.0</td> </tr> <tr> <td>○ Percent Payment-Medicaid</td> <td style="text-align: right;">40.7</td> </tr> <tr> <td>Percent C-Section</td> <td style="text-align: right;">23.6</td> </tr> </tbody> </table> <p style="text-align: center;">Mortality³</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>All Causes</td> <td style="text-align: right;">768.7</td> </tr> <tr> <td>○ Heart Disease</td> <td style="text-align: right;">205.5</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">172.5</td> </tr> <tr> <td>Trachea, Bronchus, & Lung</td> <td style="text-align: right;">54.6</td> </tr> <tr> <td>Colon, Rectum, & Anus</td> <td style="text-align: right;">15.8</td> </tr> <tr> <td>Female Breast</td> <td style="text-align: right;">18.2</td> </tr> <tr> <td>Pancreas</td> <td style="text-align: right;">8.0</td> </tr> <tr> <td>Prostate</td> <td style="text-align: right;">26.7</td> </tr> <tr> <td>Leukemia</td> <td style="text-align: right;">3.9</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">51.4</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">34.6</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">35.2</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">55.6</td> </tr> <tr> <td>Motor Vehicle Accidents</td> <td style="text-align: right;">23.2</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">16.6</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">16.2</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">20.7</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">17.4</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">6.34</td> </tr> </tbody> </table> <p style="text-align: center;">Leading Causes of Death</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Leading Causes of Death</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Heart Disease</td> <td style="text-align: right;">153</td> </tr> <tr> <td>2. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">123</td> </tr> <tr> <td>3. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">36</td> </tr> <tr> <td>4. Accidents</td> <td style="text-align: right;">31</td> </tr> <tr> <td>5. Alzheimer's Disease</td> <td style="text-align: right;">26</td> </tr> <tr> <td>6. Cerebrovascular Diseases</td> <td style="text-align: right;">25</td> </tr> <tr> <td>7. Diabetes</td> <td style="text-align: right;">13</td> </tr> <tr> <td>8. Influenza and Pneumonia</td> <td style="text-align: right;">12</td> </tr> <tr> <td>9. Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">11</td> </tr> <tr> <td>10. Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">10</td> </tr> </tbody> </table> <p>Percent of Deaths due to tobacco use: 19.8 Median age at death: 79</p> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p>¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	Percent of Low Birth Weight Infants	7.0	Percent of Mothers Receiving Care in 1st Trimester	78.1	○ Percent of Mothers Who Used Tobacco While Pregnant ¹	23.2	Percent of Births Less Than 37 Wks. of Gestation	10.0	● Average Age of Mother	27.0	Teenage Birth Rate ²	10.1	Percent White Births	94.1	Percent American Indian Births	2.1	Percent Unmarried	35.5	○ Percent WIC births	47.4	Percent Breastfeeding at discharge	82.7	Percent Payment-Private Insurance	53.0	○ Percent Payment-Medicaid	40.7	Percent C-Section	23.6	All Causes	768.7	○ Heart Disease	205.5	Malignant Neoplasms (Cancer)	172.5	Trachea, Bronchus, & Lung	54.6	Colon, Rectum, & Anus	15.8	Female Breast	18.2	Pancreas	8.0	Prostate	26.7	Leukemia	3.9	Chronic Lower Respiratory Diseases	51.4	Alzheimer's Disease	34.6	Cerebrovascular Disease	35.2	Accidents	55.6	Motor Vehicle Accidents	23.2	Diabetes Mellitus	16.6	Influenza & Pneumonia	16.2	Intentional Self-Harm (Suicide)	20.7	Chronic Liver Disease and Cirrhosis	17.4	Infant Mortality	6.34	Leading Causes of Death	Total Deaths	1. Heart Disease	153	2. Malignant Neoplasms (Cancer)	123	3. Chronic Lower Respiratory Diseases	36	4. Accidents	31	5. Alzheimer's Disease	26	6. Cerebrovascular Diseases	25	7. Diabetes	13	8. Influenza and Pneumonia	12	9. Intentional Self-Harm (Suicide)	11	10. Chronic Liver Disease and Cirrhosis	10	
Subject	Number	Percent																																																																																																																									
Total population	10,283	100.0																																																																																																																									
White	9,713	94.5																																																																																																																									
Black or African American	64	0.6																																																																																																																									
American Indian & Alaska Native	205	2.0																																																																																																																									
Asian	39	0.4																																																																																																																									
Native Hawaiian & Other Pacific Islander	10	0.1																																																																																																																									
Two or More Races	252	2.5																																																																																																																									
Under 5 years	665	6.5																																																																																																																									
Under 18 years	2,530	24.6																																																																																																																									
65 years and over	1,941	18.9																																																																																																																									
Percent of Low Birth Weight Infants	7.0																																																																																																																										
Percent of Mothers Receiving Care in 1st Trimester	78.1																																																																																																																										
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	23.2																																																																																																																										
Percent of Births Less Than 37 Wks. of Gestation	10.0																																																																																																																										
● Average Age of Mother	27.0																																																																																																																										
Teenage Birth Rate ²	10.1																																																																																																																										
Percent White Births	94.1																																																																																																																										
Percent American Indian Births	2.1																																																																																																																										
Percent Unmarried	35.5																																																																																																																										
○ Percent WIC births	47.4																																																																																																																										
Percent Breastfeeding at discharge	82.7																																																																																																																										
Percent Payment-Private Insurance	53.0																																																																																																																										
○ Percent Payment-Medicaid	40.7																																																																																																																										
Percent C-Section	23.6																																																																																																																										
All Causes	768.7																																																																																																																										
○ Heart Disease	205.5																																																																																																																										
Malignant Neoplasms (Cancer)	172.5																																																																																																																										
Trachea, Bronchus, & Lung	54.6																																																																																																																										
Colon, Rectum, & Anus	15.8																																																																																																																										
Female Breast	18.2																																																																																																																										
Pancreas	8.0																																																																																																																										
Prostate	26.7																																																																																																																										
Leukemia	3.9																																																																																																																										
Chronic Lower Respiratory Diseases	51.4																																																																																																																										
Alzheimer's Disease	34.6																																																																																																																										
Cerebrovascular Disease	35.2																																																																																																																										
Accidents	55.6																																																																																																																										
Motor Vehicle Accidents	23.2																																																																																																																										
Diabetes Mellitus	16.6																																																																																																																										
Influenza & Pneumonia	16.2																																																																																																																										
Intentional Self-Harm (Suicide)	20.7																																																																																																																										
Chronic Liver Disease and Cirrhosis	17.4																																																																																																																										
Infant Mortality	6.34																																																																																																																										
Leading Causes of Death	Total Deaths																																																																																																																										
1. Heart Disease	153																																																																																																																										
2. Malignant Neoplasms (Cancer)	123																																																																																																																										
3. Chronic Lower Respiratory Diseases	36																																																																																																																										
4. Accidents	31																																																																																																																										
5. Alzheimer's Disease	26																																																																																																																										
6. Cerebrovascular Diseases	25																																																																																																																										
7. Diabetes	13																																																																																																																										
8. Influenza and Pneumonia	12																																																																																																																										
9. Intentional Self-Harm (Suicide)	11																																																																																																																										
10. Chronic Liver Disease and Cirrhosis	10																																																																																																																										

Campbell County


Demographic Information	Health Status Indicators 2011-2015																																																																																																																																																					
<div style="text-align: center;">  </div> <p>Campbell County is located in the north central portion of the state and averages 2.0 persons per square mile.</p> <div style="text-align: center; margin-top: 20px;"> <h3>2015 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">1,397</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td> White</td> <td style="text-align: right;">1,357</td> <td style="text-align: right;">97.1</td> </tr> <tr> <td> Black or African American</td> <td style="text-align: right;">4</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td> American Indian & Alaska Native</td> <td style="text-align: right;">12</td> <td style="text-align: right;">0.9</td> </tr> <tr> <td> Asian</td> <td style="text-align: right;">9</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td> Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">0</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td> Two or More Races</td> <td style="text-align: right;">15</td> <td style="text-align: right;">1.1</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">55</td> <td style="text-align: right;">3.9</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">229</td> <td style="text-align: right;">16.4</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">362</td> <td style="text-align: right;">25.9</td> </tr> </tbody> </table> </div>	Subject	Number	Percent	Total population	1,397	100.0	White	1,357	97.1	Black or African American	4	0.3	American Indian & Alaska Native	12	0.9	Asian	9	0.6	Native Hawaiian & Other Pacific Islander	0	0.0	Two or More Races	15	1.1	Under 5 years	55	3.9	Under 18 years	229	16.4	65 years and over	362	25.9	<div style="text-align: center; margin-bottom: 10px;"> <h3>Natality</h3> </div> <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Percent of Low Birth Weight Infants</td> <td style="width: 10%; text-align: right;">LNE</td> <td style="width: 30%;"></td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">78.9</td> <td></td> </tr> <tr> <td>● Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">5.3</td> <td></td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">7.1</td> <td></td> </tr> <tr> <td>Average Age of Mother</td> <td style="text-align: right;">28.6</td> <td></td> </tr> <tr> <td>Teenage Birth Rate²</td> <td style="text-align: right;">LNE</td> <td></td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">94.4</td> <td></td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">LNE</td> <td></td> </tr> <tr> <td>● Percent Unmarried</td> <td style="text-align: right;">15.8</td> <td></td> </tr> <tr> <td>Percent WIC births</td> <td style="text-align: right;">25.0</td> <td></td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">83.6</td> <td></td> </tr> <tr> <td>Percent Payment-Private Insurance</td> <td style="text-align: right;">75.9</td> <td></td> </tr> <tr> <td>● Percent Payment-Medicaid</td> <td style="text-align: right;">14.8</td> <td></td> </tr> <tr> <td>Percent C-Section</td> <td style="text-align: right;">42.1</td> <td></td> </tr> </table>	Percent of Low Birth Weight Infants	LNE		Percent of Mothers Receiving Care in 1st Trimester	78.9		● Percent of Mothers Who Used Tobacco While Pregnant ¹	5.3		Percent of Births Less Than 37 Wks. of Gestation	7.1		Average Age of Mother	28.6		Teenage Birth Rate ²	LNE		Percent White Births	94.4		Percent American Indian Births	LNE		● Percent Unmarried	15.8		Percent WIC births	25.0		Percent Breastfeeding at discharge	83.6		Percent Payment-Private Insurance	75.9		● Percent Payment-Medicaid	14.8		Percent C-Section	42.1		<div style="text-align: center; margin-bottom: 10px;"> <h3>Mortality³</h3> </div> <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">All Causes</td> <td style="width: 10%;"></td> <td style="width: 30%; text-align: right;">665.1</td> </tr> <tr> <td>Heart Disease</td> <td></td> <td style="text-align: right;">196.5</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td></td> <td style="text-align: right;">128.2</td> </tr> <tr> <td> Trachea, Bronchus, & Lung</td> <td></td> <td style="text-align: right;">32.3</td> </tr> <tr> <td> Colon, Rectum, & Anus</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td> Female Breast</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td> Pancreas</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td> Prostate</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td> Leukemia</td> <td></td> <td style="text-align: right;">22.3</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Alzheimer's Disease</td> <td></td> <td style="text-align: right;">19.1</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td></td> <td style="text-align: right;">46.5</td> </tr> <tr> <td>Accidents</td> <td></td> <td style="text-align: right;">107.2</td> </tr> <tr> <td> Motor Vehicle Accidents</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Diabetes Mellitus</td> <td></td> <td style="text-align: right;">43.2</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td></td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Infant Mortality</td> <td></td> <td style="text-align: right;">LNE</td> </tr> </table> <div style="margin-top: 20px;"> <h3>Leading Causes of Death</h3> <table border="0" style="width: 100%;"> <tr> <td style="width: 80%;"></td> <td style="width: 20%; text-align: right;">Total Deaths</td> </tr> <tr> <td>1. Heart Disease</td> <td style="text-align: right;">22</td> </tr> <tr> <td>2. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">18</td> </tr> <tr> <td>3. Cerebrovascular Diseases</td> <td style="text-align: right;">7</td> </tr> <tr> <td>4. Diabetes</td> <td style="text-align: right;">6</td> </tr> <tr> <td>5. Accidents</td> <td style="text-align: right;">5</td> </tr> </table> </div> <div style="margin-top: 10px;"> <table border="0" style="width: 100%;"> <tr> <td style="width: 80%;">Percent of Deaths due to tobacco use</td> <td style="width: 20%; text-align: right;">20.5</td> </tr> <tr> <td>Median age at death</td> <td style="text-align: right;">80</td> </tr> </table> </div>	All Causes		665.1	Heart Disease		196.5	Malignant Neoplasms (Cancer)		128.2	Trachea, Bronchus, & Lung		32.3	Colon, Rectum, & Anus		LNE	Female Breast		LNE	Pancreas		LNE	Prostate		LNE	Leukemia		22.3	Chronic Lower Respiratory Diseases		LNE	Alzheimer's Disease		19.1	Cerebrovascular Disease		46.5	Accidents		107.2	Motor Vehicle Accidents		LNE	Diabetes Mellitus		43.2	Influenza & Pneumonia		LNE	Intentional Self-Harm (Suicide)		LNE	Chronic Liver Disease and Cirrhosis		LNE	Infant Mortality		LNE		Total Deaths	1. Heart Disease	22	2. Malignant Neoplasms (Cancer)	18	3. Cerebrovascular Diseases	7	4. Diabetes	6	5. Accidents	5	Percent of Deaths due to tobacco use	20.5	Median age at death	80
Subject	Number	Percent																																																																																																																																																				
Total population	1,397	100.0																																																																																																																																																				
White	1,357	97.1																																																																																																																																																				
Black or African American	4	0.3																																																																																																																																																				
American Indian & Alaska Native	12	0.9																																																																																																																																																				
Asian	9	0.6																																																																																																																																																				
Native Hawaiian & Other Pacific Islander	0	0.0																																																																																																																																																				
Two or More Races	15	1.1																																																																																																																																																				
Under 5 years	55	3.9																																																																																																																																																				
Under 18 years	229	16.4																																																																																																																																																				
65 years and over	362	25.9																																																																																																																																																				
Percent of Low Birth Weight Infants	LNE																																																																																																																																																					
Percent of Mothers Receiving Care in 1st Trimester	78.9																																																																																																																																																					
● Percent of Mothers Who Used Tobacco While Pregnant ¹	5.3																																																																																																																																																					
Percent of Births Less Than 37 Wks. of Gestation	7.1																																																																																																																																																					
Average Age of Mother	28.6																																																																																																																																																					
Teenage Birth Rate ²	LNE																																																																																																																																																					
Percent White Births	94.4																																																																																																																																																					
Percent American Indian Births	LNE																																																																																																																																																					
● Percent Unmarried	15.8																																																																																																																																																					
Percent WIC births	25.0																																																																																																																																																					
Percent Breastfeeding at discharge	83.6																																																																																																																																																					
Percent Payment-Private Insurance	75.9																																																																																																																																																					
● Percent Payment-Medicaid	14.8																																																																																																																																																					
Percent C-Section	42.1																																																																																																																																																					
All Causes		665.1																																																																																																																																																				
Heart Disease		196.5																																																																																																																																																				
Malignant Neoplasms (Cancer)		128.2																																																																																																																																																				
Trachea, Bronchus, & Lung		32.3																																																																																																																																																				
Colon, Rectum, & Anus		LNE																																																																																																																																																				
Female Breast		LNE																																																																																																																																																				
Pancreas		LNE																																																																																																																																																				
Prostate		LNE																																																																																																																																																				
Leukemia		22.3																																																																																																																																																				
Chronic Lower Respiratory Diseases		LNE																																																																																																																																																				
Alzheimer's Disease		19.1																																																																																																																																																				
Cerebrovascular Disease		46.5																																																																																																																																																				
Accidents		107.2																																																																																																																																																				
Motor Vehicle Accidents		LNE																																																																																																																																																				
Diabetes Mellitus		43.2																																																																																																																																																				
Influenza & Pneumonia		LNE																																																																																																																																																				
Intentional Self-Harm (Suicide)		LNE																																																																																																																																																				
Chronic Liver Disease and Cirrhosis		LNE																																																																																																																																																				
Infant Mortality		LNE																																																																																																																																																				
	Total Deaths																																																																																																																																																					
1. Heart Disease	22																																																																																																																																																					
2. Malignant Neoplasms (Cancer)	18																																																																																																																																																					
3. Cerebrovascular Diseases	7																																																																																																																																																					
4. Diabetes	6																																																																																																																																																					
5. Accidents	5																																																																																																																																																					
Percent of Deaths due to tobacco use	20.5																																																																																																																																																					
Median age at death	80																																																																																																																																																					
<p>Source: United States Census Bureau, 2015 Population Estimates</p>	<p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>	<p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>																																																																																																																																																				

Charles Mix County

Demographic Information			Health Status Indicators 2011-2015		
 <p>Charles Mix County is located in the south central area of the state and averages 8.3 persons per square mile.</p>			Nativity		
			<ul style="list-style-type: none"> Percent of Low Birth Weight Infants 6.4 ● Percent of Mothers Receiving Care in 1st Trimester 64.5 ○ Percent of Mothers Who Used Tobacco While Pregnant¹ 23.4 Percent of Births Less Than 37 Wks. of Gestation 8.8 ● Average Age of Mother 26.0 ○ Teenage Birth Rate² 23.7 Percent White Births 40.7 Percent American Indian Births 53.3 ○ Percent Unmarried 59.4 ○ Percent WIC births 62.7 ● Percent Breastfeeding at discharge 66.6 ● Percent Payment-Private Insurance 33.0 ○ Percent Payment-Medicaid 57.1 Percent C-Section 28.7 	Mortality³	
2015 Population Information					
Subject	Number	Percent			
Total population	9,383	100.0			
White	5,994	63.9			
Black or African American	36	0.4			
American Indian & Alaska Native	3,049	32.5			
Asian	24	0.3			
Native Hawaiian & Other Pacific Islander	1	0.0			
Two or More Races	279	3.0			
Under 5 years	808	8.6			
Under 18 years	2,785	29.7			
65 years and over	1,679	17.9			
			Leading Causes of Death		
					Total Deaths
			1. Heart Disease		118
			2. Malignant Neoplasms (Cancer)		109
			3. Alzheimer's Disease		46
			4. Accidents		28
			5. Chronic Lower Respiratory Diseases		26
			6. Cerebrovascular Diseases		22
			7. Diabetes		20
			8. Intentional Self-Harm (Suicide)		14
			9. Influenza and Pneumonia		13
			10. Assault (Homicide)		11
			Percent of Deaths due to tobacco use		16.6
			Median age at death		79
			<ul style="list-style-type: none"> ●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. 		
			³ All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.		
			See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics		
Source: United States Census Bureau, 2015 Population Estimates			¹ Data for mothers who used tobacco are self-reported. ² Teenage Birth rate is live births per 1,000 females age 15-17.		

Clark County

Demographic Information



Clark County is located in east central South Dakota and averages 3.9 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	3,659	100.0
White	3,536	96.6
Black or African American	59	1.6
American Indian & Alaska Native	8	0.2
Asian	22	0.6
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	34	0.9
Under 5 years	327	8.9
Under 18 years	895	24.5
65 years and over	750	20.5

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	5.1
Percent of Mothers Receiving Care in 1st Trimester	61.6
● Percent of Mothers Who Used Tobacco While Pregnant ¹	9.9
Percent of Births Less Than 37 Wks. of Gestation	5.5
○ Average Age of Mother	28.8
Teenage Birth Rate ²	LNE
Percent White Births	99.2
Percent American Indian Births	LNE
● Percent Unmarried	16.1
● Percent WIC births	20.4
Percent Breastfeeding at discharge	88.2
○ Percent Payment-Private Insurance	80.6
● Percent Payment-Medicaid	14.7
Percent C-Section	22.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	710.1
Heart Disease	137.3
Malignant Neoplasms (Cancer)	153.1
Trachea, Bronchus, & Lung	38.2
Colon, Rectum, & Anus	13.9
Female Breast	17.6
Pancreas	LNE
Prostate	LNE
Leukemia	13.4
Chronic Lower Respiratory Diseases	39.6
Alzheimer's Disease	31.6
Cerebrovascular Disease	51.7
Accidents	70.7
Motor Vehicle Accidents	18.7
Diabetes Mellitus	28.5
Influenza & Pneumonia	24.7
Intentional Self-Harm (Suicide)	16.7
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	50
2. Heart Disease	49
3. Accidents	20
4. Cerebrovascular Diseases	17
5. Alzheimer's Disease	14
6. Chronic Lower Respiratory Diseases	13
7. Influenza and Pneumonia	9
8. Diabetes	8
T9. Unspecified Dementia	6
T9. Pneumonitis Due to Solids and Liquids	6
Percent of Deaths due to tobacco use	15.1
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Clay County

Demographic Information



Clay County is located in the southeastern part of the state and averages 33.6 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	13,964	100.0
White	12,674	90.8
Black or African American	224	1.6
American Indian & Alaska Native	405	2.9
Asian	364	2.6
Native Hawaiian & Other Pacific Islander	10	0.1
Two or More Races	287	2.1
Under 5 years	789	5.7
Under 18 years	2,445	17.5
65 years and over	1,627	11.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	5.4
○ Percent of Mothers Receiving Care in 1st Trimester	78.6
● Percent of Mothers Who Used Tobacco While Pregnant ¹	9.5
Percent of Births Less Than 37 Wks. of Gestation	7.0
○ Average Age of Mother	28.2
● Teenage Birth Rate ²	5.0
Percent White Births	87.4
Percent American Indian Births	6.0
● Percent Unmarried	27.9
● Percent WIC births	31.4
Percent Breastfeeding at discharge	80.3
○ Percent Payment-Private Insurance	67.3
Percent Payment-Medicaid	29.0
○ Percent C-Section	34.9

●Denotes a health status indicator which is significantly lower than the state average.
 ○Denotes a health status indicator which is significantly higher than the state average.
¹Data for mothers who used tobacco are self-reported.
²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	758.3
○ Heart Disease	246.8
Malignant Neoplasms (Cancer)	162.6
Trachea, Bronchus, & Lung	47.6
Colon, Rectum, & Anus	11.8
Female Breast	17.4
Pancreas	6.4
Prostate	29.0
Leukemia	12.6
Chronic Lower Respiratory Diseases	35.0
● Alzheimer's Disease	20.4
Cerebrovascular Disease	43.7
● Accidents	23.4
Motor Vehicle Accidents	8.9
Diabetes Mellitus	30.3
Influenza & Pneumonia	21.1
Intentional Self-Harm (Suicide)	14.0
Chronic Liver Disease and Cirrhosis	12.2
Infant Mortality	7.93


Leading Causes of Death

	Total Deaths
1. Heart Disease	170
2. Malignant Neoplasms (Cancer)	102
3. Cerebrovascular Diseases	29
4. Chronic Lower Respiratory Diseases	23
5. Diabetes	19
T6. Accidents	15
T6. Alzheimer's Disease	15
8. Influenza and Pneumonia	14
9. Intentional Self-Harm (Suicide)	9
10. Congenital Malformations, Deformations, and Chromosomal Abnormalities	8
Percent of Deaths due to tobacco use	14.8
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.
 ○Denotes a health status indicator which is significantly higher than the state average.
³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.
 See technical notes for more information.
 Source: South Dakota Department of Health, Office of Health Statistics

Codington County

Demographic Information



Codington County is located in eastern South Dakota and averages 39.5 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	27,939	100.0
White	26,374	94.4
Black or African American	211	0.8
American Indian & Alaska Native	685	2.5
Asian	268	1.0
Native Hawaiian & Other Pacific Islander	3	0.0
Two or More Races	398	1.4
Under 5 years	1,978	7.1
Under 18 years	6,862	24.6
65 years and over	4,415	15.8

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	7.1
○ Percent of Mothers Receiving Care in 1st Trimester	78.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	23.1
Percent of Births Less Than 37 Wks. of Gestation	7.6
● Average Age of Mother	27.2
● Teenage Birth Rate ²	8.5
Percent White Births	90.7
Percent American Indian Births	5.0
Percent Unmarried	38.8
Percent WIC births	38.7
Percent Breastfeeding at discharge	76.2
○ Percent Payment-Private Insurance	64.5
Percent Payment-Medicaid	32.3
Percent C-Section	24.0

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	657.3
Heart Disease	141.6
Malignant Neoplasms (Cancer)	172.1
Trachea, Bronchus, & Lung	48.3
Colon, Rectum, & Anus	16.1
Female Breast	21.8
Pancreas	12.5
Prostate	19.2
Leukemia	9.7
Chronic Lower Respiratory Diseases	46.2
Alzheimer's Disease	37.7
Cerebrovascular Disease	31.4
Accidents	37.0
Motor Vehicle Accidents	11.8
Diabetes Mellitus	27.0
Influenza & Pneumonia	14.0
Intentional Self-Harm (Suicide)	14.3
● Chronic Liver Disease and Cirrhosis	3.9
Infant Mortality	4.19

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	301
2. Heart Disease	268
3. Chronic Lower Respiratory Diseases	84
4. Alzheimer's Disease	74
5. Cerebrovascular Diseases	61
6. Accidents	58
7. Diabetes	49
8. Influenza and Pneumonia	26
T9. Intentional Self-Harm (Suicide)	19
T9. Unspecified Dementia	19
Percent of Deaths due to tobacco use	21.2
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Corson County

Demographic Information



Corson County is located in the north central portion of the state and averages 1.6 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	4,197	100.0
White	1,369	32.6
Black or African American	11	0.3
American Indian & Alaska Native	2,654	63.2
Asian	26	0.6
Native Hawaiian & Other Pacific Islander	3	0.1
Two or More Races	134	3.2
Under 5 years	395	9.4
Under 18 years	1,469	35.0
65 years and over	457	10.9

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.4
● Percent of Mothers Receiving Care in 1st Trimester	42.2
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	22.2
○ Percent of Births Less Than 37 Wks. of Gestation	12.3
● Average Age of Mother	25.9
○ Teenage Birth Rate ²	33.9
Percent White Births	18.7
Percent American Indian Births	75.8
○ Percent Unmarried	71.5
○ Percent WIC births	73.5
● Percent Breastfeeding at discharge	56.5
● Percent Payment-Private Insurance	15.2
○ Percent Payment-Medicaid	77.4
Percent C-Section	27.6

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	1,232.9
○ Heart Disease	284.4
Malignant Neoplasms (Cancer)	205.9
Trachea, Bronchus, & Lung	30.8
Colon, Rectum, & Anus	41.5
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	52.3
Alzheimer's Disease	31.9
Cerebrovascular Disease	24.9
○ Accidents	112.8
Motor Vehicle Accidents	32.1
○ Diabetes Mellitus	75.8
Influenza & Pneumonia	19.4
○ Intentional Self-Harm (Suicide)	59.8
○ Chronic Liver Disease and Cirrhosis	53.9
Infant Mortality	11.39

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	51
2. Malignant Neoplasms (Cancer)	39
3. Accidents	23
4. Diabetes	13
5. Intentional Self-Harm (Suicide)	12
6. Chronic Liver Disease and Cirrhosis	11
7. Chronic Lower Respiratory Diseases	9
8. Ill-Defined and Unknown Causes of Mortality	6
T9. Alzheimer's Disease	5
T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	5
T9. Nephritis, Nephrotic Syndrome, and Nephrosis	5
Percent of Deaths due to tobacco use	14.3
Median age at death	63

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Custer County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																														
 <p>Custer County is located in the southern Black Hills and averages 5.3 persons per square mile.</p> <h3 style="text-align: center;">2015 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">8,446</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td> White</td> <td style="text-align: right;">7,873</td> <td style="text-align: right;">93.2</td> </tr> <tr> <td> Black or African American</td> <td style="text-align: right;">47</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td> American Indian & Alaska Native</td> <td style="text-align: right;">305</td> <td style="text-align: right;">3.6</td> </tr> <tr> <td> Asian</td> <td style="text-align: right;">41</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td> Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">4</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td> Two or More Races</td> <td style="text-align: right;">176</td> <td style="text-align: right;">2.1</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">321</td> <td style="text-align: right;">3.8</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">1,380</td> <td style="text-align: right;">16.3</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">2,234</td> <td style="text-align: right;">26.5</td> </tr> </tbody> </table>	Subject	Number	Percent	Total population	8,446	100.0	White	7,873	93.2	Black or African American	47	0.6	American Indian & Alaska Native	305	3.6	Asian	41	0.5	Native Hawaiian & Other Pacific Islander	4	0.0	Two or More Races	176	2.1	Under 5 years	321	3.8	Under 18 years	1,380	16.3	65 years and over	2,234	26.5	<h3 style="text-align: center;">Natality</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">7.9</td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">73.5</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">17.3</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">7.1</td> </tr> <tr> <td>Average Age of Mother</td> <td style="text-align: right;">28.1</td> </tr> <tr> <td>● Teenage Birth Rate²</td> <td style="text-align: right;">6.6</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">86.9</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">8.3</td> </tr> <tr> <td>Percent Unmarried</td> <td style="text-align: right;">33.5</td> </tr> <tr> <td>Percent WIC births</td> <td style="text-align: right;">34.0</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">82.6</td> </tr> <tr> <td>Percent Payment-Private Insurance</td> <td style="text-align: right;">51.5</td> </tr> <tr> <td>Percent Payment-Medicaid</td> <td style="text-align: right;">37.7</td> </tr> <tr> <td>● Percent C-Section</td> <td style="text-align: right;">17.5</td> </tr> </tbody> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p>¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>	Percent of Low Birth Weight Infants	7.9	Percent of Mothers Receiving Care in 1st Trimester	73.5	Percent of Mothers Who Used Tobacco While Pregnant ¹	17.3	Percent of Births Less Than 37 Wks. of Gestation	7.1	Average Age of Mother	28.1	● Teenage Birth Rate ²	6.6	Percent White Births	86.9	Percent American Indian Births	8.3	Percent Unmarried	33.5	Percent WIC births	34.0	Percent Breastfeeding at discharge	82.6	Percent Payment-Private Insurance	51.5	Percent Payment-Medicaid	37.7	● Percent C-Section	17.5	<h3 style="text-align: center;">Mortality³</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>● All Causes</td> <td style="text-align: right;">620.4</td> </tr> <tr> <td>Heart Disease</td> <td style="text-align: right;">126.9</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">134.7</td> </tr> <tr> <td> Trachea, Bronchus, & Lung</td> <td style="text-align: right;">28.8</td> </tr> <tr> <td> Colon, Rectum, & Anus</td> <td style="text-align: right;">15.7</td> </tr> <tr> <td> Female Breast</td> <td style="text-align: right;">19.4</td> </tr> <tr> <td> Pancreas</td> <td style="text-align: right;">6.2</td> </tr> <tr> <td> Prostate</td> <td style="text-align: right;">15.5</td> </tr> <tr> <td> Leukemia</td> <td style="text-align: right;">8.1</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">32.3</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">27.1</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">35.8</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">47.8</td> </tr> <tr> <td> Motor Vehicle Accidents</td> <td style="text-align: right;">24.3</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">17.4</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">17.9</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">14.6</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">10.3</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">LNE</td> </tr> </tbody> </table> <h3 style="text-align: center;">Leading Causes of Death</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Leading Causes of Death</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">100</td> </tr> <tr> <td>2. Heart Disease</td> <td style="text-align: right;">96</td> </tr> <tr> <td>3. Cerebrovascular Diseases</td> <td style="text-align: right;">25</td> </tr> <tr> <td>4. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">23</td> </tr> <tr> <td>5. Accidents</td> <td style="text-align: right;">21</td> </tr> <tr> <td>6. Alzheimer's Disease</td> <td style="text-align: right;">19</td> </tr> <tr> <td>7. Influenza and Pneumonia</td> <td style="text-align: right;">13</td> </tr> <tr> <td>8. Diabetes</td> <td style="text-align: right;">12</td> </tr> <tr> <td>9. Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">9</td> </tr> <tr> <td>10. Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">8</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Deaths due to tobacco use</td> <td style="text-align: right;">16.7</td> </tr> <tr> <td>Median age at death</td> <td style="text-align: right;">78</td> </tr> </tbody> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	● All Causes	620.4	Heart Disease	126.9	Malignant Neoplasms (Cancer)	134.7	Trachea, Bronchus, & Lung	28.8	Colon, Rectum, & Anus	15.7	Female Breast	19.4	Pancreas	6.2	Prostate	15.5	Leukemia	8.1	Chronic Lower Respiratory Diseases	32.3	Alzheimer's Disease	27.1	Cerebrovascular Disease	35.8	Accidents	47.8	Motor Vehicle Accidents	24.3	Diabetes Mellitus	17.4	Influenza & Pneumonia	17.9	Intentional Self-Harm (Suicide)	14.6	Chronic Liver Disease and Cirrhosis	10.3	Infant Mortality	LNE	Leading Causes of Death	Total Deaths	1. Malignant Neoplasms (Cancer)	100	2. Heart Disease	96	3. Cerebrovascular Diseases	25	4. Chronic Lower Respiratory Diseases	23	5. Accidents	21	6. Alzheimer's Disease	19	7. Influenza and Pneumonia	13	8. Diabetes	12	9. Intentional Self-Harm (Suicide)	9	10. Chronic Liver Disease and Cirrhosis	8	Percent of Deaths due to tobacco use	16.7	Median age at death	78
Subject	Number	Percent																																																																																																																													
Total population	8,446	100.0																																																																																																																													
White	7,873	93.2																																																																																																																													
Black or African American	47	0.6																																																																																																																													
American Indian & Alaska Native	305	3.6																																																																																																																													
Asian	41	0.5																																																																																																																													
Native Hawaiian & Other Pacific Islander	4	0.0																																																																																																																													
Two or More Races	176	2.1																																																																																																																													
Under 5 years	321	3.8																																																																																																																													
Under 18 years	1,380	16.3																																																																																																																													
65 years and over	2,234	26.5																																																																																																																													
Percent of Low Birth Weight Infants	7.9																																																																																																																														
Percent of Mothers Receiving Care in 1st Trimester	73.5																																																																																																																														
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.3																																																																																																																														
Percent of Births Less Than 37 Wks. of Gestation	7.1																																																																																																																														
Average Age of Mother	28.1																																																																																																																														
● Teenage Birth Rate ²	6.6																																																																																																																														
Percent White Births	86.9																																																																																																																														
Percent American Indian Births	8.3																																																																																																																														
Percent Unmarried	33.5																																																																																																																														
Percent WIC births	34.0																																																																																																																														
Percent Breastfeeding at discharge	82.6																																																																																																																														
Percent Payment-Private Insurance	51.5																																																																																																																														
Percent Payment-Medicaid	37.7																																																																																																																														
● Percent C-Section	17.5																																																																																																																														
● All Causes	620.4																																																																																																																														
Heart Disease	126.9																																																																																																																														
Malignant Neoplasms (Cancer)	134.7																																																																																																																														
Trachea, Bronchus, & Lung	28.8																																																																																																																														
Colon, Rectum, & Anus	15.7																																																																																																																														
Female Breast	19.4																																																																																																																														
Pancreas	6.2																																																																																																																														
Prostate	15.5																																																																																																																														
Leukemia	8.1																																																																																																																														
Chronic Lower Respiratory Diseases	32.3																																																																																																																														
Alzheimer's Disease	27.1																																																																																																																														
Cerebrovascular Disease	35.8																																																																																																																														
Accidents	47.8																																																																																																																														
Motor Vehicle Accidents	24.3																																																																																																																														
Diabetes Mellitus	17.4																																																																																																																														
Influenza & Pneumonia	17.9																																																																																																																														
Intentional Self-Harm (Suicide)	14.6																																																																																																																														
Chronic Liver Disease and Cirrhosis	10.3																																																																																																																														
Infant Mortality	LNE																																																																																																																														
Leading Causes of Death	Total Deaths																																																																																																																														
1. Malignant Neoplasms (Cancer)	100																																																																																																																														
2. Heart Disease	96																																																																																																																														
3. Cerebrovascular Diseases	25																																																																																																																														
4. Chronic Lower Respiratory Diseases	23																																																																																																																														
5. Accidents	21																																																																																																																														
6. Alzheimer's Disease	19																																																																																																																														
7. Influenza and Pneumonia	13																																																																																																																														
8. Diabetes	12																																																																																																																														
9. Intentional Self-Harm (Suicide)	9																																																																																																																														
10. Chronic Liver Disease and Cirrhosis	8																																																																																																																														
Percent of Deaths due to tobacco use	16.7																																																																																																																														
Median age at death	78																																																																																																																														

Davison County

Demographic Information



Davison County is located in eastern South Dakota and averages 44.8 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	19,858	100.0
White	18,659	94.0
Black or African American	184	0.9
American Indian & Alaska Native	572	2.9
Asian	130	0.7
Native Hawaiian & Other Pacific Islander	22	0.1
Two or More Races	291	1.5
Under 5 years	1,239	6.2
Under 18 years	4,578	23.1
65 years and over	3,510	17.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	5.1
○ Percent of Mothers Receiving Care in 1st Trimester	79.3
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	19.4
Percent of Births Less Than 37 Wks. of Gestation	9.0
● Average Age of Mother	27.0
Teenage Birth Rate ²	11.7
Percent White Births	89.2
Percent American Indian Births	8.0
Percent Unmarried	39.6
Percent WIC births	38.0
● Percent Breastfeeding at discharge	71.8
○ Percent Payment-Private Insurance	65.6
Percent Payment-Medicaid	30.3
○ Percent C-Section	28.9

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	689.7
○ Heart Disease	189.3
Malignant Neoplasms (Cancer)	155.5
Trachea, Bronchus, & Lung	51.6
Colon, Rectum, & Anus	12.6
Female Breast	13.1
Pancreas	10.1
Prostate	9.7
Leukemia	9.4
● Chronic Lower Respiratory Diseases	28.1
Alzheimer's Disease	28.2
Cerebrovascular Disease	40.0
Accidents	42.3
Motor Vehicle Accidents	9.2
Diabetes Mellitus	21.4
○ Influenza & Pneumonia	25.5
Intentional Self-Harm (Suicide)	18.6
● Chronic Liver Disease and Cirrhosis	5.4
Infant Mortality	5.38

Leading Causes of Death

	Total Deaths
1. Heart Disease	293
2. Malignant Neoplasms (Cancer)	221
3. Cerebrovascular Diseases	69
4. Alzheimer's Disease	56
5. Accidents	53
6. Influenza and Pneumonia	48
7. Chronic Lower Respiratory Diseases	45
8. Diabetes	27
9. Unspecified Dementia	24
10. Intentional Self-Harm (Suicide)	16

Percent of Deaths due to tobacco use	17.2
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Day County

Demographic Information



Day County is located in the northeastern part of the state and averages 5.6 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	5,539	100.0
White	4,892	88.3
Black or African American	27	0.5
American Indian & Alaska Native	490	8.8
Asian	27	0.5
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	103	1.9
Under 5 years	298	5.4
Under 18 years	1,184	21.4
65 years and over	1,394	25.2

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.3
Percent of Mothers Receiving Care in 1st Trimester	68.9
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	26.9
Percent of Births Less Than 37 Wks. of Gestation	7.0
Average Age of Mother	27.8
Teenage Birth Rate ²	14.5
Percent White Births	74.0
Percent American Indian Births	19.7
Percent Unmarried	38.4
Percent WIC births	39.2
Percent Breastfeeding at discharge	71.5
Percent Payment-Private Insurance	61.4
Percent Payment-Medicaid	32.6
Percent C-Section	26.9

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	663.8
Heart Disease	174.9
Malignant Neoplasms (Cancer)	126.8
Trachea, Bronchus, & Lung	29.0
Colon, Rectum, & Anus	11.1
Female Breast	29.1
Pancreas	6.6
Prostate	37.0
Leukemia	LNE
Chronic Lower Respiratory Diseases	37.8
Alzheimer's Disease	31.1
Cerebrovascular Disease	41.6
Accidents	55.0
Motor Vehicle Accidents	19.0
Diabetes Mellitus	20.5
Influenza & Pneumonia	14.6
Intentional Self-Harm (Suicide)	10.8
Chronic Liver Disease and Cirrhosis	6.0
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	100
2. Malignant Neoplasms (Cancer)	68
3. Cerebrovascular Diseases	28
T4. Chronic Lower Respiratory Diseases	22
T4. Accidents	22
T4. Alzheimer's Disease	22
7. Diabetes	11
8. Influenza and Pneumonia	9
9. Essential (Primary) Hypertension and Hypertensive Renal Disease	8
10. Parkinson's Disease	7
Percent of Deaths due to tobacco use	15.7
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Deuel County

Demographic Information



Deuel County borders Minnesota and averages 7.0 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	4,333	100.0
White	4,225	97.5
Black or African American	36	0.8
American Indian & Alaska Native	20	0.5
Asian	8	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	44	1.0
Under 5 years	240	5.5
Under 18 years	996	23.0
65 years and over	913	21.1

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

● Percent of Low Birth Weight Infants	1.7
Percent of Mothers Receiving Care in 1st Trimester	81.5
Percent of Mothers Who Used Tobacco While Pregnant ¹	13.2
● Percent of Births Less Than 37 Wks. of Gestation	3.0
Average Age of Mother	27.5
Teenage Birth Rate ²	LNE
Percent White Births	100
Percent American Indian Births	LNE
● Percent Unmarried	21.2
Percent WIC births	30.4
Percent Breastfeeding at discharge	84.7
○ Percent Payment-Private Insurance	73.6
● Percent Payment-Medicaid	18.1
Percent C-Section	19.5

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	582.2
Heart Disease	146.4
● Malignant Neoplasms (Cancer)	112.8
Trachea, Bronchus, & Lung	35.8
Colon, Rectum, & Anus	8.1
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	35.3
● Alzheimer's Disease	18.5
Cerebrovascular Disease	30.3
Accidents	47.2
Motor Vehicle Accidents	14.3
Diabetes Mellitus	14.1
Influenza & Pneumonia	19.9
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	53
2. Malignant Neoplasms (Cancer)	40
3. Accidents	14
4. Chronic Lower Respiratory Diseases	13
5. Cerebrovascular Diseases	12
6. Septicemia	10
7. Influenza and Pneumonia	9
8. Alzheimer's Disease	7
T9. Diabetes	5
T9. Pneumonitis Due to Solids and Liquids	5
Percent of Deaths due to tobacco use	21.0
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Dewey County

Demographic Information	Health Status Indicators 2011-2015																																																								
<div style="text-align: center;">  </div> <p>Dewey County is located in the north central region of the state and averages 2.3 persons per square mile.</p> <h3 style="text-align: center;">2015 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">5,685</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td> White</td> <td style="text-align: right;">1,303</td> <td style="text-align: right;">22.9</td> </tr> <tr> <td> Black or African American</td> <td style="text-align: right;">25</td> <td style="text-align: right;">0.4</td> </tr> <tr> <td> American Indian & Alaska Native</td> <td style="text-align: right;">4,110</td> <td style="text-align: right;">72.3</td> </tr> <tr> <td> Asian</td> <td style="text-align: right;">11</td> <td style="text-align: right;">0.2</td> </tr> <tr> <td> Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">0</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td> Two or More Races</td> <td style="text-align: right;">236</td> <td style="text-align: right;">4.2</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">697</td> <td style="text-align: right;">12.3</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">2,023</td> <td style="text-align: right;">35.6</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">560</td> <td style="text-align: right;">9.9</td> </tr> </tbody> </table>	Subject	Number	Percent	Total population	5,685	100.0	White	1,303	22.9	Black or African American	25	0.4	American Indian & Alaska Native	4,110	72.3	Asian	11	0.2	Native Hawaiian & Other Pacific Islander	0	0.0	Two or More Races	236	4.2	Under 5 years	697	12.3	Under 18 years	2,023	35.6	65 years and over	560	9.9	<h3 style="text-align: center;">Nativity</h3> <ul style="list-style-type: none"> Percent of Low Birth Weight Infants 6.6 ● Percent of Mothers Receiving Care in 1st Trimester 49.1 ○ Percent of Mothers Who Used Tobacco While Pregnant¹ 23.9 Percent of Births Less Than 37 Wks. of Gestation 10.6 ● Average Age of Mother 25.6 ○ Teenage Birth Rate² 47.3 Percent White Births 9.9 Percent American Indian Births 85.9 ○ Percent Unmarried 69.9 ○ Percent WIC births 80.9 ● Percent Breastfeeding at discharge 51.5 ● Percent Payment-Private Insurance 16.0 ○ Percent Payment-Medicaid 72.9 ○ Percent C-Section 33.9 	<h3 style="text-align: center;">Mortality³</h3> <ul style="list-style-type: none"> ○ All Causes 1,371.2 ○ Heart Disease 266.7 Malignant Neoplasms (Cancer) 219.6 <ul style="list-style-type: none"> Trachea, Bronchus, & Lung 65.1 Colon, Rectum, & Anus 21.3 Female Breast 26.1 Pancreas LNE Prostate 32.0 Leukemia 16.5 Chronic Lower Respiratory Diseases 46.6 <ul style="list-style-type: none"> ● Alzheimer's Disease 14.1 Cerebrovascular Disease 33.7 <ul style="list-style-type: none"> ○ Accidents 158.8 <ul style="list-style-type: none"> ○ Motor Vehicle Accidents 83.5 ○ Diabetes Mellitus 100.8 Influenza & Pneumonia 41.3 ○ Intentional Self-Harm (Suicide) 45.5 ○ Chronic Liver Disease and Cirrhosis 107.1 Infant Mortality 13.44 <h3 style="text-align: center;">Leading Causes of Death</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Cause</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr><td>1. Heart Disease</td><td style="text-align: right;">60</td></tr> <tr><td>2. Malignant Neoplasms (Cancer)</td><td style="text-align: right;">50</td></tr> <tr><td>3. Accidents</td><td style="text-align: right;">41</td></tr> <tr><td>4. Chronic Liver Disease and Cirrhosis</td><td style="text-align: right;">25</td></tr> <tr><td>5. Diabetes</td><td style="text-align: right;">22</td></tr> <tr><td>6. Intentional Self-Harm (Suicide)</td><td style="text-align: right;">12</td></tr> <tr><td>7. Chronic Lower Respiratory Diseases</td><td style="text-align: right;">11</td></tr> <tr><td>8. Influenza and Pneumonia</td><td style="text-align: right;">10</td></tr> <tr><td>9. Cerebrovascular Diseases</td><td style="text-align: right;">8</td></tr> <tr><td>10. Liver Disease, Unspecified</td><td style="text-align: right;">7</td></tr> </tbody> </table> <ul style="list-style-type: none"> Percent of Deaths due to tobacco use 15.9 Median age at death 63 <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	Cause	Total Deaths	1. Heart Disease	60	2. Malignant Neoplasms (Cancer)	50	3. Accidents	41	4. Chronic Liver Disease and Cirrhosis	25	5. Diabetes	22	6. Intentional Self-Harm (Suicide)	12	7. Chronic Lower Respiratory Diseases	11	8. Influenza and Pneumonia	10	9. Cerebrovascular Diseases	8	10. Liver Disease, Unspecified	7
Subject	Number	Percent																																																							
Total population	5,685	100.0																																																							
White	1,303	22.9																																																							
Black or African American	25	0.4																																																							
American Indian & Alaska Native	4,110	72.3																																																							
Asian	11	0.2																																																							
Native Hawaiian & Other Pacific Islander	0	0.0																																																							
Two or More Races	236	4.2																																																							
Under 5 years	697	12.3																																																							
Under 18 years	2,023	35.6																																																							
65 years and over	560	9.9																																																							
Cause	Total Deaths																																																								
1. Heart Disease	60																																																								
2. Malignant Neoplasms (Cancer)	50																																																								
3. Accidents	41																																																								
4. Chronic Liver Disease and Cirrhosis	25																																																								
5. Diabetes	22																																																								
6. Intentional Self-Harm (Suicide)	12																																																								
7. Chronic Lower Respiratory Diseases	11																																																								
8. Influenza and Pneumonia	10																																																								
9. Cerebrovascular Diseases	8																																																								
10. Liver Disease, Unspecified	7																																																								
<p>Source: United States Census Bureau, 2015 Population Estimates</p>	<p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>																																																								

Douglas County

Demographic Information



Douglas County is located in south central South Dakota and averages 7.0 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	2,977	100.0
White	2,854	95.9
Black or African American	19	0.6
American Indian & Alaska Native	71	2.4
Asian	7	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	26	0.9
Under 5 years	182	6.1
Under 18 years	691	23.2
65 years and over	744	25.0

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.3
Percent of Mothers Receiving Care in 1st Trimester	70.5
• Percent of Mothers Who Used Tobacco While Pregnant ¹	7.4
Percent of Births Less Than 37 Wks. of Gestation	5.8
Average Age of Mother	27.6
Teenage Birth Rate ²	LNE
Percent White Births	97.9
Percent American Indian Births	LNE
• Percent Unmarried	12.7
• Percent WIC births	22.5
Percent Breastfeeding at discharge	89.8
Percent Payment-Private Insurance	65.9
• Percent Payment-Medicaid	16.8
Percent C-Section	27.0

•Denotes a health status indicator which is significantly lower than the state average.
 ○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	698.2
Heart Disease	144.0
Malignant Neoplasms (Cancer)	177.4
Trachea, Bronchus, & Lung	40.6
Colon, Rectum, & Anus	17.8
Female Breast	45.5
Pancreas	9.0
Prostate	LNE
Leukemia	13.3
Chronic Lower Respiratory Diseases	61.0
Alzheimer's Disease	42.5
Cerebrovascular Disease	33.3
Accidents	47.9
Motor Vehicle Accidents	16.3
Diabetes Mellitus	16.9
Influenza & Pneumonia	12.4
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	28.2
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	51
2. Malignant Neoplasms (Cancer)	50
3. Chronic Lower Respiratory Diseases	20
4. Alzheimer's Disease	18
5. Accidents	14
6. Cerebrovascular Diseases	13
7. Diabetes	7
8. Influenza and Pneumonia	6
9. Essential (Primary) Hypertension and Hypertensive Renal Disease	5
Percent of Deaths due to tobacco use	15.4
Median age at death	85

•Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Edmunds County

Demographic Information	Health Status Indicators 2011-2015																																																								
<div style="text-align: center;">  </div> <p>Edmunds County is located in the north central region of the state and averages 3.6 persons per square mile.</p> <h3 style="text-align: center;">2015 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">3,999</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td> White</td> <td style="text-align: right;">3,899</td> <td style="text-align: right;">97.5</td> </tr> <tr> <td> Black or African American</td> <td style="text-align: right;">14</td> <td style="text-align: right;">0.4</td> </tr> <tr> <td> American Indian & Alaska Native</td> <td style="text-align: right;">31</td> <td style="text-align: right;">0.8</td> </tr> <tr> <td> Asian</td> <td style="text-align: right;">11</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td> Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">0</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td> Two or More Races</td> <td style="text-align: right;">44</td> <td style="text-align: right;">1.1</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">231</td> <td style="text-align: right;">5.8</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">928</td> <td style="text-align: right;">23.2</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">850</td> <td style="text-align: right;">21.3</td> </tr> </tbody> </table> <p>Source: United States Census Bureau, 2015 Population Estimates</p>	Subject	Number	Percent	Total population	3,999	100.0	White	3,899	97.5	Black or African American	14	0.4	American Indian & Alaska Native	31	0.8	Asian	11	0.3	Native Hawaiian & Other Pacific Islander	0	0.0	Two or More Races	44	1.1	Under 5 years	231	5.8	Under 18 years	928	23.2	65 years and over	850	21.3	<h3 style="text-align: center;">Nativity</h3> <ul style="list-style-type: none"> ● Percent of Low Birth Weight Infants 2.5 ○ Percent of Mothers Receiving Care in 1st Trimester 69.5 ● Percent of Mothers Who Used Tobacco While Pregnant¹ 10.0 ● Percent of Births Less Than 37 Wks. of Gestation 4.2 Average Age of Mother 28.1 Teenage Birth Rate² LNE Percent White Births 98.3 Percent American Indian Births 1.3 ● Percent Unmarried 17.1 ● Percent WIC births 20.1 Percent Breastfeeding at discharge 85.7 ○ Percent Payment-Private Insurance 79.9 ● Percent Payment-Medicaid 14.6 Percent C-Section 20.0 	<h3 style="text-align: center;">Mortality³</h3> <ul style="list-style-type: none"> ● All Causes 608.5 Heart Disease 119.1 Malignant Neoplasms (Cancer) 142.3 <ul style="list-style-type: none"> Trachea, Bronchus, & Lung 36.2 Colon, Rectum, & Anus 12.0 Female Breast LNE Pancreas 16.3 Prostate 24.0 Leukemia 8.0 Chronic Lower Respiratory Diseases 32.9 ● Alzheimer's Disease 19.5 Cerebrovascular Disease 24.6 Accidents 41.6 <ul style="list-style-type: none"> Motor Vehicle Accidents 16.8 ○ Diabetes Mellitus 50.2 Influenza & Pneumonia 23.8 Intentional Self-Harm (Suicide) LNE Chronic Liver Disease and Cirrhosis LNE Infant Mortality LNE <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Leading Causes of Death</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">49</td> </tr> <tr> <td>2. Heart Disease</td> <td style="text-align: right;">48</td> </tr> <tr> <td>3. Diabetes</td> <td style="text-align: right;">17</td> </tr> <tr> <td>4. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">14</td> </tr> <tr> <td>T5. Accidents</td> <td style="text-align: right;">11</td> </tr> <tr> <td>T5. Essential (Primary) Hypertension and Hypertensive Renal Disease</td> <td style="text-align: right;">11</td> </tr> <tr> <td>7. Influenza and Pneumonia</td> <td style="text-align: right;">10</td> </tr> <tr> <td>T8. Alzheimer's Disease</td> <td style="text-align: right;">9</td> </tr> <tr> <td>T8. Cerebrovascular Diseases</td> <td style="text-align: right;">9</td> </tr> <tr> <td>10. Unspecified Dementia</td> <td style="text-align: right;">7</td> </tr> </tbody> </table> <ul style="list-style-type: none"> Percent of Deaths due to tobacco use 17.1 Median age at death 85 <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	Leading Causes of Death	Total Deaths	1. Malignant Neoplasms (Cancer)	49	2. Heart Disease	48	3. Diabetes	17	4. Chronic Lower Respiratory Diseases	14	T5. Accidents	11	T5. Essential (Primary) Hypertension and Hypertensive Renal Disease	11	7. Influenza and Pneumonia	10	T8. Alzheimer's Disease	9	T8. Cerebrovascular Diseases	9	10. Unspecified Dementia	7
Subject	Number	Percent																																																							
Total population	3,999	100.0																																																							
White	3,899	97.5																																																							
Black or African American	14	0.4																																																							
American Indian & Alaska Native	31	0.8																																																							
Asian	11	0.3																																																							
Native Hawaiian & Other Pacific Islander	0	0.0																																																							
Two or More Races	44	1.1																																																							
Under 5 years	231	5.8																																																							
Under 18 years	928	23.2																																																							
65 years and over	850	21.3																																																							
Leading Causes of Death	Total Deaths																																																								
1. Malignant Neoplasms (Cancer)	49																																																								
2. Heart Disease	48																																																								
3. Diabetes	17																																																								
4. Chronic Lower Respiratory Diseases	14																																																								
T5. Accidents	11																																																								
T5. Essential (Primary) Hypertension and Hypertensive Renal Disease	11																																																								
7. Influenza and Pneumonia	10																																																								
T8. Alzheimer's Disease	9																																																								
T8. Cerebrovascular Diseases	9																																																								
10. Unspecified Dementia	7																																																								

Fall River County

Demographic Information



Fall River County is located in the southwestern corner of the state and averages 4.1 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	6,867	100.0
White	6,037	87.9
Black or African American	82	1.2
American Indian & Alaska Native	462	6.7
Asian	60	0.9
Native Hawaiian & Other Pacific Islander	4	0.1
Two or More Races	222	3.2
Under 5 years	230	3.3
Under 18 years	1,224	17.8
65 years and over	1,874	27.3

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	7.6
Percent of Mothers Receiving Care in 1st Trimester	67.0
Percent of Mothers Who Used Tobacco While Pregnant ¹	19.6
Percent of Births Less Than 37 Wks. of Gestation	7.3
Average Age of Mother	26.9
Teenage Birth Rate ²	14.1
Percent White Births	79.1
Percent American Indian Births	9.6
Percent Unmarried	42.8
○ Percent WIC births	48.3
Percent Breastfeeding at discharge	79.6
● Percent Payment-Private Insurance	45.2
○ Percent Payment-Medicaid	42.2
● Percent C-Section	15.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	944.9
○ Heart Disease	201.3
Malignant Neoplasms (Cancer)	178.7
Trachea, Bronchus, & Lung	43.8
Colon, Rectum, & Anus	24.4
Female Breast	26.3
Pancreas	8.6
Prostate	20.3
Leukemia	5.6
○ Chronic Lower Respiratory Diseases	93.2
Alzheimer's Disease	28.9
Cerebrovascular Disease	34.5
Accidents	66.4
Motor Vehicle Accidents	17.5
○ Diabetes Mellitus	50.1
Influenza & Pneumonia	18.8
Intentional Self-Harm (Suicide)	22.8
Chronic Liver Disease and Cirrhosis	14.4
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	132
2. Malignant Neoplasms (Cancer)	116
3. Chronic Lower Respiratory Diseases	65
4. Diabetes	30
5. Accidents	29
6. Cerebrovascular Diseases	23
7. Alzheimer's Disease	21
8. Unspecified Dementia	14
T9. Influenza and Pneumonia	11
T9. Septicemia	11
Percent of Deaths due to tobacco use	22.5
Median age at death	80

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Faulk County

Demographic Information



Faulk County is located in north central South Dakota and averages 2.4 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	2,337	100.0
White	2,303	98.5
Black or African American	6	0.3
American Indian & Alaska Native	4	0.2
Asian	3	0.1
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	21	0.9
Under 5 years	150	6.4
Under 18 years	536	22.9
65 years and over	555	23.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	8.7
Percent of Mothers Receiving Care in 1st Trimester	60.4
● Percent of Mothers Who Used Tobacco While Pregnant ¹	2.7
Percent of Births Less Than 37 Wks. of Gestation	6.0
○ Average Age of Mother	29.5
Teenage Birth Rate ²	LNE
Percent White Births	100
Percent American Indian Births	LNE
● Percent Unmarried	6.7
● Percent WIC births	13.4
Percent Breastfeeding at discharge	89.9
○ Percent Payment-Private Insurance	81.9
● Percent Payment-Medicaid	9.4
Percent C-Section	21.5

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	631.8
Heart Disease	129.0
Malignant Neoplasms (Cancer)	170.1
Trachea, Bronchus, & Lung	34.7
Colon, Rectum, & Anus	LNE
Female Breast	34.4
Pancreas	19.5
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	51.8
Alzheimer's Disease	38.9
● Cerebrovascular Disease	17.2
● Accidents	12.9
Motor Vehicle Accidents	LNE
Diabetes Mellitus	42.0
Influenza & Pneumonia	15.6
Intentional Self-Harm (Suicide)	25.6
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

1. Malignant Neoplasms (Cancer)	37
2. Heart Disease	34
3. Alzheimer's Disease	13
4. Chronic Lower Respiratory Diseases	12
5. Diabetes	9
6. Cerebrovascular Diseases	5

Percent of Deaths due to tobacco use	11.8
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Grant County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																												
 <p>Grant County borders Minnesota in northeastern South Dakota and averages 10.8 persons per square mile.</p> <p style="text-align: center;">2015 Population Information</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">7,142</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">6,930</td> <td style="text-align: right;">97.0</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">38</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">54</td> <td style="text-align: right;">0.8</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">32</td> <td style="text-align: right;">0.4</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">4</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">84</td> <td style="text-align: right;">1.2</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">415</td> <td style="text-align: right;">5.8</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">1,592</td> <td style="text-align: right;">22.3</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">1,480</td> <td style="text-align: right;">20.7</td> </tr> </tbody> </table> <p>Source: United States Census Bureau, 2015 Population Estimates</p>	Subject	Number	Percent	Total population	7,142	100.0	White	6,930	97.0	Black or African American	38	0.5	American Indian & Alaska Native	54	0.8	Asian	32	0.4	Native Hawaiian & Other Pacific Islander	4	0.1	Two or More Races	84	1.2	Under 5 years	415	5.8	Under 18 years	1,592	22.3	65 years and over	1,480	20.7	<p style="text-align: center;">Nativity</p> <table border="0" style="width: 100%;"> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">5.2</td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">77.7</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">12.7</td> </tr> <tr> <td>● Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">5.3</td> </tr> <tr> <td>Average Age of Mother</td> <td style="text-align: right;">28.0</td> </tr> <tr> <td>● Teenage Birth Rate²</td> <td style="text-align: right;">6.3</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">95.2</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">1.3</td> </tr> <tr> <td>● Percent Unmarried</td> <td style="text-align: right;">28.5</td> </tr> <tr> <td>Percent WIC births</td> <td style="text-align: right;">35.6</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">81.0</td> </tr> <tr> <td>○ Percent Payment-Private Insurance</td> <td style="text-align: right;">66.8</td> </tr> <tr> <td>● Percent Payment-Medicaid</td> <td style="text-align: right;">21.6</td> </tr> <tr> <td>Percent C-Section</td> <td style="text-align: right;">24.1</td> </tr> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>	Percent of Low Birth Weight Infants	5.2	Percent of Mothers Receiving Care in 1st Trimester	77.7	Percent of Mothers Who Used Tobacco While Pregnant ¹	12.7	● Percent of Births Less Than 37 Wks. of Gestation	5.3	Average Age of Mother	28.0	● Teenage Birth Rate ²	6.3	Percent White Births	95.2	Percent American Indian Births	1.3	● Percent Unmarried	28.5	Percent WIC births	35.6	Percent Breastfeeding at discharge	81.0	○ Percent Payment-Private Insurance	66.8	● Percent Payment-Medicaid	21.6	Percent C-Section	24.1	<p style="text-align: center;">Mortality³</p> <table border="0" style="width: 100%;"> <tr> <td>All Causes</td> <td style="text-align: right;">699.1</td> </tr> <tr> <td>Heart Disease</td> <td style="text-align: right;">145.1</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">140.8</td> </tr> <tr> <td> Trachea, Bronchus, & Lung</td> <td style="text-align: right;">39.0</td> </tr> <tr> <td> Colon, Rectum, & Anus</td> <td style="text-align: right;">10.1</td> </tr> <tr> <td> Female Breast</td> <td style="text-align: right;">10.4</td> </tr> <tr> <td> Pancreas</td> <td style="text-align: right;">12.6</td> </tr> <tr> <td> Prostate</td> <td style="text-align: right;">10.3</td> </tr> <tr> <td> Leukemia</td> <td style="text-align: right;">7.1</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">59.6</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">38.2</td> </tr> <tr> <td> ○ Cerebrovascular Disease</td> <td style="text-align: right;">58.8</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">37.0</td> </tr> <tr> <td> Motor Vehicle Accidents</td> <td style="text-align: right;">16.7</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">33.6</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">21.6</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">15.4</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">LNE</td> </tr> </table> <p style="text-align: center;">Leading Causes of Death</p> <table border="0" style="width: 100%;"> <tr> <td>1. Heart Disease</td> <td style="text-align: right;">92</td> </tr> <tr> <td>2. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">79</td> </tr> <tr> <td>3. Cerebrovascular Diseases</td> <td style="text-align: right;">39</td> </tr> <tr> <td>4. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">36</td> </tr> <tr> <td>5. Alzheimer's Disease</td> <td style="text-align: right;">26</td> </tr> <tr> <td>6. Diabetes</td> <td style="text-align: right;">20</td> </tr> <tr> <td>7. Accidents</td> <td style="text-align: right;">18</td> </tr> <tr> <td>8. Influenza and Pneumonia</td> <td style="text-align: right;">13</td> </tr> <tr> <td>T9. Essential (Primary) Hypertension and Hypertensive Renal Disease</td> <td style="text-align: right;">7</td> </tr> <tr> <td>T9. Parkinson's Disease</td> <td style="text-align: right;">7</td> </tr> </table> <p style="text-align: right;">Total Deaths</p> <table border="0" style="width: 100%;"> <tr> <td>Percent of Deaths due to tobacco use</td> <td style="text-align: right;">17.4</td> </tr> <tr> <td>Median age at death</td> <td style="text-align: right;">82</td> </tr> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	All Causes	699.1	Heart Disease	145.1	Malignant Neoplasms (Cancer)	140.8	Trachea, Bronchus, & Lung	39.0	Colon, Rectum, & Anus	10.1	Female Breast	10.4	Pancreas	12.6	Prostate	10.3	Leukemia	7.1	Chronic Lower Respiratory Diseases	59.6	Alzheimer's Disease	38.2	○ Cerebrovascular Disease	58.8	Accidents	37.0	Motor Vehicle Accidents	16.7	Diabetes Mellitus	33.6	Influenza & Pneumonia	21.6	Intentional Self-Harm (Suicide)	15.4	Chronic Liver Disease and Cirrhosis	LNE	Infant Mortality	LNE	1. Heart Disease	92	2. Malignant Neoplasms (Cancer)	79	3. Cerebrovascular Diseases	39	4. Chronic Lower Respiratory Diseases	36	5. Alzheimer's Disease	26	6. Diabetes	20	7. Accidents	18	8. Influenza and Pneumonia	13	T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	7	T9. Parkinson's Disease	7	Percent of Deaths due to tobacco use	17.4	Median age at death	82
Subject	Number	Percent																																																																																																																											
Total population	7,142	100.0																																																																																																																											
White	6,930	97.0																																																																																																																											
Black or African American	38	0.5																																																																																																																											
American Indian & Alaska Native	54	0.8																																																																																																																											
Asian	32	0.4																																																																																																																											
Native Hawaiian & Other Pacific Islander	4	0.1																																																																																																																											
Two or More Races	84	1.2																																																																																																																											
Under 5 years	415	5.8																																																																																																																											
Under 18 years	1,592	22.3																																																																																																																											
65 years and over	1,480	20.7																																																																																																																											
Percent of Low Birth Weight Infants	5.2																																																																																																																												
Percent of Mothers Receiving Care in 1st Trimester	77.7																																																																																																																												
Percent of Mothers Who Used Tobacco While Pregnant ¹	12.7																																																																																																																												
● Percent of Births Less Than 37 Wks. of Gestation	5.3																																																																																																																												
Average Age of Mother	28.0																																																																																																																												
● Teenage Birth Rate ²	6.3																																																																																																																												
Percent White Births	95.2																																																																																																																												
Percent American Indian Births	1.3																																																																																																																												
● Percent Unmarried	28.5																																																																																																																												
Percent WIC births	35.6																																																																																																																												
Percent Breastfeeding at discharge	81.0																																																																																																																												
○ Percent Payment-Private Insurance	66.8																																																																																																																												
● Percent Payment-Medicaid	21.6																																																																																																																												
Percent C-Section	24.1																																																																																																																												
All Causes	699.1																																																																																																																												
Heart Disease	145.1																																																																																																																												
Malignant Neoplasms (Cancer)	140.8																																																																																																																												
Trachea, Bronchus, & Lung	39.0																																																																																																																												
Colon, Rectum, & Anus	10.1																																																																																																																												
Female Breast	10.4																																																																																																																												
Pancreas	12.6																																																																																																																												
Prostate	10.3																																																																																																																												
Leukemia	7.1																																																																																																																												
Chronic Lower Respiratory Diseases	59.6																																																																																																																												
Alzheimer's Disease	38.2																																																																																																																												
○ Cerebrovascular Disease	58.8																																																																																																																												
Accidents	37.0																																																																																																																												
Motor Vehicle Accidents	16.7																																																																																																																												
Diabetes Mellitus	33.6																																																																																																																												
Influenza & Pneumonia	21.6																																																																																																																												
Intentional Self-Harm (Suicide)	15.4																																																																																																																												
Chronic Liver Disease and Cirrhosis	LNE																																																																																																																												
Infant Mortality	LNE																																																																																																																												
1. Heart Disease	92																																																																																																																												
2. Malignant Neoplasms (Cancer)	79																																																																																																																												
3. Cerebrovascular Diseases	39																																																																																																																												
4. Chronic Lower Respiratory Diseases	36																																																																																																																												
5. Alzheimer's Disease	26																																																																																																																												
6. Diabetes	20																																																																																																																												
7. Accidents	18																																																																																																																												
8. Influenza and Pneumonia	13																																																																																																																												
T9. Essential (Primary) Hypertension and Hypertensive Renal Disease	7																																																																																																																												
T9. Parkinson's Disease	7																																																																																																																												
Percent of Deaths due to tobacco use	17.4																																																																																																																												
Median age at death	82																																																																																																																												

Gregory County

Demographic Information



Gregory County borders the west bank of the Missouri River and the state of Nebraska and averages 4.2 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	4,201	100.0
White	3,698	88.8
Black or African American	11	0.3
American Indian & Alaska Native	348	8.3
Asian	21	0.5
Native Hawaiian & Other Pacific Islander	15	0.4
Two or More Races	108	2.6
Under 5 years	264	6.3
Under 18 years	980	23.3
65 years and over	1,035	24.6

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

● Percent of Low Birth Weight Infants	3.3
Percent of Mothers Receiving Care in 1st Trimester	61.1
Percent of Mothers Who Used Tobacco While Pregnant ¹	12.4
Percent of Births Less Than 37 Wks. of Gestation	6.2
Average Age of Mother	27.6
Teenage Birth Rate ²	22.1
Percent White Births	81.0
Percent American Indian Births	14.0
Percent Unmarried	36.6
○ Percent WIC births	46.7
Percent Breastfeeding at discharge	78.5
Percent Payment-Private Insurance	55.1
Percent Payment-Medicaid	39.5
Percent C-Section	25.5

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	811.9
○ Heart Disease	199.7
Malignant Neoplasms (Cancer)	165.7
Trachea, Bronchus, & Lung	48.0
Colon, Rectum, & Anus	13.4
Female Breast	12.4
Pancreas	16.2
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	64.7
● Alzheimer's Disease	21.7
Cerebrovascular Disease	35.9
○ Accidents	88.6
○ Motor Vehicle Accidents	60.6
Diabetes Mellitus	38.9
● Influenza & Pneumonia	7.6
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	28.0
Infant Mortality	16.46

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	86
2. Malignant Neoplasms (Cancer)	63
3. Chronic Lower Respiratory Diseases	32
4. Accidents	20
5. Diabetes	18
6. Cerebrovascular Diseases	15
7. Alzheimer's Disease	12
8. Disorders of Lipoprotein Metabolism and Other Lipidemias	8
9. Chronic Liver Disease and Cirrhosis	6
10. Influenza and Pneumonia	5
Percent of Deaths due to tobacco use	19.6
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Haakon County

Demographic Information			Health Status Indicators 2011-2015		
 <p>Haakon County is located in the west central region of the state and averages 1.1 persons per square mile.</p>			Nativity		
			<p>Percent of Low Birth Weight Infants 3.8</p> <p>Percent of Mothers Receiving Care in 1st Trimester 70.2</p> <p>Percent of Mothers Who Used Tobacco While Pregnant¹ 13.6</p> <p>● Percent of Births Less Than 37 Wks. of Gestation 3.8</p> <p>Average Age of Mother 28.4</p> <p>Teenage Birth Rate² LNE</p> <p>Percent White Births 94.2</p> <p>Percent American Indian Births LNE</p> <p>● Percent Unmarried 25.0</p> <p>Percent WIC births 28.4</p> <p>Percent Breastfeeding at discharge 83.7</p> <p>○ Percent Payment-Private Insurance 76.9</p> <p>● Percent Payment-Medicaid 16.3</p> <p>Percent C-Section 24.0</p>		
2015 Population Information			Mortality³		
Subject	Number	Percent	<p>All Causes 765.6</p> <p>Heart Disease 159.6</p> <p>Malignant Neoplasms (Cancer) 175.6</p> <p> Trachea, Bronchus, & Lung 34.9</p> <p> Colon, Rectum, & Anus 34.4</p> <p> Female Breast LNE</p> <p> Pancreas LNE</p> <p> Prostate LNE</p> <p> Leukemia LNE</p> <p>Chronic Lower Respiratory Diseases 65.6</p> <p>Alzheimer's Disease LNE</p> <p>Cerebrovascular Disease 46.8</p> <p>● Accidents 19.2</p> <p> Motor Vehicle Accidents LNE</p> <p>Diabetes Mellitus LNE</p> <p>○ Influenza & Pneumonia 60.6</p> <p>Intentional Self-Harm (Suicide) LNE</p> <p>Chronic Liver Disease and Cirrhosis LNE</p> <p>Infant Mortality LNE</p>		
			Leading Causes of Death		
			Total Deaths		
			<p>1. Heart Disease 30</p> <p>2. Malignant Neoplasms (Cancer) 26</p> <p>T3. Chronic Lower Respiratory Diseases 13</p> <p>T3. Influenza and Pneumonia 13</p> <p>5. Cerebrovascular Diseases 12</p> <p>6. Pneumonitis Due to Solids and Liquids 6</p> <p>Percent of Deaths due to tobacco use 14.3</p> <p>Median age at death 85</p>		
<p>●Denotes a health status indicator which is significantly lower than the state average.</p> <p>○Denotes a health status indicator which is significantly higher than the state average.</p> <p>¹Data for mothers who used tobacco are self-reported.</p> <p>²Teenage Birth rate is live births per 1,000 females age 15-17.</p>			<p>●Denotes a health status indicator which is significantly lower than the state average.</p> <p>○Denotes a health status indicator which is significantly higher than the state average.</p> <p>³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information.</p> <p>Source: South Dakota Department of Health, Office of Health Statistics</p>		
<p>Source: United States Census Bureau, 2015 Population Estimates</p>					

Hamlin County

Demographic Information



Hamlin County is located in the northeastern region of the state and averages 11.6 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	6,047	100.0
White	5,918	97.9
Black or African American	27	0.4
American Indian & Alaska Native	32	0.5
Asian	20	0.3
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	49	0.8
Under 5 years	586	9.7
Under 18 years	1,893	31.3
65 years and over	1,048	17.3

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

● Percent of Low Birth Weight Infants	4.4
Percent of Mothers Receiving Care in 1st Trimester	72.5
Percent of Mothers Who Used Tobacco While Pregnant ¹	13.7
● Percent of Births Less Than 37 Wks. of Gestation	5.4
Average Age of Mother	27.5
Teenage Birth Rate ²	9.7
Percent White Births	99.0
Percent American Indian Births	LNE
● Percent Unmarried	13.6
Percent WIC births	38.5
○ Percent Breastfeeding at discharge	87.4
○ Percent Payment-Private Insurance	74.3
● Percent Payment-Medicaid	20.5
● Percent C-Section	17.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	763.3
Heart Disease	151.0
Malignant Neoplasms (Cancer)	139.1
Trachea, Bronchus, & Lung	37.4
Colon, Rectum, & Anus	10.1
Female Breast	9.7
Pancreas	15.4
Prostate	38.3
Leukemia	8.3
Chronic Lower Respiratory Diseases	43.3
○ Alzheimer's Disease	100.9
Cerebrovascular Disease	42.4
Accidents	57.9
Motor Vehicle Accidents	22.1
Diabetes Mellitus	22.8
Influenza & Pneumonia	20.6
Intentional Self-Harm (Suicide)	15.5
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	5.03

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	67
2. Malignant Neoplasms (Cancer)	58
3. Alzheimer's Disease	52
T4. Chronic Lower Respiratory Diseases	20
T4. Accidents	20
T4. Cerebrovascular Diseases	20
7. Vascular Dementia	12
T8. Diabetes	10
T8. Influenza and Pneumonia	10
10. Essential (Primary) Hypertension and Hypertensive Renal Disease	7
Percent of Deaths due to tobacco use	14.9
Median age at death	85

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hand County

Demographic Information



Hand County is located in central South Dakota and averages 2.4 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	3,348	100.0
White	3,287	98.2
Black or African American	4	0.1
American Indian & Alaska Native	15	0.4
Asian	12	0.4
Native Hawaiian & Other Pacific Islander	3	0.1
Two or More Races	27	0.8
Under 5 years	196	5.9
Under 18 years	714	21.3
65 years and over	832	24.9

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	5.4
Percent of Mothers Receiving Care in 1st Trimester	60.0
● Percent of Mothers Who Used Tobacco While Pregnant ¹	8.3
Percent of Births Less Than 37 Wks. of Gestation	8.3
Average Age of Mother	28.1
Teenage Birth Rate ²	9.1
Percent White Births	98.2
Percent American Indian Births	LNE
● Percent Unmarried	19.6
● Percent WIC births	23.8
Percent Breastfeeding at discharge	82.6
○ Percent Payment-Private Insurance	78.6
● Percent Payment-Medicaid	17.9
Percent C-Section	33.9

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	597.9
● Heart Disease	108.4
Malignant Neoplasms (Cancer)	138.9
● Trachea, Bronchus, & Lung	21.8
Colon, Rectum, & Anus	16.8
Female Breast	LNE
Pancreas	20.8
Prostate	13.7
Leukemia	9.0
Chronic Lower Respiratory Diseases	64.3
● Alzheimer's Disease	17.9
Cerebrovascular Disease	45.4
Accidents	36.4
● Motor Vehicle Accidents	6.8
Diabetes Mellitus	30.2
● Influenza & Pneumonia	6.2
Intentional Self-Harm (Suicide)	24.0
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	46
2. Heart Disease	44
3. Chronic Lower Respiratory Diseases	23
4. Cerebrovascular Diseases	21
T5. Diabetes	11
T5. Atherosclerosis	11
7. Accidents	10
8. Alzheimer's Disease	8
9. Essential (Primary) Hypertension and Hypertensive Renal Disease	5
Percent of Deaths due to tobacco use	22.8
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Hanson County

Demographic Information			Health Status Indicators 2011-2015		
 <p>Hanson County is located in southeastern South Dakota and averages 7.7 people per square mile.</p>			Nativity		
			<ul style="list-style-type: none"> Percent of Low Birth Weight Infants 6.4 Percent of Mothers Receiving Care in 1st Trimester 61.9 ● Percent of Mothers Who Used Tobacco While Pregnant¹ 6.4 Percent of Births Less Than 37 Wks. of Gestation 6.8 ○ Average Age of Mother 29.7 Teenage Birth Rate² 7.0 Percent White Births 99.6 Percent American Indian Births LNE ● Percent Unmarried 13.6 ● Percent WIC births 15.9 Percent Breastfeeding at discharge 83.9 ○ Percent Payment-Private Insurance 81.8 ● Percent Payment-Medicaid 7.6 Percent C-Section 25.0 	Mortality³	
2015 Population Information					
Subject	Number	Percent			
Total population	3,385	100.0			
White	3,330	98.4			
Black or African American	7	0.2			
American Indian & Alaska Native	12	0.4			
Asian	14	0.4			
Native Hawaiian & Other Pacific Islander	1	0.0			
Two or More Races	21	0.6			
Under 5 years	326	9.6			
Under 18 years	1,111	32.8			
65 years and over	470	13.9			
			Leading Causes of Death		
					Total Deaths
			1. Malignant Neoplasms (Cancer)		30
			2. Heart Disease		26
			3. Accidents		7
			T4. Alzheimer's Disease		5
			T4. Cerebrovascular Diseases		5
			T4. Certain Conditions Originating in the Perinatal Period		5
			Percent of Deaths due to tobacco use		14.5
			Median age at death		73
			<p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p>		
<p>Source: United States Census Bureau, 2015 Population Estimates</p>			<p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>		

Harding County

Demographic Information



Harding County is located in the northwestern corner of the state and averages 0.5 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	1,267	100.0
White	1,206	95.2
Black or African American	10	0.8
American Indian & Alaska Native	23	1.8
Asian	3	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	25	2.0
Under 5 years	103	8.1
Under 18 years	288	22.7
65 years and over	204	16.1

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	4.9
Percent of Mothers Receiving Care in 1st Trimester	70.4
● Percent of Mothers Who Used Tobacco While Pregnant ¹	6.2
Percent of Births Less Than 37 Wks. of Gestation	LNE
Average Age of Mother	28.5
Teenage Birth Rate ²	LNE
Percent White Births	91.4
Percent American Indian Births	LNE
● Percent Unmarried	15.0
● Percent WIC births	9.9
Percent Breastfeeding at discharge	94.9
○ Percent Payment-Private Insurance	81.0
● Percent Payment-Medicaid	11.4
● Percent C-Section	16.0

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	452.3
Heart Disease	102.9
● Malignant Neoplasms (Cancer)	65.5
Trachea, Bronchus, & Lung	LNE
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	LNE
Alzheimer's Disease	LNE
Cerebrovascular Disease	65.6
Accidents	47.8
Motor Vehicle Accidents	LNE
Diabetes Mellitus	50.3
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	8
2. Malignant Neoplasms (Cancer)	6
3. Cerebrovascular Diseases	5
Percent of Deaths due to tobacco use	13.9
Median age at death	75

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hughes County

Demographic Information



Hughes County is located in the center of the state and averages 23.0 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	17,555	100.0
White	14,895	84.8
Black or African American	147	0.8
American Indian & Alaska Native	1,963	11.2
Asian	115	0.7
Native Hawaiian & Other Pacific Islander	3	0.0
Two or More Races	432	2.5
Under 5 years	1,243	7.1
Under 18 years	4,206	24.0
65 years and over	2,734	15.6

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	5.5
● Percent of Mothers Receiving Care in 1st Trimester	56.0
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	18.8
Percent of Births Less Than 37 Wks. of Gestation	8.0
Average Age of Mother	27.6
● Teenage Birth Rate ²	7.2
Percent White Births	75.7
Percent American Indian Births	18.8
Percent Unmarried	40.6
Percent WIC births	36.0
Percent Breastfeeding at discharge	77.3
Percent Payment-Private Insurance	59.1
Percent Payment-Medicaid	36.4
○ Percent C-Section	32.4

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	647.3
● Heart Disease	123.0
Malignant Neoplasms (Cancer)	160.9
Trachea, Bronchus, & Lung	34.3
Colon, Rectum, & Anus	26.5
Female Breast	19.8
Pancreas	14.8
Prostate	9.9
Leukemia	5.8
Chronic Lower Respiratory Diseases	52.2
Alzheimer's Disease	30.8
○ Cerebrovascular Disease	54.6
● Accidents	33.6
● Motor Vehicle Accidents	7.0
Diabetes Mellitus	28.0
Influenza & Pneumonia	18.2
Intentional Self-Harm (Suicide)	16.6
Chronic Liver Disease and Cirrhosis	11.3
Infant Mortality	9.17

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	169
2. Heart Disease	137
3. Cerebrovascular Diseases	61
4. Chronic Lower Respiratory Diseases	54
T5. Accidents	35
T5. Alzheimer's Disease	35
7. Diabetes	31
8. Influenza and Pneumonia	21
9. Intentional Self-Harm (Suicide)	15
10. Chronic Liver Disease and Cirrhosis	12
Percent of Deaths due to tobacco use	17.6
Median age at death	80

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hutchinson County

Demographic Information



Hutchinson County is located in the southeastern region of the state and averages 9.0 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	7,301	100.0
White	7,064	96.8
Black or African American	68	0.9
American Indian & Alaska Native	91	1.2
Asian	18	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	60	0.8
Under 5 years	538	7.4
Under 18 years	1,752	24.0
65 years and over	1,708	23.4

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	4.3
Percent of Mothers Receiving Care in 1st Trimester	66.0
● Percent of Mothers Who Used Tobacco While Pregnant ¹	8.1
Percent of Births Less Than 37 Wks. of Gestation	7.7
○ Average Age of Mother	28.5
● Teenage Birth Rate ²	6.9
Percent White Births	98.5
Percent American Indian Births	LNE
● Percent Unmarried	18.9
● Percent WIC births	19.2
Percent Breastfeeding at discharge	83.8
○ Percent Payment-Private Insurance	79.1
● Percent Payment-Medicaid	15.1
Percent C-Section	24.0

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	687.3
Heart Disease	148.6
Malignant Neoplasms (Cancer)	132.0
● Trachea, Bronchus, & Lung	24.9
Colon, Rectum, & Anus	12.9
Female Breast	22.3
Pancreas	6.4
Prostate	25.8
Leukemia	6.3
Chronic Lower Respiratory Diseases	37.7
Alzheimer's Disease	33.1
Cerebrovascular Disease	51.8
Accidents	60.7
Motor Vehicle Accidents	24.9
● Diabetes Mellitus	13.9
Influenza & Pneumonia	23.9
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	6.16

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	142
2. Malignant Neoplasms (Cancer)	91
3. Cerebrovascular Diseases	48
4. Alzheimer's Disease	39
5. Accidents	31
6. Chronic Lower Respiratory Diseases	27
7. Influenza and Pneumonia	22
T8. Diabetes	12
T8. Pneumonitis Due to Solids and Liquids	12
10. Essential (Primary) Hypertension and Hypertensive Renal Disease	11

Percent of Deaths due to tobacco use	10.4
Median age at death	86

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Hyde County

Demographic Information



Hyde County is located in the central region of the state and averages 1.7 people per square mile.

2015 Population Information

Subject	Number	Percent
Total population	1,397	100.0
White	1,234	88.3
Black or African American	5	0.4
American Indian & Alaska Native	125	8.9
Asian	4	0.3
Native Hawaiian & Other Pacific Islander	1	0.1
Two or More Races	28	2.0
Under 5 years	80	5.7
Under 18 years	304	21.8
65 years and over	341	24.4

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	LNE
Percent of Mothers Receiving Care in 1st Trimester	66.2
Percent of Mothers Who Used Tobacco While Pregnant ¹	12.5
Percent of Births Less Than 37 Wks. of Gestation	12.5
Average Age of Mother	27.0
Teenage Birth Rate ²	LNE
Percent White Births	86.1
Percent American Indian Births	11.1
Percent Unmarried	30.6
Percent WIC births	35.2
Percent Breastfeeding at discharge	78.9
Percent Payment-Private Insurance	69.4
Percent Payment-Medicaid	27.8
Percent C-Section	22.2

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	664.5
○ Heart Disease	287.2
● Malignant Neoplasms (Cancer)	84.1
Trachea, Bronchus, & Lung	24.1
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	LNE
Alzheimer's Disease	29.0
Cerebrovascular Disease	65.4
Accidents	31.4
Motor Vehicle Accidents	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	16.9
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Heart Disease	41
T2. Malignant Neoplasms (Cancer)	11
T2. Cerebrovascular Diseases	11
4. Alzheimer's Disease	5
Percent of Deaths due to tobacco use	12.0
Median age at death	86

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.


See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Jackson County


Demographic Information	Health Status Indicators 2011-2015																																																																																																																										
<div data-bbox="226 285 701 586" data-label="Image"> </div> <p data-bbox="117 621 779 667">Jackson County is located in western South Dakota and averages 1.6 persons per square mile.</p> <div data-bbox="247 708 646 737" data-label="Section-Header"> <h3>2015 Population Information</h3> </div> <table border="1" data-bbox="128 748 768 1036"> <thead> <tr> <th>Subject</th> <th>Number</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td>3,321</td> <td>100.0</td> </tr> <tr> <td>White</td> <td>1,434</td> <td>43.2</td> </tr> <tr> <td>Black or African American</td> <td>28</td> <td>0.8</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td>1,697</td> <td>51.1</td> </tr> <tr> <td>Asian</td> <td>2</td> <td>0.1</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td>3</td> <td>0.1</td> </tr> <tr> <td>Two or More Races</td> <td>157</td> <td>4.7</td> </tr> <tr> <td>Under 5 years</td> <td>371</td> <td>11.2</td> </tr> <tr> <td>Under 18 years</td> <td>1,116</td> <td>33.6</td> </tr> <tr> <td>65 years and over</td> <td>452</td> <td>13.6</td> </tr> </tbody> </table> <p data-bbox="117 1442 646 1487">Source: United States Census Bureau, 2015 Population Estimates</p>	Subject	Number	Percent	Total population	3,321	100.0	White	1,434	43.2	Black or African American	28	0.8	American Indian & Alaska Native	1,697	51.1	Asian	2	0.1	Native Hawaiian & Other Pacific Islander	3	0.1	Two or More Races	157	4.7	Under 5 years	371	11.2	Under 18 years	1,116	33.6	65 years and over	452	13.6	<div data-bbox="1056 282 1167 311" data-label="Section-Header"> <h3>Nativity</h3> </div> <table border="1" data-bbox="814 315 1409 711"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td>7.4</td> </tr> <tr> <td>● Percent of Mothers Receiving Care in 1st Trimester</td> <td>49.9</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td>18.2</td> </tr> <tr> <td>○ Percent of Births Less Than 37 Wks. of Gestation</td> <td>12.6</td> </tr> <tr> <td>● Average Age of Mother</td> <td>25.8</td> </tr> <tr> <td>○ Teenage Birth Rate²</td> <td>46.9</td> </tr> <tr> <td>Percent White Births</td> <td>19.7</td> </tr> <tr> <td>Percent American Indian Births</td> <td>76.1</td> </tr> <tr> <td>○ Percent Unmarried</td> <td>73.9</td> </tr> <tr> <td>○ Percent WIC births</td> <td>69.0</td> </tr> <tr> <td>● Percent Breastfeeding at discharge</td> <td>57.8</td> </tr> <tr> <td>● Percent Payment-Private Insurance</td> <td>16.0</td> </tr> <tr> <td>○ Percent Payment-Medicaid</td> <td>58.1</td> </tr> <tr> <td>Percent C-Section</td> <td>22.7</td> </tr> </tbody> </table> <p data-bbox="800 1344 1419 1390">●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p data-bbox="800 1442 1314 1464">¹Data for mothers who used tobacco are self-reported.</p> <p data-bbox="800 1464 1388 1487">²Teenage Birth rate is live births per 1,000 females age 15-17.</p>	Percent of Low Birth Weight Infants	7.4	● Percent of Mothers Receiving Care in 1st Trimester	49.9	Percent of Mothers Who Used Tobacco While Pregnant ¹	18.2	○ Percent of Births Less Than 37 Wks. of Gestation	12.6	● Average Age of Mother	25.8	○ Teenage Birth Rate ²	46.9	Percent White Births	19.7	Percent American Indian Births	76.1	○ Percent Unmarried	73.9	○ Percent WIC births	69.0	● Percent Breastfeeding at discharge	57.8	● Percent Payment-Private Insurance	16.0	○ Percent Payment-Medicaid	58.1	Percent C-Section	22.7	<div data-bbox="1640 277 1780 311" data-label="Section-Header"> <h3>Mortality³</h3> </div> <table border="1" data-bbox="1455 315 1986 776"> <tbody> <tr> <td>○ All Causes</td> <td>1,020.5</td> </tr> <tr> <td>Heart Disease</td> <td>182.2</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td>168.7</td> </tr> <tr> <td>Trachea, Bronchus, & Lung</td> <td>69.2</td> </tr> <tr> <td>Colon, Rectum, & Anus</td> <td>LNE</td> </tr> <tr> <td>Female Breast</td> <td>LNE</td> </tr> <tr> <td>Pancreas</td> <td>LNE</td> </tr> <tr> <td>Prostate</td> <td>LNE</td> </tr> <tr> <td>Leukemia</td> <td>LNE</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td>77.5</td> </tr> <tr> <td>Alzheimer's Disease</td> <td>LNE</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td>LNE</td> </tr> <tr> <td>○ Accidents</td> <td>125.3</td> </tr> <tr> <td>○ Motor Vehicle Accidents</td> <td>85.9</td> </tr> <tr> <td>Diabetes Mellitus</td> <td>56.3</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td>25.2</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td>37.1</td> </tr> <tr> <td>○ Chronic Liver Disease and Cirrhosis</td> <td>72.4</td> </tr> <tr> <td>Infant Mortality</td> <td>17.00</td> </tr> </tbody> </table> <div data-bbox="1455 808 1749 837" data-label="Section-Header"> <h3>Leading Causes of Death</h3> </div> <table border="1" data-bbox="1455 841 1986 1101"> <thead> <tr> <th></th> <th>Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Heart Disease</td> <td>31</td> </tr> <tr> <td>2. Malignant Neoplasms (Cancer)</td> <td>29</td> </tr> <tr> <td>3. Accidents</td> <td>20</td> </tr> <tr> <td>4. Chronic Lower Respiratory Diseases</td> <td>14</td> </tr> <tr> <td>5. Chronic Liver Disease and Cirrhosis</td> <td>10</td> </tr> <tr> <td>6. Diabetes</td> <td>9</td> </tr> <tr> <td>7. Intentional Self-Harm (Suicide)</td> <td>6</td> </tr> <tr> <td>8. Influenza and Pneumonia</td> <td>5</td> </tr> <tr> <td>Percent of Deaths due to tobacco use</td> <td>13.8</td> </tr> <tr> <td>Median age at death</td> <td>66</td> </tr> </tbody> </table> <p data-bbox="1440 1211 1986 1256">●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p data-bbox="1440 1308 1986 1406">³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p data-bbox="1440 1430 1965 1502">See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	○ All Causes	1,020.5	Heart Disease	182.2	Malignant Neoplasms (Cancer)	168.7	Trachea, Bronchus, & Lung	69.2	Colon, Rectum, & Anus	LNE	Female Breast	LNE	Pancreas	LNE	Prostate	LNE	Leukemia	LNE	Chronic Lower Respiratory Diseases	77.5	Alzheimer's Disease	LNE	Cerebrovascular Disease	LNE	○ Accidents	125.3	○ Motor Vehicle Accidents	85.9	Diabetes Mellitus	56.3	Influenza & Pneumonia	25.2	Intentional Self-Harm (Suicide)	37.1	○ Chronic Liver Disease and Cirrhosis	72.4	Infant Mortality	17.00		Total Deaths	1. Heart Disease	31	2. Malignant Neoplasms (Cancer)	29	3. Accidents	20	4. Chronic Lower Respiratory Diseases	14	5. Chronic Liver Disease and Cirrhosis	10	6. Diabetes	9	7. Intentional Self-Harm (Suicide)	6	8. Influenza and Pneumonia	5	Percent of Deaths due to tobacco use	13.8	Median age at death	66
Subject	Number	Percent																																																																																																																									
Total population	3,321	100.0																																																																																																																									
White	1,434	43.2																																																																																																																									
Black or African American	28	0.8																																																																																																																									
American Indian & Alaska Native	1,697	51.1																																																																																																																									
Asian	2	0.1																																																																																																																									
Native Hawaiian & Other Pacific Islander	3	0.1																																																																																																																									
Two or More Races	157	4.7																																																																																																																									
Under 5 years	371	11.2																																																																																																																									
Under 18 years	1,116	33.6																																																																																																																									
65 years and over	452	13.6																																																																																																																									
Percent of Low Birth Weight Infants	7.4																																																																																																																										
● Percent of Mothers Receiving Care in 1st Trimester	49.9																																																																																																																										
Percent of Mothers Who Used Tobacco While Pregnant ¹	18.2																																																																																																																										
○ Percent of Births Less Than 37 Wks. of Gestation	12.6																																																																																																																										
● Average Age of Mother	25.8																																																																																																																										
○ Teenage Birth Rate ²	46.9																																																																																																																										
Percent White Births	19.7																																																																																																																										
Percent American Indian Births	76.1																																																																																																																										
○ Percent Unmarried	73.9																																																																																																																										
○ Percent WIC births	69.0																																																																																																																										
● Percent Breastfeeding at discharge	57.8																																																																																																																										
● Percent Payment-Private Insurance	16.0																																																																																																																										
○ Percent Payment-Medicaid	58.1																																																																																																																										
Percent C-Section	22.7																																																																																																																										
○ All Causes	1,020.5																																																																																																																										
Heart Disease	182.2																																																																																																																										
Malignant Neoplasms (Cancer)	168.7																																																																																																																										
Trachea, Bronchus, & Lung	69.2																																																																																																																										
Colon, Rectum, & Anus	LNE																																																																																																																										
Female Breast	LNE																																																																																																																										
Pancreas	LNE																																																																																																																										
Prostate	LNE																																																																																																																										
Leukemia	LNE																																																																																																																										
Chronic Lower Respiratory Diseases	77.5																																																																																																																										
Alzheimer's Disease	LNE																																																																																																																										
Cerebrovascular Disease	LNE																																																																																																																										
○ Accidents	125.3																																																																																																																										
○ Motor Vehicle Accidents	85.9																																																																																																																										
Diabetes Mellitus	56.3																																																																																																																										
Influenza & Pneumonia	25.2																																																																																																																										
Intentional Self-Harm (Suicide)	37.1																																																																																																																										
○ Chronic Liver Disease and Cirrhosis	72.4																																																																																																																										
Infant Mortality	17.00																																																																																																																										
	Total Deaths																																																																																																																										
1. Heart Disease	31																																																																																																																										
2. Malignant Neoplasms (Cancer)	29																																																																																																																										
3. Accidents	20																																																																																																																										
4. Chronic Lower Respiratory Diseases	14																																																																																																																										
5. Chronic Liver Disease and Cirrhosis	10																																																																																																																										
6. Diabetes	9																																																																																																																										
7. Intentional Self-Harm (Suicide)	6																																																																																																																										
8. Influenza and Pneumonia	5																																																																																																																										
Percent of Deaths due to tobacco use	13.8																																																																																																																										
Median age at death	66																																																																																																																										

Jerauld County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																						
<div style="text-align: center;">  </div> <p>Jerauld County is located in the central region of the state and averages 3.9 persons per square mile.</p> <h3 style="text-align: center;">2015 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">1,997</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">1,957</td> <td style="text-align: right;">98.0</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">2</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">11</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">5</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">3</td> <td style="text-align: right;">0.2</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">19</td> <td style="text-align: right;">1.0</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">145</td> <td style="text-align: right;">7.3</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">484</td> <td style="text-align: right;">24.2</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">504</td> <td style="text-align: right;">25.2</td> </tr> </tbody> </table>	Subject	Number	Percent	Total population	1,997	100.0	White	1,957	98.0	Black or African American	2	0.1	American Indian & Alaska Native	11	0.6	Asian	5	0.3	Native Hawaiian & Other Pacific Islander	3	0.2	Two or More Races	19	1.0	Under 5 years	145	7.3	Under 18 years	484	24.2	65 years and over	504	25.2	<h3 style="text-align: center;">Nativity</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">4.2</td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">68.9</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">15.1</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">9.2</td> </tr> <tr> <td>○ Average Age of Mother</td> <td style="text-align: right;">28.9</td> </tr> <tr> <td>● Teenage Birth Rate²</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">100</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>● Percent Unmarried</td> <td style="text-align: right;">26.9</td> </tr> <tr> <td>● Percent WIC births</td> <td style="text-align: right;">26.1</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">81.5</td> </tr> <tr> <td>Percent Payment-Private Insurance</td> <td style="text-align: right;">72.3</td> </tr> <tr> <td>● Percent Payment-Medicaid</td> <td style="text-align: right;">22.7</td> </tr> <tr> <td>Percent C-Section</td> <td style="text-align: right;">18.5</td> </tr> </tbody> </table>	Percent of Low Birth Weight Infants	4.2	Percent of Mothers Receiving Care in 1st Trimester	68.9	Percent of Mothers Who Used Tobacco While Pregnant ¹	15.1	Percent of Births Less Than 37 Wks. of Gestation	9.2	○ Average Age of Mother	28.9	● Teenage Birth Rate ²	LNE	Percent White Births	100	Percent American Indian Births	LNE	● Percent Unmarried	26.9	● Percent WIC births	26.1	Percent Breastfeeding at discharge	81.5	Percent Payment-Private Insurance	72.3	● Percent Payment-Medicaid	22.7	Percent C-Section	18.5	<h3 style="text-align: center;">Mortality³</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>All Causes</td> <td style="text-align: right;">646.9</td> </tr> <tr> <td>Heart Disease</td> <td style="text-align: right;">132.5</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">185.3</td> </tr> <tr> <td>Trachea, Bronchus, & Lung</td> <td style="text-align: right;">34.4</td> </tr> <tr> <td>Colon, Rectum, & Anus</td> <td style="text-align: right;">19.1</td> </tr> <tr> <td>Female Breast</td> <td style="text-align: right;">24.2</td> </tr> <tr> <td>Pancreas</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Prostate</td> <td style="text-align: right;">31.9</td> </tr> <tr> <td>Leukemia</td> <td style="text-align: right;">14.0</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">31.7</td> </tr> <tr> <td>○ Alzheimer's Disease</td> <td style="text-align: right;">87.1</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">58.0</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">47.5</td> </tr> <tr> <td>Motor Vehicle Accidents</td> <td style="text-align: right;">21.4</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">LNE</td> </tr> </tbody> </table> <h3 style="text-align: center;">Leading Causes of Death</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Leading Causes of Death</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">35</td> </tr> <tr> <td>2. Heart Disease</td> <td style="text-align: right;">29</td> </tr> <tr> <td>3. Alzheimer's Disease</td> <td style="text-align: right;">26</td> </tr> <tr> <td>4. Cerebrovascular Diseases</td> <td style="text-align: right;">14</td> </tr> <tr> <td>5. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">8</td> </tr> <tr> <td>6. Accidents</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Percent of Deaths due to tobacco use</td> <td style="text-align: right;">13.5</td> </tr> <tr> <td>Median age at death</td> <td style="text-align: right;">85</td> </tr> </tbody> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	All Causes	646.9	Heart Disease	132.5	Malignant Neoplasms (Cancer)	185.3	Trachea, Bronchus, & Lung	34.4	Colon, Rectum, & Anus	19.1	Female Breast	24.2	Pancreas	LNE	Prostate	31.9	Leukemia	14.0	Chronic Lower Respiratory Diseases	31.7	○ Alzheimer's Disease	87.1	Cerebrovascular Disease	58.0	Accidents	47.5	Motor Vehicle Accidents	21.4	Diabetes Mellitus	LNE	Influenza & Pneumonia	LNE	Intentional Self-Harm (Suicide)	LNE	Chronic Liver Disease and Cirrhosis	LNE	Infant Mortality	LNE	Leading Causes of Death	Total Deaths	1. Malignant Neoplasms (Cancer)	35	2. Heart Disease	29	3. Alzheimer's Disease	26	4. Cerebrovascular Diseases	14	5. Chronic Lower Respiratory Diseases	8	6. Accidents	7	Percent of Deaths due to tobacco use	13.5	Median age at death	85
Subject	Number	Percent																																																																																																																					
Total population	1,997	100.0																																																																																																																					
White	1,957	98.0																																																																																																																					
Black or African American	2	0.1																																																																																																																					
American Indian & Alaska Native	11	0.6																																																																																																																					
Asian	5	0.3																																																																																																																					
Native Hawaiian & Other Pacific Islander	3	0.2																																																																																																																					
Two or More Races	19	1.0																																																																																																																					
Under 5 years	145	7.3																																																																																																																					
Under 18 years	484	24.2																																																																																																																					
65 years and over	504	25.2																																																																																																																					
Percent of Low Birth Weight Infants	4.2																																																																																																																						
Percent of Mothers Receiving Care in 1st Trimester	68.9																																																																																																																						
Percent of Mothers Who Used Tobacco While Pregnant ¹	15.1																																																																																																																						
Percent of Births Less Than 37 Wks. of Gestation	9.2																																																																																																																						
○ Average Age of Mother	28.9																																																																																																																						
● Teenage Birth Rate ²	LNE																																																																																																																						
Percent White Births	100																																																																																																																						
Percent American Indian Births	LNE																																																																																																																						
● Percent Unmarried	26.9																																																																																																																						
● Percent WIC births	26.1																																																																																																																						
Percent Breastfeeding at discharge	81.5																																																																																																																						
Percent Payment-Private Insurance	72.3																																																																																																																						
● Percent Payment-Medicaid	22.7																																																																																																																						
Percent C-Section	18.5																																																																																																																						
All Causes	646.9																																																																																																																						
Heart Disease	132.5																																																																																																																						
Malignant Neoplasms (Cancer)	185.3																																																																																																																						
Trachea, Bronchus, & Lung	34.4																																																																																																																						
Colon, Rectum, & Anus	19.1																																																																																																																						
Female Breast	24.2																																																																																																																						
Pancreas	LNE																																																																																																																						
Prostate	31.9																																																																																																																						
Leukemia	14.0																																																																																																																						
Chronic Lower Respiratory Diseases	31.7																																																																																																																						
○ Alzheimer's Disease	87.1																																																																																																																						
Cerebrovascular Disease	58.0																																																																																																																						
Accidents	47.5																																																																																																																						
Motor Vehicle Accidents	21.4																																																																																																																						
Diabetes Mellitus	LNE																																																																																																																						
Influenza & Pneumonia	LNE																																																																																																																						
Intentional Self-Harm (Suicide)	LNE																																																																																																																						
Chronic Liver Disease and Cirrhosis	LNE																																																																																																																						
Infant Mortality	LNE																																																																																																																						
Leading Causes of Death	Total Deaths																																																																																																																						
1. Malignant Neoplasms (Cancer)	35																																																																																																																						
2. Heart Disease	29																																																																																																																						
3. Alzheimer's Disease	26																																																																																																																						
4. Cerebrovascular Diseases	14																																																																																																																						
5. Chronic Lower Respiratory Diseases	8																																																																																																																						
6. Accidents	7																																																																																																																						
Percent of Deaths due to tobacco use	13.5																																																																																																																						
Median age at death	85																																																																																																																						
<p>Source: United States Census Bureau, 2015 Population Estimates</p>	<p>¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>																																																																																																																						

Jones County

Demographic Information



Jones County is located in western South Dakota and averages 1.0 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	924	100.0
White	840	90.9
Black or African American	5	0.5
American Indian & Alaska Native	34	3.7
Asian	4	0.4
Native Hawaiian & Other Pacific Islander	8	0.9
Two or More Races	33	3.6
Under 5 years	46	5.0
Under 18 years	180	19.5
65 years and over	215	23.3

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	LNE
Percent of Mothers Receiving Care in 1st Trimester	70.6
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.6
Percent of Births Less Than 37 Wks. of Gestation	5.9
Average Age of Mother	26.9
Teenage Birth Rate ²	LNE
Percent White Births	92.2
Percent American Indian Births	5.9
Percent Unmarried	29.4
Percent WIC births	33.3
Percent Breastfeeding at discharge	92.2
Percent Payment-Private Insurance	66.7
Percent Payment-Medicaid	27.5
Percent C-Section	23.5

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	665.7
Heart Disease	105.0
Malignant Neoplasms (Cancer)	130.2
Trachea, Bronchus, & Lung	54.5
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	38.0
Alzheimer's Disease	27.0
Cerebrovascular Disease	LNE
Accidents	LNE
Motor Vehicle Accidents	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	31.4
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	11
2. Heart Disease	10

Percent of Deaths due to tobacco use	16.7
Median age at death	77

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Kingsbury County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																														
<div style="text-align: center;">  </div> <p style="text-align: center;">Kingsbury County is located in east central South Dakota and averages 6.2 persons per square mile.</p> <h3 style="text-align: center;">2015 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">4,990</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">4,842</td> <td style="text-align: right;">97.0</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">22</td> <td style="text-align: right;">0.4</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">39</td> <td style="text-align: right;">0.8</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">26</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">0</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">61</td> <td style="text-align: right;">1.2</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">332</td> <td style="text-align: right;">6.7</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">1,088</td> <td style="text-align: right;">21.8</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">1,103</td> <td style="text-align: right;">22.1</td> </tr> </tbody> </table>	Subject	Number	Percent	Total population	4,990	100.0	White	4,842	97.0	Black or African American	22	0.4	American Indian & Alaska Native	39	0.8	Asian	26	0.5	Native Hawaiian & Other Pacific Islander	0	0.0	Two or More Races	61	1.2	Under 5 years	332	6.7	Under 18 years	1,088	21.8	65 years and over	1,103	22.1	<h3 style="text-align: center;">Nativity</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">5.4</td> </tr> <tr> <td>Percent of Mothers Receiving Care in 1st Trimester</td> <td style="text-align: right;">74.6</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">14.0</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">6.0</td> </tr> <tr> <td>○ Average Age of Mother</td> <td style="text-align: right;">28.6</td> </tr> <tr> <td>Teenage Birth Rate²</td> <td style="text-align: right;">6.0</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">97.4</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">1.3</td> </tr> <tr> <td>● Percent Unmarried</td> <td style="text-align: right;">21.2</td> </tr> <tr> <td>● Percent WIC births</td> <td style="text-align: right;">22.8</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">83.4</td> </tr> <tr> <td>○ Percent Payment-Private Insurance</td> <td style="text-align: right;">80.9</td> </tr> <tr> <td>● Percent Payment-Medicaid</td> <td style="text-align: right;">16.6</td> </tr> <tr> <td>● Percent C-Section</td> <td style="text-align: right;">18.7</td> </tr> </tbody> </table>	Percent of Low Birth Weight Infants	5.4	Percent of Mothers Receiving Care in 1st Trimester	74.6	Percent of Mothers Who Used Tobacco While Pregnant ¹	14.0	Percent of Births Less Than 37 Wks. of Gestation	6.0	○ Average Age of Mother	28.6	Teenage Birth Rate ²	6.0	Percent White Births	97.4	Percent American Indian Births	1.3	● Percent Unmarried	21.2	● Percent WIC births	22.8	Percent Breastfeeding at discharge	83.4	○ Percent Payment-Private Insurance	80.9	● Percent Payment-Medicaid	16.6	● Percent C-Section	18.7	<h3 style="text-align: center;">Mortality³</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>All Causes</td> <td style="text-align: right;">763.6</td> </tr> <tr> <td>Heart Disease</td> <td style="text-align: right;">180.1</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">177.2</td> </tr> <tr> <td> Trachea, Bronchus, & Lung</td> <td style="text-align: right;">43.3</td> </tr> <tr> <td> Colon, Rectum, & Anus</td> <td style="text-align: right;">12.1</td> </tr> <tr> <td> Female Breast</td> <td style="text-align: right;">24.5</td> </tr> <tr> <td> Pancreas</td> <td style="text-align: right;">22.3</td> </tr> <tr> <td> Prostate</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td> ○ Leukemia</td> <td style="text-align: right;">25.5</td> </tr> <tr> <td>Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">29.1</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">28.9</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">48.9</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">51.7</td> </tr> <tr> <td> Motor Vehicle Accidents</td> <td style="text-align: right;">40.5</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">29.4</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">22.6</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">37.0</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">12.6</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">9.49</td> </tr> </tbody> </table> <h3 style="text-align: center;">Leading Causes of Death</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Leading Causes of Death</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Heart Disease</td> <td style="text-align: right;">96</td> </tr> <tr> <td>2. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">75</td> </tr> <tr> <td>3. Cerebrovascular Diseases</td> <td style="text-align: right;">26</td> </tr> <tr> <td>T4. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">16</td> </tr> <tr> <td>T4. Alzheimer's Disease</td> <td style="text-align: right;">16</td> </tr> <tr> <td>6. Accidents</td> <td style="text-align: right;">15</td> </tr> <tr> <td>T7. Diabetes</td> <td style="text-align: right;">12</td> </tr> <tr> <td>T7. Influenza and Pneumonia</td> <td style="text-align: right;">12</td> </tr> <tr> <td>T9. Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">9</td> </tr> <tr> <td>T9. Unspecified Dementia</td> <td style="text-align: right;">9</td> </tr> <tr> <td>Percent of Deaths due to tobacco use</td> <td style="text-align: right;">11.9</td> </tr> <tr> <td>Median age at death</td> <td style="text-align: right;">83</td> </tr> </tbody> </table> <p style="font-size: small;"> ●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics </p>	All Causes	763.6	Heart Disease	180.1	Malignant Neoplasms (Cancer)	177.2	Trachea, Bronchus, & Lung	43.3	Colon, Rectum, & Anus	12.1	Female Breast	24.5	Pancreas	22.3	Prostate	LNE	○ Leukemia	25.5	Chronic Lower Respiratory Diseases	29.1	Alzheimer's Disease	28.9	Cerebrovascular Disease	48.9	Accidents	51.7	Motor Vehicle Accidents	40.5	Diabetes Mellitus	29.4	Influenza & Pneumonia	22.6	Intentional Self-Harm (Suicide)	37.0	Chronic Liver Disease and Cirrhosis	12.6	Infant Mortality	9.49	Leading Causes of Death	Total Deaths	1. Heart Disease	96	2. Malignant Neoplasms (Cancer)	75	3. Cerebrovascular Diseases	26	T4. Chronic Lower Respiratory Diseases	16	T4. Alzheimer's Disease	16	6. Accidents	15	T7. Diabetes	12	T7. Influenza and Pneumonia	12	T9. Intentional Self-Harm (Suicide)	9	T9. Unspecified Dementia	9	Percent of Deaths due to tobacco use	11.9	Median age at death	83
Subject	Number	Percent																																																																																																																													
Total population	4,990	100.0																																																																																																																													
White	4,842	97.0																																																																																																																													
Black or African American	22	0.4																																																																																																																													
American Indian & Alaska Native	39	0.8																																																																																																																													
Asian	26	0.5																																																																																																																													
Native Hawaiian & Other Pacific Islander	0	0.0																																																																																																																													
Two or More Races	61	1.2																																																																																																																													
Under 5 years	332	6.7																																																																																																																													
Under 18 years	1,088	21.8																																																																																																																													
65 years and over	1,103	22.1																																																																																																																													
Percent of Low Birth Weight Infants	5.4																																																																																																																														
Percent of Mothers Receiving Care in 1st Trimester	74.6																																																																																																																														
Percent of Mothers Who Used Tobacco While Pregnant ¹	14.0																																																																																																																														
Percent of Births Less Than 37 Wks. of Gestation	6.0																																																																																																																														
○ Average Age of Mother	28.6																																																																																																																														
Teenage Birth Rate ²	6.0																																																																																																																														
Percent White Births	97.4																																																																																																																														
Percent American Indian Births	1.3																																																																																																																														
● Percent Unmarried	21.2																																																																																																																														
● Percent WIC births	22.8																																																																																																																														
Percent Breastfeeding at discharge	83.4																																																																																																																														
○ Percent Payment-Private Insurance	80.9																																																																																																																														
● Percent Payment-Medicaid	16.6																																																																																																																														
● Percent C-Section	18.7																																																																																																																														
All Causes	763.6																																																																																																																														
Heart Disease	180.1																																																																																																																														
Malignant Neoplasms (Cancer)	177.2																																																																																																																														
Trachea, Bronchus, & Lung	43.3																																																																																																																														
Colon, Rectum, & Anus	12.1																																																																																																																														
Female Breast	24.5																																																																																																																														
Pancreas	22.3																																																																																																																														
Prostate	LNE																																																																																																																														
○ Leukemia	25.5																																																																																																																														
Chronic Lower Respiratory Diseases	29.1																																																																																																																														
Alzheimer's Disease	28.9																																																																																																																														
Cerebrovascular Disease	48.9																																																																																																																														
Accidents	51.7																																																																																																																														
Motor Vehicle Accidents	40.5																																																																																																																														
Diabetes Mellitus	29.4																																																																																																																														
Influenza & Pneumonia	22.6																																																																																																																														
Intentional Self-Harm (Suicide)	37.0																																																																																																																														
Chronic Liver Disease and Cirrhosis	12.6																																																																																																																														
Infant Mortality	9.49																																																																																																																														
Leading Causes of Death	Total Deaths																																																																																																																														
1. Heart Disease	96																																																																																																																														
2. Malignant Neoplasms (Cancer)	75																																																																																																																														
3. Cerebrovascular Diseases	26																																																																																																																														
T4. Chronic Lower Respiratory Diseases	16																																																																																																																														
T4. Alzheimer's Disease	16																																																																																																																														
6. Accidents	15																																																																																																																														
T7. Diabetes	12																																																																																																																														
T7. Influenza and Pneumonia	12																																																																																																																														
T9. Intentional Self-Harm (Suicide)	9																																																																																																																														
T9. Unspecified Dementia	9																																																																																																																														
Percent of Deaths due to tobacco use	11.9																																																																																																																														
Median age at death	83																																																																																																																														
<p>Source: United States Census Bureau, 2015 Population Estimates</p>	<p> ●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17. </p>																																																																																																																														

Lake County

Demographic Information



Lake County is located in the east central region of the state and averages 19.9 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	12,622	100.0
White	12,063	95.6
Black or African American	120	1.0
American Indian & Alaska Native	114	0.9
Asian	156	1.2
Native Hawaiian & Other Pacific Islander	3	0.0
Two or More Races	166	1.3
Under 5 years	696	5.5
Under 18 years	2,502	19.8
65 years and over	2,610	20.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	4.6
Percent of Mothers Receiving Care in 1st Trimester	74.5
● Percent of Mothers Who Used Tobacco While Pregnant ¹	11.6
Percent of Births Less Than 37 Wks. of Gestation	7.0
○ Average Age of Mother	28.4
Teenage Birth Rate ²	10.1
Percent White Births	95.7
Percent American Indian Births	1.5
● Percent Unmarried	25.0
● Percent WIC births	25.5
Percent Breastfeeding at discharge	81.7
○ Percent Payment-Private Insurance	73.2
● Percent Payment-Medicaid	20.4
Percent C-Section	24.0

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	611.2
Heart Disease	131.8
● Malignant Neoplasms (Cancer)	131.8
Trachea, Bronchus, & Lung	32.6
Colon, Rectum, & Anus	15.4
Female Breast	15.7
Pancreas	7.1
Prostate	9.9
Leukemia	3.7
Chronic Lower Respiratory Diseases	44.3
Alzheimer's Disease	48.4
○ Cerebrovascular Disease	56.4
● Accidents	27.7
Motor Vehicle Accidents	11.3
Diabetes Mellitus	26.7
● Influenza & Pneumonia	9.0
Intentional Self-Harm (Suicide)	16.3
● Chronic Liver Disease and Cirrhosis	5.8
Infant Mortality	6.09

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	124
2. Malignant Neoplasms (Cancer)	120
3. Cerebrovascular Diseases	49
4. Alzheimer's Disease	45
5. Chronic Lower Respiratory Diseases	41
6. Diabetes	25
7. Accidents	20
8. Unspecified Dementia	16
9. Intentional Self-Harm (Suicide)	9
10. Influenza and Pneumonia	8
Percent of Deaths due to tobacco use	22.8
Median age at death	80

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Lawrence County

Demographic Information



Lawrence County is located along the Wyoming border and averages 30.1 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	24,827	100.0
White	23,227	93.6
Black or African American	257	1.0
American Indian & Alaska Native	591	2.4
Asian	215	0.9
Native Hawaiian & Other Pacific Islander	22	0.1
Two or More Races	515	2.1
Under 5 years	1,151	4.6
Under 18 years	4,518	18.2
65 years and over	4,755	19.2

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	7.7
○ Percent of Mothers Receiving Care in 1st Trimester	79.1
Percent of Mothers Who Used Tobacco While Pregnant ¹	18.2
Percent of Births Less Than 37 Wks. of Gestation	9.7
Average Age of Mother	27.7
Teenage Birth Rate ²	9.0
Percent White Births	92.9
Percent American Indian Births	2.2
Percent Unmarried	37.6
Percent WIC births	35.2
○ Percent Breastfeeding at discharge	84.0
Percent Payment-Private Insurance	59.0
Percent Payment-Medicaid	33.9
● Percent C-Section	20.2

Mortality³

● All Causes	653.4
● Heart Disease	129.9
Malignant Neoplasms (Cancer)	161.4
Trachea, Bronchus, & Lung	38.6
Colon, Rectum, & Anus	12.4
Female Breast	20.6
Pancreas	11.1
Prostate	30.5
Leukemia	4.8
○ Chronic Lower Respiratory Diseases	58.5
● Alzheimer's Disease	27.4
Cerebrovascular Disease	30.8
Accidents	38.3
Motor Vehicle Accidents	11.5
Diabetes Mellitus	24.6
Influenza & Pneumonia	12.9
Intentional Self-Harm (Suicide)	17.0
Chronic Liver Disease and Cirrhosis	11.3
Infant Mortality	6.97

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	277
2. Heart Disease	234
3. Chronic Lower Respiratory Diseases	107
4. Accidents	56
5. Cerebrovascular Diseases	55
6. Alzheimer's Disease	53
7. Diabetes	45
T8. Influenza and Pneumonia	23
T8. Intentional Self-Harm (Suicide)	23
10. Vascular Dementia	20

Percent of Deaths due to tobacco use	21.4
Median age at death	81

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Lincoln County

Demographic Information



Lincoln County is located in southeastern South Dakota and averages 77.7 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	52,849	100.0
White	50,283	95.1
Black or African American	697	1.3
American Indian & Alaska Native	314	0.6
Asian	703	1.3
Native Hawaiian & Other Pacific Islander	17	0.0
Two or More Races	835	1.6
Under 5 years	4,169	7.9
Under 18 years	15,333	29.0
65 years and over	5,780	10.9

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	5.5
○ Percent of Mothers Receiving Care in 1st Trimester	84.1
● Percent of Mothers Who Used Tobacco While Pregnant ¹	6.0
Percent of Births Less Than 37 Wks. of Gestation	7.4
○ Average Age of Mother	29.3
● Teenage Birth Rate ²	5.4
Percent White Births	97.0
Percent American Indian Births	0.4
● Percent Unmarried	15.8
● Percent WIC births	9.1
○ Percent Breastfeeding at discharge	82.9
○ Percent Payment-Private Insurance	85.8
● Percent Payment-Medicaid	10.6
Percent C-Section	25.7

● Denotes a health status indicator which is significantly lower than the state average.
○ Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	477.6
● Heart Disease	101.8
● Malignant Neoplasms (Cancer)	120.4
● Trachea, Bronchus, & Lung	31.8
Colon, Rectum, & Anus	12.6
Female Breast	19.9
Pancreas	11.8
Prostate	14.8
Leukemia	5.0
● Chronic Lower Respiratory Diseases	26.4
Alzheimer's Disease	34.8
Cerebrovascular Disease	30.3
● Accidents	20.6
● Motor Vehicle Accidents	6.1
● Diabetes Mellitus	10.4
● Influenza & Pneumonia	10.1
● Intentional Self-Harm (Suicide)	7.3
● Chronic Liver Disease and Cirrhosis	1.9
Infant Mortality	5.38

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	255
2. Heart Disease	224
3. Alzheimer's Disease	76
4. Cerebrovascular Diseases	61
5. Chronic Lower Respiratory Diseases	57
6. Accidents	50
7. Unspecified Dementia	30
T8. Diabetes	22
T8. Influenza and Pneumonia	22
T10. Intentional Self-Harm (Suicide)	17
T10. Parkinson's Disease	17
Percent of Deaths due to tobacco use	15.7
Median age at death	81

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Lyman County

Demographic Information



Lyman County is located in central South Dakota and averages 2.3 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	3,876	100.0
White	2,239	57.8
Black or African American	26	0.7
American Indian & Alaska Native	1,480	38.2
Asian	13	0.3
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	117	3.0
Under 5 years	334	8.6
Under 18 years	1,113	28.7
65 years and over	584	15.1

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.6
● Percent of Mothers Receiving Care in 1st Trimester	46.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	26.3
Percent of Births Less Than 37 Wks. of Gestation	8.9
● Average Age of Mother	26.2
Teenage Birth Rate ²	27.6
Percent White Births	38.0
Percent American Indian Births	56.6
○ Percent Unmarried	62.6
○ Percent WIC births	62.1
● Percent Breastfeeding at discharge	60.2
● Percent Payment-Private Insurance	34.5
○ Percent Payment-Medicaid	58.3
○ Percent C-Section	33.4

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	904.2
Heart Disease	187.0
Malignant Neoplasms (Cancer)	162.7
Trachea, Bronchus, & Lung	60.7
Colon, Rectum, & Anus	27.3
Female Breast	24.0
Pancreas	LNE
Prostate	50.8
Leukemia	LNE
Chronic Lower Respiratory Diseases	51.1
Alzheimer's Disease	53.3
Cerebrovascular Disease	43.9
○ Accidents	138.3
○ Motor Vehicle Accidents	81.2
Diabetes Mellitus	29.9
Influenza & Pneumonia	17.4
Intentional Self-Harm (Suicide)	38.4
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	38
2. Malignant Neoplasms (Cancer)	37
3. Accidents	25
T4. Chronic Lower Respiratory Diseases	10
T4. Alzheimer's Disease	10
6. Cerebrovascular Diseases	9
7. Diabetes	8
8. Intentional Self-Harm (Suicide)	6
Percent of Deaths due to tobacco use	25.4
Median age at death	71

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

McCook County

Demographic Information



McCook County is located in eastern South Dakota and averages 9.8 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	5,599	100.0
White	5,452	97.4
Black or African American	32	0.6
American Indian & Alaska Native	49	0.9
Asian	17	0.3
Native Hawaiian & Other Pacific Islander	2	0.0
Two or More Races	47	0.8
Under 5 years	409	7.3
Under 18 years	1,487	26.6
65 years and over	1,101	19.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.1
Percent of Mothers Receiving Care in 1st Trimester	73.8
Percent of Mothers Who Used Tobacco While Pregnant ¹	12.2
Percent of Births Less Than 37 Wks. of Gestation	8.2
○ Average Age of Mother	28.5
Teenage Birth Rate ²	7.4
Percent White Births	98.1
Percent American Indian Births	1.1
● Percent Unmarried	22.9
● Percent WIC births	28.5
Percent Breastfeeding at discharge	78.5
○ Percent Payment-Private Insurance	73.3
● Percent Payment-Medicaid	20.3
Percent C-Section	26.3

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	877.9
○ Heart Disease	210.2
○ Malignant Neoplasms (Cancer)	217.8
Trachea, Bronchus, & Lung	62.4
Colon, Rectum, & Anus	30.6
Female Breast	18.2
Pancreas	17.6
Prostate	32.4
Leukemia	11.4
● Chronic Lower Respiratory Diseases	26.9
○ Alzheimer's Disease	73.5
Cerebrovascular Disease	43.7
Accidents	66.1
Motor Vehicle Accidents	32.8
Diabetes Mellitus	27.5
Influenza & Pneumonia	15.5
Intentional Self-Harm (Suicide)	17.1
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	97
2. Malignant Neoplasms (Cancer)	90
3. Alzheimer's Disease	40
4. Cerebrovascular Diseases	23
5. Accidents	20
6. Diabetes	14
7. Chronic Lower Respiratory Diseases	13
8. Septicemia	9
9. Influenza and Pneumonia	8
T10. Vascular Dementia	5
T10. Pneumonitis Due to Solids and Liquids	5
T10. Certain Other Intestinal Infections	5
Percent of Deaths due to tobacco use	11.1
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

McPherson County

Demographic Information



McPherson County is located in the north central region of the state and averages 2.2 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	2,415	100.0
White	2,374	98.3
Black or African American	7	0.3
American Indian & Alaska Native	7	0.3
Asian	5	0.2
Native Hawaiian & Other Pacific Islander	3	0.1
Two or More Races	19	0.8
Under 5 years	147	6.1
Under 18 years	538	22.3
65 years and over	669	27.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	6.4
● Percent of Mothers Receiving Care in 1st Trimester	56.6
Percent of Mothers Who Used Tobacco While Pregnant ¹	10.4
Percent of Births Less Than 37 Wks. of Gestation	7.2
○ Average Age of Mother	29.7
Teenage Birth Rate ²	LNE
Percent White Births	98.4
Percent American Indian Births	LNE
● Percent Unmarried	14.4
● Percent WIC births	21.1
Percent Breastfeeding at discharge	83.1
○ Percent Payment-Private Insurance	75.8
● Percent Payment-Medicaid	16.9
Percent C-Section	18.4

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	703.5
○ Heart Disease	214.7
Malignant Neoplasms (Cancer)	131.6
Trachea, Bronchus, & Lung	36.6
Colon, Rectum, & Anus	16.4
Female Breast	LNE
Pancreas	LNE
Prostate	25.4
Leukemia	LNE
● Chronic Lower Respiratory Diseases	24.7
Alzheimer's Disease	31.5
Cerebrovascular Disease	61.3
Accidents	56.3
Motor Vehicle Accidents	27.1
Diabetes Mellitus	28.6
Influenza & Pneumonia	8.7
Intentional Self-Harm (Suicide)	38.8
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	60
2. Malignant Neoplasms (Cancer)	36
3. Cerebrovascular Diseases	21
4. Alzheimer's Disease	13
5. Accidents	12
6. Chronic Lower Respiratory Diseases	9
T7. Diabetes	6
T7. Essential (Primary) Hypertension and Hypertensive Renal Disease	6

Percent of Deaths due to tobacco use	10.5
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Marshall County

Demographic Information



Marshall County is located in the northeastern part of the state and averages 5.6 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	4,769	100.0
White	4,169	87.4
Black or African American	55	1.2
American Indian & Alaska Native	452	9.5
Asian	14	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	79	1.7
Under 5 years	326	6.8
Under 18 years	1,067	22.4
65 years and over	938	19.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.3
● Percent of Mothers Receiving Care in 1st Trimester	58.7
Percent of Mothers Who Used Tobacco While Pregnant ¹	18.1
Percent of Births Less Than 37 Wks. of Gestation	6.9
Average Age of Mother	28.1
Teenage Birth Rate ²	9.7
Percent White Births	83.2
Percent American Indian Births	12.5
● Percent Unmarried	29.8
● Percent WIC births	28.7
Percent Breastfeeding at discharge	79.7
Percent Payment-Private Insurance	65.6
● Percent Payment-Medicaid	24.3
Percent C-Section	26.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	694.9
Heart Disease	140.9
Malignant Neoplasms (Cancer)	160.3
Trachea, Bronchus, & Lung	34.8
Colon, Rectum, & Anus	16.7
Female Breast	20.5
Pancreas	20.7
Prostate	30.8
Leukemia	LNE
Chronic Lower Respiratory Diseases	51.5
● Alzheimer's Disease	18.9
Cerebrovascular Disease	58.5
Accidents	69.3
Motor Vehicle Accidents	31.0
Diabetes Mellitus	26.9
Influenza & Pneumonia	16.3
Intentional Self-Harm (suicide)	18.5
Chronic Liver Disease and Cirrhosis	7.6
Infant Mortality	12.50

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	57
2. Heart Disease	54
3. Cerebrovascular Diseases	25
4. Chronic Lower Respiratory Diseases	21
5. Accidents	17
T6. Alzheimer's Disease	8
T6. Diabetes	8
8. Influenza and Pneumonia	6
9. Intentional Self-Harm (Suicide)	5
Percent of Deaths due to tobacco use	18.0
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Meade County

Demographic Information



Meade County is located in west central South Dakota and averages 7.3 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	26,986	100.0
White	24,631	91.3
Black or African American	506	1.9
American Indian & Alaska Native	792	2.9
Asian	266	1.0
Native Hawaiian & Other Pacific Islander	21	0.1
Two or More Races	770	2.9
Under 5 years	1,635	6.1
Under 18 years	6,396	23.7
65 years and over	3,833	14.2

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.8
○ Percent of Mothers Receiving Care in 1st Trimester	77.8
Percent of Mothers Who Used Tobacco While Pregnant ¹	15.4
Percent of Births Less Than 37 Wks. of Gestation	8.0
Average Age of Mother	27.8
● Teenage Birth Rate ²	7.4
Percent White Births	92.1
Percent American Indian Births	3.2
● Percent Unmarried	28.0
● Percent WIC births	30.6
○ Percent Breastfeeding at discharge	85.7
Percent Payment-Private Insurance	54.6
● Percent Payment-Medicaid	25.9
● Percent C-Section	20.1

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	683.7
Heart Disease	143.8
Malignant Neoplasms (Cancer)	150.0
Trachea, Bronchus, & Lung	47.2
Colon, Rectum, & Anus	14.1
● Female Breast	8.4
Pancreas	10.3
Prostate	15.6
Leukemia	6.4
○ Chronic Lower Respiratory Diseases	64.0
● Alzheimer's Disease	17.8
Cerebrovascular Disease	38.7
Accidents	38.9
Motor Vehicle Accidents	12.2
● Diabetes Mellitus	15.7
Influenza & Pneumonia	17.1
Intentional Self-Harm (suicide)	25.1
Chronic Liver Disease and Cirrhosis	12.3
● Infant Mortality	3.16

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	210
2. Heart Disease	194
3. Chronic Lower Respiratory Diseases	87
4. Cerebrovascular Diseases	51
5. Accidents	49
6. Intentional Self-Harm (Suicide)	32
T7. Alzheimer's Disease	23
T7. Influenza and Pneumonia	23
9. Diabetes	22
10. Unspecified Dementia	21
Percent of Deaths due to tobacco use	19.1
Median age at death	78

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Mellette County

Demographic Information



Mellette County is located in the south central region of the state and averages 1.6 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	2,050	100.0
White	872	42.5
Black or African American	7	0.3
American Indian & Alaska Native	1,054	51.4
Asian	6	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	111	5.4
Under 5 years	196	9.6
Under 18 years	616	30.0
65 years and over	337	16.4

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.6
● Percent of Mothers Receiving Care in 1st Trimester	50.0
Percent of Mothers Who Used Tobacco While Pregnant ¹	20.4
Percent of Births Less Than 37 Wks. of Gestation	7.8
● Average Age of Mother	25.2
Teenage Birth Rate ²	35.3
Percent White Births	20.1
Percent American Indian Births	67.7
○ Percent Unmarried	72.3
○ Percent WIC births	64.2
Percent Breastfeeding at discharge	75.0
● Percent Payment-Private Insurance	13.9
○ Percent Payment-Medicaid	59.6
○ Percent C-Section	39.8

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	992.9
Heart Disease	133.4
Malignant Neoplasms (Cancer)	191.0
Trachea, Bronchus, & Lung	68.6
Colon, Rectum, & Anus	23.7
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	55.5
Alzheimer's Disease	23.3
Cerebrovascular Disease	54.0
Accidents	79.9
Motor Vehicle Accidents	43.2
Diabetes Mellitus	72.0
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
○ Chronic Liver Disease and Cirrhosis	100.4
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	24
2. Heart Disease	17
T3. Accidents	8
T3. Chronic Liver Disease and Cirrhosis	8
T5. Chronic Lower Respiratory Diseases	7
T5. Cerebrovascular Diseases	7
T5. Diabetes	7
Percent of Deaths due to tobacco use	15.0
Median age at death	76

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Miner County

Demographic Information



Miner County is located in the east central region of the state and averages 4.2 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	2,236	100.0
White	2,176	97.3
Black or African American	13	0.6
American Indian & Alaska Native	12	0.5
Asian	11	0.5
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	24	1.1
Under 5 years	125	5.6
Under 18 years	502	22.5
65 years and over	499	22.3

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	4.8
Percent of Mothers Receiving Care in 1st Trimester	68.0
● Percent of Mothers Who Used Tobacco While Pregnant ¹	8.7
Percent of Births Less Than 37 Wks. of Gestation	5.6
○ Average Age of Mother	29.2
Teenage Birth Rate ²	LNE
Percent White Births	96.8
Percent American Indian Births	LNE
● Percent Unmarried	15.9
● Percent WIC births	18.3
Percent Breastfeeding at discharge	81.6
○ Percent Payment-Private Insurance	78.4
● Percent Payment-Medicaid	16.8
Percent C-Section	28.6

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	728.0
Heart Disease	171.5
Malignant Neoplasms (Cancer)	146.1
Trachea, Bronchus, & Lung	51.7
Colon, Rectum, & Anus	15.9
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	44.7
Alzheimer's Disease	64.3
Cerebrovascular Disease	46.4
Accidents	50.0
Motor Vehicle Accidents	26.0
Diabetes Mellitus	29.7
Influenza & Pneumonia	17.9
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	41
2. Malignant Neoplasms (Cancer)	32
3. Alzheimer's Disease	18
4. Cerebrovascular Diseases	12
5. Chronic Lower Respiratory Diseases	9
T6. Accidents	6
T6. Diabetes	6
Percent of Deaths due to tobacco use	20.0
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Minnehaha County

Demographic Information



Minnehaha County is located in southeastern South Dakota and averages 210.0 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	185,197	100.0
White	163,170	88.1
Black or African American	8,497	4.6
American Indian & Alaska Native	5,199	2.8
Asian	3,719	2.0
Native Hawaiian & Other Pacific Islander	202	0.1
Two or More Races	4,410	2.4
Under 5 years	14,205	7.7
Under 18 years	46,279	25.0
65 years and over	23,258	12.6

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.7
○ Percent of Mothers Receiving Care in 1st Trimester	75.8
● Percent of Mothers Who Used Tobacco While Pregnant ¹	12.7
Percent of Births Less Than 37 Wks. of Gestation	7.9
○ Average Age of Mother	28.0
Teenage Birth Rate ²	12.6
Percent White Births	81.3
Percent American Indian Births	5.1
● Percent Unmarried	34.6
● Percent WIC births	27.9
Percent Breastfeeding at discharge	78.8
○ Percent Payment-Private Insurance	64.8
● Percent Payment-Medicaid	31.0
Percent C-Section	25.6

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	708.7
Heart Disease	143.9
○ Malignant Neoplasms (Cancer)	175.0
Trachea, Bronchus, & Lung	47.5
Colon, Rectum, & Anus	16.3
Female Breast	22.6
Pancreas	11.7
Prostate	20.1
Leukemia	7.5
Chronic Lower Respiratory Diseases	46.5
Alzheimer's Disease	41.7
Cerebrovascular Disease	39.3
Accidents	42.7
● Motor Vehicle Accidents	10.6
● Diabetes Mellitus	16.3
● Influenza & Pneumonia	12.6
Intentional Self-Harm (Suicide)	17.4
● Chronic Liver Disease and Cirrhosis	10.1
● Infant Mortality	4.78

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	1,577
2. Heart Disease	1,335
3. Chronic Lower Respiratory Diseases	418
4. Alzheimer's Disease	400
5. Accidents	386
6. Cerebrovascular Diseases	357
7. Intentional Self-Harm (Suicide)	153
8. Diabetes	147
9. Influenza and Pneumonia	120
10. Chronic Liver Disease and Cirrhosis	92
Percent of Deaths due to tobacco use	17.9
Median age at death	78

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Moody County

Demographic Information



Moody County is located on the Minnesota border and averages 12.5 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	6,430	100.0
White	5,161	80.3
Black or African American	86	1.3
American Indian & Alaska Native	884	13.7
Asian	109	1.7
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	190	3.0
Under 5 years	495	7.7
Under 18 years	1,654	25.7
65 years and over	1,111	17.3

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.1
Percent of Mothers Receiving Care in 1st Trimester	67.5
Percent of Mothers Who Used Tobacco While Pregnant ¹	18.3
Percent of Births Less Than 37 Wks. of Gestation	9.4
Average Age of Mother	27.6
Teenage Birth Rate ²	19.0
Percent White Births	76.0
Percent American Indian Births	19.6
Percent Unmarried	40.2
Percent WIC births	36.9
Percent Breastfeeding at discharge	76.9
Percent Payment-Private Insurance	59.6
Percent Payment-Medicaid	31.8
Percent C-Section	22.5

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	636.3
Heart Disease	163.3
Malignant Neoplasms (Cancer)	157.6
● Trachea, Bronchus, & Lung	23.3
Colon, Rectum, & Anus	25.6
Female Breast	LNE
Pancreas	11.6
Prostate	26.6
Leukemia	LNE
● Chronic Lower Respiratory Diseases	24.6
Alzheimer's Disease	51.4
Cerebrovascular Disease	35.5
Accidents	50.9
Motor Vehicle Accidents	20.5
Diabetes Mellitus	21.7
● Influenza & Pneumonia	5.9
Intentional Self-Harm (Suicide)	22.2
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	6.55

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	70
2. Malignant Neoplasms (Cancer)	65
3. Alzheimer's Disease	25
4. Accidents	17
5. Cerebrovascular Diseases	15
6. Chronic Lower Respiratory Diseases	11
7. Diabetes	9
8. Intentional Self-Harm (Suicide)	8
9. Vascular Dementia	6
Percent of Deaths due to tobacco use	18.0
Median age at death	80

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Oglala Lakota County

Demographic Information



Oglala Lakota County (formerly known as Shannon County) is located in the southwestern part of the state, along the Nebraska border and averages 6.5 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	14,373	100.0
White	947	6.6
Black or African American	32	0.2
American Indian & Alaska Native	13,121	91.3
Asian	19	0.1
Native Hawaiian & Other Pacific Islander	3	0.0
Two or More Races	251	1.7
Under 5 years	1,644	11.4
Under 18 years	5,475	38.1
65 years and over	974	6.8

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	7.7
● Percent of Mothers Receiving Care in 1st Trimester	56.2
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	18.7
○ Percent of Births Less Than 37 Wks. of Gestation	11.4
● Average Age of Mother	24.5
○ Teenage Birth Rate ²	49.1
Percent White Births	1.8
Percent American Indian Births	97.0
○ Percent Unmarried	87.6
○ Percent WIC births	73.0
● Percent Breastfeeding at discharge	53.2
● Percent Payment-Private Insurance	3.8
○ Percent Payment-Medicaid	60.0
● Percent C-Section	21.4

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	1,298.2
Heart Disease	156.2
○ Malignant Neoplasms (Cancer)	236.1
Trachea, Bronchus, & Lung	59.4
Colon, Rectum, & Anus	33.5
Female Breast	13.0
Pancreas	15.7
Prostate	38.5
Leukemia	LNE
Chronic Lower Respiratory Diseases	48.9
● Alzheimer's Disease	11.4
Cerebrovascular Disease	44.5
○ Accidents	141.6
○ Motor Vehicle Accidents	60.2
○ Diabetes Mellitus	94.5
○ Influenza & Pneumonia	43.2
○ Intentional Self-Harm (Suicide)	45.7
○ Chronic Liver Disease and Cirrhosis	139.3
○ Infant Mortality	17.11

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	93
2. Accidents	83
3. Chronic Liver Disease and Cirrhosis	74
4. Heart Disease	63
5. Diabetes	44
6. Intentional Self-Harm (Suicide)	37
7. Cerebrovascular Diseases	20
8. Septicemia	19
9. Influenza and Pneumonia	18
10. Chronic Lower Respiratory Diseases	17
Percent of Deaths due to tobacco use	10.6
Median age at death	55

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Pennington County

Demographic Information



Pennington County is located on the Wyoming border and averages 36.4 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	108,702	100.0
White	90,792	83.5
Black or African American	1,531	1.4
American Indian & Alaska Native	10,999	10.1
Asian	1,355	1.2
Native Hawaiian & Other Pacific Islander	115	0.1
Two or More Races	3,910	3.6
Under 5 years	7,605	7.0
Under 18 years	25,681	23.6
65 years and over	17,633	16.2

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	6.6
Percent of Mothers Receiving Care in 1st Trimester	72.5
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	17.0
Percent of Births Less Than 37 Wks. of Gestation	8.8
● Average Age of Mother	27.1
Teenage Birth Rate ²	14.3
Percent White Births	71.1
Percent American Indian Births	19.1
○ Percent Unmarried	43.7
○ Percent WIC births	42.2
○ Percent Breastfeeding at discharge	82.2
● Percent Payment-Private Insurance	40.3
○ Percent Payment-Medicaid	40.3
● Percent C-Section	19.8

● Denotes a health status indicator which is significantly lower than the state average.
○ Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	643.1
Heart Disease	146.2
Malignant Neoplasms (Cancer)	155.8
Trachea, Bronchus, & Lung	42.6
● Colon, Rectum, & Anus	12.0
Female Breast	17.9
Pancreas	10.1
Prostate	17.3
Leukemia	9.7
● Chronic Lower Respiratory Diseases	33.8
● Alzheimer's Disease	26.1
● Cerebrovascular Disease	29.8
Accidents	44.9
● Motor Vehicle Accidents	10.5
● Diabetes Mellitus	11.4
Influenza & Pneumonia	13.5
Intentional Self-Harm (Suicide)	17.0
Chronic Liver Disease and Cirrhosis	14.8
Infant Mortality	6.62

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	974
2. Heart Disease	950
3. Accidents	255
4. Chronic Lower Respiratory Diseases	219
5. Cerebrovascular Diseases	191
6. Alzheimer's Disease	177
7. Unspecified Dementia	116
8. Intentional Self-Harm (Suicide)	91
9. Influenza and Pneumonia	89
10. Chronic Liver Disease and Cirrhosis	82
Percent of Deaths due to tobacco use	17.6
Median age at death	77

● Denotes a health status indicator which is significantly lower than the state average.

○ Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Perkins County

Demographic Information



Perkins County is located in northwestern South Dakota and averages 1.0 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	3,019	100.0
White	2,904	96.2
Black or African American	14	0.5
American Indian & Alaska Native	57	1.9
Asian	9	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	35	1.2
Under 5 years	166	5.5
Under 18 years	638	21.1
65 years and over	695	23.0

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	4.8
Percent of Mothers Receiving Care in 1st Trimester	64.6
Percent of Mothers Who Used Tobacco While Pregnant ¹	14.4
Percent of Births Less Than 37 Wks. of Gestation	5.4
○ Average Age of Mother	28.7
Teenage Birth Rate ²	LNE
Percent White Births	96.9
Percent American Indian Births	2.5
● Percent Unmarried	23.4
Percent WIC births	38.5
Percent Breastfeeding at discharge	81.8
Percent Payment-Private Insurance	59.2
Percent Payment-Medicaid	25.5
Percent C-Section	32.3

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	797.5
Heart Disease	138.5
Malignant Neoplasms (Cancer)	201.8
Trachea, Bronchus, & Lung	32.6
Colon, Rectum, & Anus	29.5
Female Breast	47.5
Pancreas	LNE
Prostate	LNE
Leukemia	8.4
Chronic Lower Respiratory Diseases	38.4
Alzheimer's Disease	35.7
Cerebrovascular Disease	29.8
Accidents	56.7
Motor Vehicle Accidents	24.3
Diabetes Mellitus	14.9
Influenza & Pneumonia	25.7
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	53
2. Heart Disease	44
T3. Chronic Lower Respiratory Diseases	13
T3. Alzheimer's Disease	13
5. Cerebrovascular Diseases	12
6. Accidents	11
T7. Diabetes	6
T7. Unspecified Dementia	6
T9. Influenza and Pneumonia	5
T9. Septicemia	5
Percent of Deaths due to tobacco use	17.9
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Potter County

Demographic Information



Potter County is located in north central South Dakota and averages 2.7 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	2,320	100.0
White	2,219	95.6
Black or African American	9	0.4
American Indian & Alaska Native	47	2.0
Asian	14	0.6
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	31	1.3
Under 5 years	122	5.3
Under 18 years	483	20.8
65 years and over	667	28.8

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	5.8
Percent of Mothers Receiving Care in 1st Trimester	58.3
Percent of Mothers Who Used Tobacco While Pregnant ¹	12.5
Percent of Births Less Than 37 Wks. of Gestation	8.3
Average Age of Mother	28.4
Teenage Birth Rate ²	LNE
Percent White Births	92.5
Percent American Indian Births	6.7
● Percent Unmarried	25.8
● Percent WIC births	24.4
Percent Breastfeeding at discharge	83.2
○ Percent Payment-Private Insurance	79.2
● Percent Payment-Medicaid	19.2
Percent C-Section	25.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	697.4
Heart Disease	125.4
Malignant Neoplasms (Cancer)	144.2
Trachea, Bronchus, & Lung	59.3
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	24.9
Leukemia	LNE
Chronic Lower Respiratory Diseases	42.1
Alzheimer's Disease	29.6
● Cerebrovascular Disease	20.4
Accidents	73.0
Motor Vehicle Accidents	LNE
Diabetes Mellitus	39.9
Influenza & Pneumonia	24.7
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	39
2. Heart Disease	37
T3. Chronic Lower Respiratory Diseases	12
T3. Alzheimer's Disease	12
T5. Accidents	10
T5. Diabetes	10
7. Influenza and Pneumonia	9
8. Cerebrovascular Diseases	8
T9. Unspecified Dementia	7
T9. Septicemia	7
Percent of Deaths due to tobacco use	16.4
Median age at death	86

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Roberts County

Demographic Information



Roberts County is located in the extreme northeastern corner of the state and averages 9.2 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	10,311	100.0
White	6,078	58.9
Black or African American	64	0.6
American Indian & Alaska Native	3,799	36.8
Asian	38	0.4
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	332	3.2
Under 5 years	939	9.1
Under 18 years	2,928	28.4
65 years and over	1,907	18.5

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	5.3
● Percent of Mothers Receiving Care in 1st Trimester	55.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	27.0
Percent of Births Less Than 37 Wks. of Gestation	10.3
● Average Age of Mother	25.7
○ Teenage Birth Rate ²	37.1
Percent White Births	31.8
Percent American Indian Births	58.5
○ Percent Unmarried	63.7
○ Percent WIC births	58.8
● Percent Breastfeeding at discharge	68.5
● Percent Payment-Private Insurance	31.7
○ Percent Payment-Medicaid	59.3
Percent C-Section	24.6

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	842.4
Heart Disease	173.3
Malignant Neoplasms (Cancer)	192.5
Trachea, Bronchus, & Lung	41.3
Colon, Rectum, & Anus	20.9
Female Breast	19.1
Pancreas	8.2
Prostate	17.8
Leukemia	8.8
Chronic Lower Respiratory Diseases	41.6
Alzheimer's Disease	25.5
Cerebrovascular Disease	48.2
○ Accidents	81.2
○ Motor Vehicle Accidents	40.6
Diabetes Mellitus	31.1
Influenza & Pneumonia	15.6
Intentional Self-Harm (Suicide)	27.4
Chronic Liver Disease and Cirrhosis	27.9
Infant Mortality	7.59

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	133
2. Heart Disease	131
3. Accidents	43
4. Cerebrovascular Diseases	36
5. Chronic Lower Respiratory Diseases	32
T6. Alzheimer's Disease	21
T6. Diabetes	21
8. Chronic Liver Disease and Cirrhosis	15
9. Intentional Self-Harm (Suicide)	13
10. Influenza and Pneumonia	11
Percent of Deaths due to tobacco use	18.4
Median age at death	78

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Sanborn County

Demographic Information



Sanborn County is located in east central South Dakota and averages 4.1 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	2,355	100.0
White	2,291	97.3
Black or African American	5	0.2
American Indian & Alaska Native	12	0.5
Asian	5	0.2
Native Hawaiian & Other Pacific Islander	2	0.1
Two or More Races	40	1.7
Under 5 years	168	7.1
Under 18 years	541	23.0
65 years and over	433	18.4

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	4.0
Percent of Mothers Receiving Care in 1st Trimester	71.1
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.9
Percent of Births Less Than 37 Wks. of Gestation	5.2
Average Age of Mother	28.4
Teenage Birth Rate ²	LNE
Percent White Births	100
Percent American Indian Births	LNE
● Percent Unmarried	25.4
● Percent WIC births	25.7
Percent Breastfeeding at discharge	82.1
○ Percent Payment-Private Insurance	78.6
● Percent Payment-Medicaid	19.1
Percent C-Section	30.6

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	770.4
Heart Disease	131.6
Malignant Neoplasms (Cancer)	185.1
Trachea, Bronchus, & Lung	50.6
Colon, Rectum, & Anus	19.3
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	46.0
○ Alzheimer's Disease	116.5
Cerebrovascular Disease	32.1
Accidents	50.2
Motor Vehicle Accidents	32.2
Diabetes Mellitus	28.8
Influenza & Pneumonia	18.0
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	32
2. Alzheimer's Disease	29
3. Heart Disease	28
4. Chronic Lower Respiratory Diseases	10
5. Accidents	9
6. Cerebrovascular Diseases	7
7. Diabetes	6
8. Influenza and Pneumonia	5

Percent of Deaths due to tobacco use	13.2
Median age at death	84

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Spink County

Demographic Information



Spink County is located in the center of eastern South Dakota and averages 4.3 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	6,524	100.0
White	6,257	95.9
Black or African American	44	0.7
American Indian & Alaska Native	144	2.2
Asian	8	0.1
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	71	1.1
Under 5 years	394	6.0
Under 18 years	1,546	23.7
65 years and over	1,309	20.1

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	6.9
Percent of Mothers Receiving Care in 1st Trimester	70.1
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.8
Percent of Births Less Than 37 Wks. of Gestation	8.7
Average Age of Mother	27.9
Teenage Birth Rate ²	6.9
Percent White Births	96.8
Percent American Indian Births	LNE
● Percent Unmarried	28.2
● Percent WIC births	30.1
Percent Breastfeeding at discharge	81.1
○ Percent Payment-Private Insurance	72.9
● Percent Payment-Medicaid	21.8
Percent C-Section	28.5

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	728.9
Heart Disease	131.5
Malignant Neoplasms (Cancer)	148.1
Trachea, Bronchus, & Lung	47.1
Colon, Rectum, & Anus	18.7
Female Breast	21.0
Pancreas	11.3
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	61.5
Alzheimer's Disease	46.0
● Cerebrovascular Disease	21.6
○ Accidents	90.6
Motor Vehicle Accidents	29.9
Diabetes Mellitus	32.9
Influenza & Pneumonia	29.2
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	15.8
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	77
2. Malignant Neoplasms (Cancer)	75
3. Chronic Lower Respiratory Diseases	33
T4. Accidents	32
T4. Alzheimer's Disease	32
6. Influenza and Pneumonia	20
7. Diabetes	15
8. Cerebrovascular Diseases	14
9. Chronic Liver Disease and Cirrhosis	7
10. Pneumonitis Due to Solids and Liquids	6

Percent of Deaths due to tobacco use	13.0
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.


○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.


Source: South Dakota Department of Health, Office of Health Statistics

Stanley County

Demographic Information	Health Status Indicators 2011-2015																																																																																																																		
<div style="text-align: center;">  </div> <p>Stanley County is located in the center of the state and averages 2.1 persons per square mile.</p> <h3 style="text-align: center;">2015 Population Information</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Subject</th> <th style="text-align: right;">Number</th> <th style="text-align: right;">Percent</th> </tr> </thead> <tbody> <tr> <td>Total population</td> <td style="text-align: right;">2,954</td> <td style="text-align: right;">100.0</td> </tr> <tr> <td>White</td> <td style="text-align: right;">2,626</td> <td style="text-align: right;">88.9</td> </tr> <tr> <td>Black or African American</td> <td style="text-align: right;">19</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td>American Indian & Alaska Native</td> <td style="text-align: right;">221</td> <td style="text-align: right;">7.5</td> </tr> <tr> <td>Asian</td> <td style="text-align: right;">11</td> <td style="text-align: right;">0.4</td> </tr> <tr> <td>Native Hawaiian & Other Pacific Islander</td> <td style="text-align: right;">0</td> <td style="text-align: right;">0.0</td> </tr> <tr> <td>Two or More Races</td> <td style="text-align: right;">77</td> <td style="text-align: right;">2.6</td> </tr> <tr> <td>Under 5 years</td> <td style="text-align: right;">172</td> <td style="text-align: right;">5.8</td> </tr> <tr> <td>Under 18 years</td> <td style="text-align: right;">705</td> <td style="text-align: right;">23.9</td> </tr> <tr> <td>65 years and over</td> <td style="text-align: right;">528</td> <td style="text-align: right;">17.9</td> </tr> </tbody> </table> <p>Source: United States Census Bureau, 2015 Population Estimates</p>	Subject	Number	Percent	Total population	2,954	100.0	White	2,626	88.9	Black or African American	19	0.6	American Indian & Alaska Native	221	7.5	Asian	11	0.4	Native Hawaiian & Other Pacific Islander	0	0.0	Two or More Races	77	2.6	Under 5 years	172	5.8	Under 18 years	705	23.9	65 years and over	528	17.9	<h3 style="text-align: center;">Nativity</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Percent of Low Birth Weight Infants</td> <td style="text-align: right;">5.6</td> </tr> <tr> <td>● Percent of Mothers Who Care in 1st Trimester</td> <td style="text-align: right;">59.3</td> </tr> <tr> <td>Percent of Mothers Who Used Tobacco While Pregnant¹</td> <td style="text-align: right;">14.6</td> </tr> <tr> <td>Percent of Births Less Than 37 Wks. of Gestation</td> <td style="text-align: right;">9.1</td> </tr> <tr> <td>○ Average Age of Mother</td> <td style="text-align: right;">28.6</td> </tr> <tr> <td>Teenage Birth Rate²</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Percent White Births</td> <td style="text-align: right;">84.2</td> </tr> <tr> <td>Percent American Indian Births</td> <td style="text-align: right;">12.2</td> </tr> <tr> <td>Percent Unmarried</td> <td style="text-align: right;">34.3</td> </tr> <tr> <td>Percent WIC births</td> <td style="text-align: right;">34.7</td> </tr> <tr> <td>Percent Breastfeeding at discharge</td> <td style="text-align: right;">78.8</td> </tr> <tr> <td>Percent Payment-Private Insurance</td> <td style="text-align: right;">65.5</td> </tr> <tr> <td>Percent Payment-Medicaid</td> <td style="text-align: right;">29.4</td> </tr> <tr> <td>○ Percent C-Section</td> <td style="text-align: right;">42.9</td> </tr> </tbody> </table> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average.</p> <p>¹Data for mothers who used tobacco are self-reported. ²Teenage Birth rate is live births per 1,000 females age 15-17.</p>	Percent of Low Birth Weight Infants	5.6	● Percent of Mothers Who Care in 1st Trimester	59.3	Percent of Mothers Who Used Tobacco While Pregnant ¹	14.6	Percent of Births Less Than 37 Wks. of Gestation	9.1	○ Average Age of Mother	28.6	Teenage Birth Rate ²	LNE	Percent White Births	84.2	Percent American Indian Births	12.2	Percent Unmarried	34.3	Percent WIC births	34.7	Percent Breastfeeding at discharge	78.8	Percent Payment-Private Insurance	65.5	Percent Payment-Medicaid	29.4	○ Percent C-Section	42.9	<h3 style="text-align: center;">Mortality³</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>All Causes</td> <td style="text-align: right;">576.3</td> </tr> <tr> <td>● Heart Disease</td> <td style="text-align: right;">85.9</td> </tr> <tr> <td>Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">174.3</td> </tr> <tr> <td>Trachea, Bronchus, & Lung</td> <td style="text-align: right;">57.7</td> </tr> <tr> <td>Colon, Rectum, & Anus</td> <td style="text-align: right;">21.4</td> </tr> <tr> <td>Female Breast</td> <td style="text-align: right;">33.8</td> </tr> <tr> <td>Pancreas</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Prostate</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Leukemia</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>○ Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">100.9</td> </tr> <tr> <td>Alzheimer's Disease</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Cerebrovascular Disease</td> <td style="text-align: right;">26.1</td> </tr> <tr> <td>Accidents</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Motor Vehicle Accidents</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Diabetes Mellitus</td> <td style="text-align: right;">27.1</td> </tr> <tr> <td>Influenza & Pneumonia</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">45.6</td> </tr> <tr> <td>Chronic Liver Disease and Cirrhosis</td> <td style="text-align: right;">LNE</td> </tr> <tr> <td>Infant Mortality</td> <td style="text-align: right;">LNE</td> </tr> </tbody> </table> <h3 style="text-align: center;">Leading Causes of Death</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Leading Causes of Death</th> <th style="text-align: right;">Total Deaths</th> </tr> </thead> <tbody> <tr> <td>1. Malignant Neoplasms (Cancer)</td> <td style="text-align: right;">32</td> </tr> <tr> <td>2. Chronic Lower Respiratory Diseases</td> <td style="text-align: right;">17</td> </tr> <tr> <td>3. Heart Disease</td> <td style="text-align: right;">15</td> </tr> <tr> <td>4. Intentional Self-Harm (Suicide)</td> <td style="text-align: right;">7</td> </tr> <tr> <td>T5. Cerebrovascular Diseases</td> <td style="text-align: right;">5</td> </tr> <tr> <td>T5. Diabetes</td> <td style="text-align: right;">5</td> </tr> </tbody> </table> <p>Percent of Deaths due to tobacco use: 34.3 Median age at death: 71</p> <p>●Denotes a health status indicator which is significantly lower than the state average. ○Denotes a health status indicator which is significantly higher than the state average. ³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.</p> <p>See technical notes for more information. Source: South Dakota Department of Health, Office of Health Statistics</p>	All Causes	576.3	● Heart Disease	85.9	Malignant Neoplasms (Cancer)	174.3	Trachea, Bronchus, & Lung	57.7	Colon, Rectum, & Anus	21.4	Female Breast	33.8	Pancreas	LNE	Prostate	LNE	Leukemia	LNE	○ Chronic Lower Respiratory Diseases	100.9	Alzheimer's Disease	LNE	Cerebrovascular Disease	26.1	Accidents	LNE	Motor Vehicle Accidents	LNE	Diabetes Mellitus	27.1	Influenza & Pneumonia	LNE	Intentional Self-Harm (Suicide)	45.6	Chronic Liver Disease and Cirrhosis	LNE	Infant Mortality	LNE	Leading Causes of Death	Total Deaths	1. Malignant Neoplasms (Cancer)	32	2. Chronic Lower Respiratory Diseases	17	3. Heart Disease	15	4. Intentional Self-Harm (Suicide)	7	T5. Cerebrovascular Diseases	5	T5. Diabetes	5
Subject	Number	Percent																																																																																																																	
Total population	2,954	100.0																																																																																																																	
White	2,626	88.9																																																																																																																	
Black or African American	19	0.6																																																																																																																	
American Indian & Alaska Native	221	7.5																																																																																																																	
Asian	11	0.4																																																																																																																	
Native Hawaiian & Other Pacific Islander	0	0.0																																																																																																																	
Two or More Races	77	2.6																																																																																																																	
Under 5 years	172	5.8																																																																																																																	
Under 18 years	705	23.9																																																																																																																	
65 years and over	528	17.9																																																																																																																	
Percent of Low Birth Weight Infants	5.6																																																																																																																		
● Percent of Mothers Who Care in 1st Trimester	59.3																																																																																																																		
Percent of Mothers Who Used Tobacco While Pregnant ¹	14.6																																																																																																																		
Percent of Births Less Than 37 Wks. of Gestation	9.1																																																																																																																		
○ Average Age of Mother	28.6																																																																																																																		
Teenage Birth Rate ²	LNE																																																																																																																		
Percent White Births	84.2																																																																																																																		
Percent American Indian Births	12.2																																																																																																																		
Percent Unmarried	34.3																																																																																																																		
Percent WIC births	34.7																																																																																																																		
Percent Breastfeeding at discharge	78.8																																																																																																																		
Percent Payment-Private Insurance	65.5																																																																																																																		
Percent Payment-Medicaid	29.4																																																																																																																		
○ Percent C-Section	42.9																																																																																																																		
All Causes	576.3																																																																																																																		
● Heart Disease	85.9																																																																																																																		
Malignant Neoplasms (Cancer)	174.3																																																																																																																		
Trachea, Bronchus, & Lung	57.7																																																																																																																		
Colon, Rectum, & Anus	21.4																																																																																																																		
Female Breast	33.8																																																																																																																		
Pancreas	LNE																																																																																																																		
Prostate	LNE																																																																																																																		
Leukemia	LNE																																																																																																																		
○ Chronic Lower Respiratory Diseases	100.9																																																																																																																		
Alzheimer's Disease	LNE																																																																																																																		
Cerebrovascular Disease	26.1																																																																																																																		
Accidents	LNE																																																																																																																		
Motor Vehicle Accidents	LNE																																																																																																																		
Diabetes Mellitus	27.1																																																																																																																		
Influenza & Pneumonia	LNE																																																																																																																		
Intentional Self-Harm (Suicide)	45.6																																																																																																																		
Chronic Liver Disease and Cirrhosis	LNE																																																																																																																		
Infant Mortality	LNE																																																																																																																		
Leading Causes of Death	Total Deaths																																																																																																																		
1. Malignant Neoplasms (Cancer)	32																																																																																																																		
2. Chronic Lower Respiratory Diseases	17																																																																																																																		
3. Heart Disease	15																																																																																																																		
4. Intentional Self-Harm (Suicide)	7																																																																																																																		
T5. Cerebrovascular Diseases	5																																																																																																																		
T5. Diabetes	5																																																																																																																		

Sully County

Demographic Information



Sully County is located in the central region of the state and averages 1.4 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	1,426	100.0
White	1,348	94.5
Black or African American	12	0.8
American Indian & Alaska Native	33	2.3
Asian	1	0.1
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	32	2.2
Under 5 years	74	5.2
Under 18 years	312	21.9
65 years and over	283	19.8

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	8.1
● Percent of Mothers Receiving Care in 1st Trimester	52.1
Percent of Mothers Who Used Tobacco While Pregnant ¹	12.2
Percent of Births Less Than 37 Wks. of Gestation	8.1
Average Age of Mother	27.9
Teenage Birth Rate ²	LNE
Percent White Births	86.5
Percent American Indian Births	10.8
● Percent Unmarried	23.0
● Percent WIC births	23.0
Percent Breastfeeding at discharge	77.0
Percent Payment-Private Insurance	67.6
Percent Payment-Medicaid	28.4
Percent C-Section	25.7

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	476.2
● Heart Disease	84.2
Malignant Neoplasms (Cancer)	168.2
Trachea, Bronchus, & Lung	28.3
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	31.3
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	LNE
Alzheimer's Disease	LNE
Cerebrovascular Disease	LNE
Accidents	40.4
Motor Vehicle Accidents	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

Leading Causes of Death	Total Deaths
1. Malignant Neoplasms (Cancer)	18
2. Heart Disease	9

Percent of Deaths due to tobacco use	22.0
Median age at death	74

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Todd County

Demographic Information



Todd County is located in south central South Dakota, along the Nebraska border and averages 6.9 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	9,959	100.0
White	1,092	11.0
Black or African American	35	0.4
American Indian & Alaska Native	8,576	86.1
Asian	20	0.2
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	236	2.4
Under 5 years	1,295	13.0
Under 18 years	4,054	40.7
65 years and over	748	7.5

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	7.6
● Percent of Mothers Receiving Care in 1st Trimester	40.1
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	24.0
○ Percent of Births Less Than 37 Wks. of Gestation	10.8
● Average Age of Mother	24.9
○ Teenage Birth Rate ²	53.9
Percent White Births	4.4
Percent American Indian Births	92.4
○ Percent Unmarried	84.5
○ Percent WIC births	74.0
● Percent Breastfeeding at discharge	61.5
● Percent Payment-Private Insurance	4.6
○ Percent Payment-Medicaid	46.1
○ Percent C-Section	34.7

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	1,312.2
○ Heart Disease	218.3
Malignant Neoplasms (Cancer)	193.3
Trachea, Bronchus, & Lung	38.6
Colon, Rectum, & Anus	31.0
Female Breast	LNE
Pancreas	LNE
Prostate	38.7
Leukemia	17.4
Chronic Lower Respiratory Diseases	74.8
● Alzheimer's Disease	12.6
Cerebrovascular Disease	69.8
○ Accidents	145.4
○ Motor Vehicle Accidents	81.4
○ Diabetes Mellitus	100.7
○ Influenza & Pneumonia	43.2
○ Intentional Self-Harm (Suicide)	61.5
○ Chronic Liver Disease and Cirrhosis	75.3
Infant Mortality	12.82

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	70
2. Accidents	61
3. Malignant Neoplasms (Cancer)	58
4. Diabetes	34
T5. Intentional Self-Harm (Suicide)	27
T5. Chronic Liver Disease and Cirrhosis	27
7. Chronic Lower Respiratory Diseases	21
8. Cerebrovascular Diseases	20
9. Influenza and Pneumonia	13
10. Mental and Behavioral Disorders Due to Use of Alcohol	10
Percent of Deaths due to tobacco use	13.7
Median age at death	59

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Tripp County

Demographic Information



Tripp County is located along the Nebraska border in south central South Dakota and averages 3.5 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	5,434	100.0
White	4,474	82.3
Black or African American	24	0.4
American Indian & Alaska Native	773	14.2
Asian	29	0.5
Native Hawaiian & Other Pacific Islander	1	0.0
Two or More Races	133	2.4
Under 5 years	341	6.3
Under 18 years	1,214	22.3
65 years and over	1,201	22.1

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	6.7
Percent of Mothers Receiving Care in 1st Trimester	70.2
Percent of Mothers Who Used Tobacco While Pregnant ¹	20.2
Percent of Births Less Than 37 Wks. of Gestation	9.3
Average Age of Mother	27.0
Teenage Birth Rate ²	9.8
Percent White Births	65.0
Percent American Indian Births	30.3
Percent Unmarried	45.5
○ Percent WIC births	48.5
Percent Breastfeeding at discharge	68.7
● Percent Payment-Private Insurance	44.6
○ Percent Payment-Medicaid	50.4
○ Percent C-Section	37.3

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	704.8
Heart Disease	155.8
Malignant Neoplasms (Cancer)	145.8
Trachea, Bronchus, & Lung	31.0
Colon, Rectum, & Anus	21.0
Female Breast	LNE
Pancreas	5.9
Prostate	LNE
Leukemia	8.8
Chronic Lower Respiratory Diseases	39.9
Alzheimer's Disease	50.5
Cerebrovascular Disease	27.9
Accidents	45.8
Motor Vehicle Accidents	11.8
Diabetes Mellitus	14.6
Influenza & Pneumonia	23.0
Intentional Self-Harm (Suicide)	LNE
Chronic Liver Disease and Cirrhosis	36.4
Infant Mortality	8.75

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	89
2. Malignant Neoplasms (Cancer)	70
3. Alzheimer's Disease	34
4. Chronic Lower Respiratory Diseases	20
5. Accidents	19
6. Cerebrovascular Diseases	17
7. Influenza and Pneumonia	14
T8. Diabetes	8
T8. Chronic Liver Disease and Cirrhosis	8
10. Essential (Primary) Hypertension and Hypertensive Renal Disease	5

Percent of Deaths due to tobacco use	18.5
Median age at death	83

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Turner County

Demographic Information



Turner County is located in southeastern South Dakota and averages 13.5 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	8,209	100.0
White	7,973	97.1
Black or African American	36	0.4
American Indian & Alaska Native	86	1.0
Asian	20	0.2
Native Hawaiian & Other Pacific Islander	4	0.0
Two or More Races	90	1.1
Under 5 years	468	5.7
Under 18 years	1,888	23.0
65 years and over	1,717	20.9

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

● Percent of Low Birth Weight Infants	3.1
○ Percent of Mothers Receiving Care in 1st Trimester	81.3
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.7
● Percent of Births Less Than 37 Wks. of Gestation	5.3
○ Average Age of Mother	28.8
Teenage Birth Rate ²	LNE
Percent White Births	98.9
Percent American Indian Births	0.7
● Percent Unmarried	23.2
● Percent WIC births	26.1
Percent Breastfeeding at discharge	82.0
○ Percent Payment-Private Insurance	73.3
● Percent Payment-Medicaid	21.2
Percent C-Section	25.8

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	750.7
Heart Disease	162.7
Malignant Neoplasms (Cancer)	163.9
Trachea, Bronchus, & Lung	42.4
Colon, Rectum, & Anus	21.1
Female Breast	27.9
Pancreas	LNE
Prostate	13.2
Leukemia	12.5
○ Chronic Lower Respiratory Diseases	66.3
○ Alzheimer's Disease	76.9
● Cerebrovascular Disease	21.3
Accidents	52.3
○ Motor Vehicle Accidents	33.8
Diabetes Mellitus	14.7
Influenza & Pneumonia	10.1
Intentional Self-Harm (Suicide)	14.2
Chronic Liver Disease and Cirrhosis	10.0
Infant Mortality	6.68

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	122
2. Malignant Neoplasms (Cancer)	104
3. Alzheimer's Disease	65
4. Chronic Lower Respiratory Diseases	45
5. Accidents	28
6. Cerebrovascular Diseases	17
7. Diabetes	11
8. Influenza and Pneumonia	10
9. Essential (Primary) Hypertension and Hypertensive Renal Disease	9
10. Septicemia	7

Percent of Deaths due to tobacco use	15.0
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Union County

Demographic Information



Union County is located in the southeastern corner of the state and averages 31.3 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	14,909	100.0
White	14,254	95.6
Black or African American	157	1.1
American Indian & Alaska Native	108	0.7
Asian	166	1.1
Native Hawaiian & Other Pacific Islander	9	0.1
Two or More Races	215	1.4
Under 5 years	844	5.7
Under 18 years	3,644	24.4
65 years and over	2,394	16.1

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	5.8
○ Percent of Mothers Receiving Care in 1st Trimester	85.6
● Percent of Mothers Who Used Tobacco While Pregnant ¹	10.0
Percent of Births Less Than 37 Wks. of Gestation	7.6
○ Average Age of Mother	28.7
● Teenage Birth Rate ²	2.5
Percent White Births	95.3
Percent American Indian Births	0.9
● Percent Unmarried	23.1
● Percent WIC births	16.2
Percent Breastfeeding at discharge	82.8
○ Percent Payment-Private Insurance	76.3
● Percent Payment-Medicaid	20.5
○ Percent C-Section	32.5

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

● All Causes	626.1
Heart Disease	158.4
Malignant Neoplasms (Cancer)	140.6
Trachea, Bronchus, & Lung	41.3
Colon, Rectum, & Anus	13.6
Female Breast	21.9
Pancreas	9.9
Prostate	9.0
Leukemia	9.8
Chronic Lower Respiratory Diseases	50.5
Alzheimer's Disease	27.2
● Cerebrovascular Disease	20.9
Accidents	35.5
Motor Vehicle Accidents	8.7
● Diabetes Mellitus	11.9
Influenza & Pneumonia	19.7
● Intentional Self-Harm (Suicide)	6.8
Chronic Liver Disease and Cirrhosis	11.4
Infant Mortality	4.96

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	148
2. Malignant Neoplasms (Cancer)	127
3. Chronic Lower Respiratory Diseases	46
4. Accidents	30
5. Alzheimer's Disease	26
6. Cerebrovascular Diseases	20
7. Influenza and Pneumonia	18
8. Unspecified Dementia	15
9. Essential (Primary) Hypertension and Hypertensive Renal Disease	13
10. Diabetes	11

Percent of Deaths due to tobacco use	18.4
Median age at death	81

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Walworth County

Demographic Information



Walworth County is located in north central South Dakota, near the North Dakota border and averages 7.7 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	5,443	100.0
White	4,483	82.4
Black or African American	28	0.5
American Indian & Alaska Native	738	13.6
Asian	14	0.3
Native Hawaiian & Other Pacific Islander	0	0.0
Two or More Races	180	3.3
Under 5 years	348	6.4
Under 18 years	1,199	22.0
65 years and over	1,357	24.9

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	5.3
Percent of Mothers Receiving Care in 1st Trimester	64.4
Percent of Mothers Who Used Tobacco While Pregnant ¹	20.3
Percent of Births Less Than 37 Wks. of Gestation	9.4
● Average Age of Mother	26.8
Teenage Birth Rate ²	LNE
Percent White Births	67.2
Percent American Indian Births	25.5
Percent Unmarried	41.5
Percent WIC births	42.6
Percent Breastfeeding at discharge	72.9
● Percent Payment-Private Insurance	47.7
○ Percent Payment-Medicaid	43.4
Percent C-Section	27.4

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

○ All Causes	812.3
Heart Disease	149.3
Malignant Neoplasms (Cancer)	174.6
Trachea, Bronchus, & Lung	51.7
Colon, Rectum, & Anus	15.8
Female Breast	21.6
Pancreas	7.1
Prostate	LNE
Leukemia	5.8
Chronic Lower Respiratory Diseases	43.0
○ Alzheimer's Disease	67.2
Cerebrovascular Disease	40.2
Accidents	51.2
Motor Vehicle Accidents	19.6
Diabetes Mellitus	34.9
Influenza & Pneumonia	22.9
Intentional Self-Harm (Suicide)	13.1
Chronic Liver Disease and Cirrhosis	23.5
Infant Mortality	7.98

Leading Causes of Death

Leading Causes of Death	Total Deaths
T1. Heart Disease	87
T1. Malignant Neoplasms (Cancer)	87
3. Alzheimer's Disease	48
4. Chronic Lower Respiratory Diseases	24
5. Cerebrovascular Diseases	21
6. Diabetes	19
7. Accidents	17
8. Influenza and Pneumonia	14
T9. Chronic Liver Disease and Cirrhosis	9
T9. Nephritis, Nephrotic Syndrome, and Nephrosis	9

Percent of Deaths due to tobacco use	16.9
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Yankton County

Demographic Information



Yankton County is located in southeastern South Dakota on the Nebraska border and averages 43.1 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	22,702	100.0
White	21,003	92.5
Black or African American	442	1.9
American Indian & Alaska Native	688	3.0
Asian	179	0.8
Native Hawaiian & Other Pacific Islander	9	0.0
Two or More Races	381	1.7
Under 5 years	1,355	6.0
Under 18 years	4,808	21.2
65 years and over	4,028	17.7

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Natality

Percent of Low Birth Weight Infants	7.7
○ Percent of Mothers Receiving Care in 1st Trimester	83.7
○ Percent of Mothers Who Used Tobacco While Pregnant ¹	20.5
Percent of Births Less Than 37 Wks. of Gestation	8.1
Average Age of Mother	27.3
Teenage Birth Rate ²	10.5
Percent White Births	89.7
Percent American Indian Births	4.8
Percent Unmarried	39.2
Percent WIC births	38.1
● Percent Breastfeeding at discharge	71.2
○ Percent Payment-Private Insurance	65.3
Percent Payment-Medicaid	32.8
Percent C-Section	28.2

Mortality³

● All Causes	657.6
Heart Disease	162.6
Malignant Neoplasms (Cancer)	139.5
Trachea, Bronchus, & Lung	43.1
Colon, Rectum, & Anus	14.6
Female Breast	15.9
● Pancreas	3.6
Prostate	17.4
Leukemia	10.8
Chronic Lower Respiratory Diseases	52.8
Alzheimer's Disease	30.8
Cerebrovascular Disease	32.1
Accidents	43.2
Motor Vehicle Accidents	16.3
Diabetes Mellitus	24.6
Influenza & Pneumonia	18.2
Intentional Self-Harm (Suicide)	17.2
● Chronic Liver Disease and Cirrhosis	3.9
Infant Mortality	9.08

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	288
2. Malignant Neoplasms (Cancer)	218
3. Chronic Lower Respiratory Diseases	88
T4. Accidents	65
T4. Alzheimer's Disease	65
6. Cerebrovascular Diseases	60
7. Diabetes	42
8. Influenza and Pneumonia	33
9. Intentional Self-Harm (Suicide)	20
10. Unspecified Dementia	14

Percent of Deaths due to tobacco use	21.0
Median age at death	82

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.


³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics

Ziebach County

Demographic Information



Ziebach County is located in north central South Dakota and averages 1.4 persons per square mile.

2015 Population Information

Subject	Number	Percent
Total population	2,803	100.0
White	673	24.0
Black or African American	9	0.3
American Indian & Alaska Native	2,002	71.4
Asian	10	0.4
Native Hawaiian & Other Pacific Islander	2	0.1
Two or More Races	107	3.8
Under 5 years	144	5.1
Under 18 years	936	33.4
65 years and over	206	7.3

Source: United States Census Bureau, 2015 Population Estimates

Health Status Indicators 2011-2015

Nativity

Percent of Low Birth Weight Infants	9.2
● Percent of Mothers Receiving Care in 1st Trimester	50.3
Percent of Mothers Who Used Tobacco While Pregnant ¹	17.9
Percent of Births Less Than 37 Wks. of Gestation	12.2
● Average Age of Mother	26.4
Teenage Birth Rate ²	25.2
Percent White Births	15.2
Percent American Indian Births	81.0
○ Percent Unmarried	66.8
○ Percent WIC births	80.3
● Percent Breastfeeding at discharge	58.2
● Percent Payment-Private Insurance	17.8
○ Percent Payment-Medicaid	71.1
Percent C-Section	26.6

●Denotes a health status indicator which is significantly lower than the state average.
○Denotes a health status indicator which is significantly higher than the state average.

¹Data for mothers who used tobacco are self-reported.

²Teenage Birth rate is live births per 1,000 females age 15-17.

Mortality³

All Causes	679.2
Heart Disease	189.1
● Malignant Neoplasms (Cancer)	56.6
Trachea, Bronchus, & Lung	LNE
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Pancreas	LNE
Prostate	LNE
Leukemia	LNE
Chronic Lower Respiratory Diseases	40.5
Alzheimer's Disease	LNE
Cerebrovascular Disease	32.2
Accidents	85.9
Motor Vehicle Accidents	35.4
Diabetes Mellitus	34.9
Influenza & Pneumonia	24.8
Intentional Self-Harm (Suicide)	17.6
Chronic Liver Disease and Cirrhosis	47.3
Infant Mortality	LNE

Leading Causes of Death

Leading Causes of Death	Total Deaths
1. Heart Disease	16
2. Accidents	11
T3. Malignant Neoplasms (Cancer)	5
T3. Chronic Liver Disease and Cirrhosis	5

Percent of Deaths due to tobacco use	9.1
Median age at death	61

●Denotes a health status indicator which is significantly lower than the state average.

○Denotes a health status indicator which is significantly higher than the state average.

³All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

See technical notes for more information.

Source: South Dakota Department of Health, Office of Health Statistics