


Drank Alcohol in Past 30 Days, 2016

Respondents who report drinking alcohol in the past 30 days.

The national median for drinking alcohol in the past 30 days is 55.0 percent. South Dakota has 59.0 percent of respondents who drank alcohol in the past 30 days.

Utah has the lowest with 31.7 percent, while Wisconsin has the highest with 67.3 percent of respondents who drank alcohol in the past 30 days.

Nationally, Respondents Who Drank Alcohol in the Past 30 Days, 2016



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2016


Binge Drinking, 2016

Male respondents who report having five or more alcoholic drinks on one occasion or female respondents who have four or more alcoholic drinks on one occasion, one or more times in the past month.

The national median for binge drinking is 16.9 percent. South Dakota has 19.3 percent of respondents who binge drink.

West Virginia has the lowest with 11.3 percent, while Washington D.C. the highest with 25.5 percent of respondents who binge drink.

Nationally, Respondents Who Engage in Binge Drinking, 2016



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2016


Heavy Drinking, 2016

Male respondents who report having more than 2 drinks per day, or female respondents who report having more than 1 drink per day.

The national median for heavy drinking is 6.5 percent. South Dakota has 5.4 percent of respondents who engage in heavy drinking.

West Virginia has the lowest with 3.5 percent, while Washington D.C. the highest with 11.1 percent of respondents who engage in heavy drinking.

Nationally, Respondents Who Engage in Heavy Drinking, 2016



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2016