

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/07/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 43A073	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/06/2021
NAME OF PROVIDER OR SUPPLIER SANFORD CHAMBERLAIN CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 300 S BYRON BLVD CHAMBERLAIN, SD 57325		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p>INITIAL COMMENTS</p> <p>Surveyor: 41088 A COVID-19 Focused Infection Control survey was conducted by the South Dakota Department of Health Office of Licensure and Certification on 5/5/21 and 5/6/21. Sanford Chamberlain Care Center was found in compliance with 42 CFR Part 483.10 resident rights and 42 CFR Part 483.80 infection control regulations F550, F562, F563, F583, F880, F882, F885, and F886.</p> <p>A COVID-19 Focused Emergency Preparedness survey was conducted by the South Dakota Department of Health Office of Licensure and Certification on 5/5/21 and 5/6/21. Sanford Chamberlain Care Center was found in compliance with 42 CFR Part 482, Subpart B, Subsection 483.73 related to E-0024(b)(6).</p> <p>Total residents: 43</p>	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE



TITLE

Sr. Director

(X6) DATE

5/7/21

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

