DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/23/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	2000 1000	ULTIPLE CONSTRUCTION DING		(X3) DATE SURVEY COMPLETED	
		435072	B. WING	MNG		10/06/2020	
NAME OF PROVIDER OR SUPPLIER SEVEN SISTERS LIVING CENTER				STREET ADDRESS, CITY, STATE, ZIP CODE 1201 HWY 71 SOUTH HOT SPRINGS, SD 57747			- 3, - 0 - 0
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG		PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
F 000	was conducted by the of Health Licensure a 10/6/20. Seven Sister compliance with 42 C rights and 42 CFR Paregulation(s): F550, F F882, F885, and F886 Seven Sisters Living 6	Infection Control Survey South Dakota Department and Certification Office on Survey Living Center was found in FR Part 483.10 resident art 483.80 infection control 562, F563, F583, F880, 6.	F	000	DEFICIENCY		
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE					TITLE	(X6) DATE	
Tricia Uhlir					CEO	10/23/2020	

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

FORM CMS-2567(02-99) Previous Versions Obsolete

Event ID: PRS111

Facility ID: 0087

If continuation sheet Page 1 of 1