DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	435043	A. BUILDING _____ B. WING _____	11/10/2021

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SPEARFISH CANYON HEALTHCARE	1020 N 10TH STREET SPEARFISH, SD 57783

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 000	INITIAL COMMENTS Surveyor: 40788 A COVID-19 Focused Infection Control survey was conducted by the South Dakota Department of Health Office of Licensure and Certification on 11/10/21. Spearfish Canyon Healthcare was found in compliance with 42 CFR Part 483.10 resident rights and 42 CFR Part 483.80 infection control regulations F550, F562, F563, F583, F880, F882, F885, and F886. A COVID-19 Focused Emergency Preparedness survey was conducted by the South Dakota Department of Health Office of Licensure and Certification on 11/10/21. Spearfish Canyon Healthcare was found in compliance with 42 CFR Part 482, Subpart B, Subsection 483.73 related to E-0024(b)(6). Total residents: 78	F 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Administrator | 11/15/2021

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.