

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/06/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 435095	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY SCOTLAND			STREET ADDRESS, CITY, STATE, ZIP CODE 130 6TH STREET SCOTLAND, SD 57059		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS Surveyor: 32332 A recertification health survey for compliance with 42 CFR Part 483, Subpart B, requirements for Long Term Care facilities, was conducted from 3/23/21 through 3/25/21. Good Samaritan Society Scotland was found in compliance.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE


TITLE

(X6) DATE

Julie Ramey Administrator

04/07/21

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.



DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/06/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 435095	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY SCOTLAND			STREET ADDRESS, CITY, STATE, ZIP CODE 130 6TH STREET SCOTLAND, SD 57059		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments Surveyor: 32332 A recertification survey for compliance with 42 CFR Part 482, Subpart B, Subsection 483.73, Emergency Preparedness, requirements for Long Term Care Facilities, was conducted from 3/23/21 through 3/25/21. Good Samaritan Society Scotland was found in compliance.	E 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE


TITLE

(X6) DATE

Julie Ramey Administrator

04/07/21

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.



DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/06/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 435095	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY SCOTLAND			STREET ADDRESS, CITY, STATE, ZIP CODE 130 6TH STREET SCOTLAND, SD 57059		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	INITIAL COMMENTS Surveyor: 40506 A recertification survey for compliance with the Life Safety Code (LSC) (2012 existing health care occupancy) was conducted on 3/25/21. Good Samaritan Society Scotland was found in compliance with 42 CFR 483.70 (a) requirements for Long Term Care Facilities.	K 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Julie Ramey Administrator

04/07/21

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

APR 07 2021

SD 000-010

South Dakota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 10675	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
--	--	--	---

NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY SCOTLAND	STREET ADDRESS, CITY, STATE, ZIP CODE 130 6TH ST SCOTLAND, SD 57059
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S 000	Compliance/Noncompliance Statement Surveyor: 32332 A licensure survey for compliance with the Administrative Rules of South Dakota, Article 44:73, Nursing Facilities, was conducted from 3/23/21 through 3/25/21. Good Samaritan Society Scotland was found in compliance.	S 000		
S 000	Compliance/Noncompliance Statement Surveyor: 32332 A licensure survey for compliance with the Administrative Rules of South Dakota, Article 44:74, Nurse Aide, requirements for nurse aide training programs, was conducted from 3/23/21 through 3/25/21. Good Samaritan Society Scotland was found in compliance.	S 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Julie Ramey Administrator

STATE FORM

TITLE

(X6) DATE

04/07/21

If continuation sheet 1 of 1

