## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/09/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		PIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	435110	B. WING_		12/03/2020
NAME OF PROVIDER OR SUPPLIER FOUNTAIN SPRINGS HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 2000 WESLEYAN BLVD RAPID CITY, SD 57702	
PREFIX (EACH DEFICIENC	PREFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL		PROVIDER'S PLAN OF CORRECTION ( (EACH CORRECTIVE ACTION SHOULD & CROSS-REFERENCED TO THE APPROPRI DEFICIENCY)	BE COMPLETION
was conducted by the of Health Licensure a 12/3/20. Fountain Sp found in compliance or resident rights and 42 control regulations: F F880, F882, F885, ar Fountain Springs Heat compliance with 42 C E-0024(b)(6).  Total residents: 70	d Infection Control Survey e South Dakota Department ind Certification Office on rings Healthcare Center was with 42 CFR Part 483.10 2 CFR Part 483.80 infection 550, F562, F563, F583, and F886. althcare Center was found in FR Part 483.73 related to	FC	TITLE	(X6) DATE
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			Executive Director	12/9/2020

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days

following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

FORM CMS-2567(02-99) Previous Versions Obsolete

Event ID: LQJ611

Facility ID: 0072

If continuation sheet Page 1 of 1