PRINTED: 10/28/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CO	DNSTRUCTION	(X3) DATE SURVEY COMPLETED		
		435082	B. WING		10	0/19/2020	
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY LENNOX			404 1	STREET ADDRESS, CITY, STATE, ZIP CODE 404 EAST 6TH AVENUE LENNOX, SD 57039			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF COR (EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE A DEFICIENCY)	SHOULD BE	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS		F 000				
F 880 SS=D	was conducted by the of Health Licensure at 10/19/20. Good Sam found not in compliar infection control regular infection control regular infection control regular infection control regular Good Samaritan Sociompliance with 42 Crights and 42 CFR Paregulation(s): F550, F885, and F886. Good Samaritan Sociompliance with 42 CE-0024(b)(6). Total residents: 30 Infection Prevention CFR(s): 483.80(a)(1) §483.80 Infection Control of the facility must established infection prevention and the designed to provide a comfortable environment and tradiseases and infection program. The facility must established infection program. The facility must established in the control of the contro	siety Lennox was found in CFR Part 483.10 resident art 483.80 infection control F562, F563, F583, F882, siety Lennox was found in CFR Part 483.73 related to & Control (2)(4)(e)(f) antrol (ablish and maintain an and control program a safe, sanitary and ment and to help prevent the insmission of communicable ons. prevention and control (IPCP) that must include, at	F 880				
LABORATORY	DIRECTOR'S OR PROVIDER	/SUPPLIER REPRESENTATIVE'S SIGNATUR	E	TITLE		(X6) DATE	
				Administrator		11/03/2020	

Todd Anderson

Administrator

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other references to the national of the particular to the particula

Any dericiency statement ending with an asterist. Detailed a deficiency whether or not a plan of correction is previded. For nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is previded. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

FORM CMS-2567(02-99) Previous Versions Obsolete

Event ID: LYOR11

Facility ID: 0024

If continuation sheet Page 1 of 5

PRINTED: 10/28/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		435082	B. WING		10/	19/2020	
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY LENNOX			STREET ADDRESS, CITY, STATE, ZIP CODE 404 EAST 6TH AVENUE LENNOX, SD 57039				
(X4) ID PREFIX TAG	(EACH DEFICIENCY MUST BE PRECEDED BY FULL		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	BE	(X5) COMPLETION DATE	
F 880	reporting, investigating and communicable distaff, volunteers, visit providing services un arrangement based us conducted according accepted national states §483.80(a)(2) Writter procedures for the procedure for th	em for preventing, identifying, and and controlling infections is eases for all residents, ors, and other individuals der a contractual upon the facility assessment to §483.70(e) and following andards; In standards, policies, and ogram, which must include, Illance designed to identify pole diseases or y can spread to other or; Impossible incidents of the entire of the infections should be the insmission-based precautions event spread of infections; colation should be used for a cut not limited to: ration of the isolation, infectious agent or organism that the isolation should be the ible for the resident under the es under which the facility eves with a communicable skin lesions from direct to or their food, if direct	F 88	1. As of 10/26/2020-current we do not have covid positive residents in our facility. 2. For an future covid positive resident who door is unable to be shut due to safety or request by the resident, they will have a complastic shower curtain hung in their doorwe create a barrier. 3. If there is a covid positive resident in the an audit will be completed to ensure a bar placed in the residents door or the resident will remain closed. The audit will be completed to ensure a bar placed in the residents or designee 5 to week until there are no longer covid positive residents. The results of the audit will be to the Qaulity Assurance committee for material to the Qaulity Assurance committee for ma	ose lear ay to e facility, rrier is nts door pleted by mes per ve reported onitoring.	11/03/2020	

Facility ID: 0024

PRINTED: 10/28/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	, , ,			TE SURVEY
435082		435082	B. WING			10/19/2020
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY LENNOX				STREET ADDRESS, CITY, STATE, ZIP CODE 404 EAST 6TH AVENUE LENNOX, SD 57039		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			PROVIDER'S PLAN OF CORF (EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE AI DEFICIENCY)	HOULD BE	(X5) COMPLETION DATE
F 880	(EACH DEFICIENCY MUST BE PRECEDED BY FULL		F 8	80		

PRINTED: 10/28/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING			COMPLETED	
		435082	B. WNG_			10/	19/2020	
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY LENNOX			STREET ADDRESS, CITY, STATE, ZIP CODE 404 EAST 6TH AVENUE LENNOX, SD 57039					
(X4) ID PREFIX TAG	(EACH DEFICIENCY MUST BE PRECEDED BY FULL		ID PREFI TAG	200	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD B CROSS-REFERENCED TO THE APPROPRI DEFICIENCY)	BE	(X5) COMPLETION DATE	
F 880	*Physical therapy ass roomShe did not disinfect with resident 2, who with resident 2, who with resident 4's roomShe did not disinfect with resident 4's roomShe did not disinfect with resident 4, who with resident 3's roomShe did not disinfect with resident 3's roomShe did not disinfect with resident 3, who with resident 3, who with resident 3, who with resident 3 who with resident 3 with resident 3 with resident 3 with resident 5 with resident	19/20 at 2:31 p.m. revealed: sistant D leaving resident 2's ther faceshield after contact was COVID-19 positive. 19/20 at 2:35 p.m. revealed: was leaving resident ther faceshield after contact was COVID-19 positive. 19/20 at 2:36 p.m. revealed: was COVID-19 positive. 19/20 at 2:36 p.m. revealed: was COVID-19 positive. 19/20 at 3:20 p.m. with director contact was COVID-19 positive. 19/20 at 3:20 p.m. with director contact was COVID-19 positive. 19/20 at 3:20 p.m. with director contact was COVID-19 positive. 19/20 at 3:20 p.m. with director contact was COVID-19 positive. 19/20 at 3:20 p.m. with director contact was COVID-19 positive. 19/20 at 3:20 p.m. with director contact was COVID-19 positive. 19/20 at 3:20 p.m. with director contact was covident and their positive for COVID-19. The door meant the resident director was resident's right to keep the director was resident's right to keep the director sight of the positive policy, cute Respiratory Syndromes by Enterprise revealed the mendations for infection	F	880	1. As of 10/26/2020-current we do not ha covid positive residents in our facility. 2. For any future covid positive residents, shield cleaning station will be placed outs the positive rooms, with disinfectant wipe timer. 3. If there is a covid positive resident in the audits will be completed to ensure face are being cleaned after exiting a positive room and before entering a negative room will be completed by Infection Prevention designee 5 times per week until there are longer covid positive residents. The resulaudits will be reported to the Quality Assi Committee for monitoring. 4. Education on this process was provided staff on 10/23/2020	, a face side of s and a ne future, shields resident m. Audit ist or e no ults of the urance	11/03/2020	

PRINTED: 10/28/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED		
435082		435082	B. WING			10/19/2020	
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY LENNOX				40	TREET ADDRESS, CITY, STATE, ZIP CODE 14 EAST 6TH AVENUE ENNOX, SD 57039		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			х	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD B CROSS-REFERENCED TO THE APPROPRI DEFICIENCY)		(X5) COMPLETION DATE
F 880	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL		F	880			